PRIME LABORATORY SOFTWARE (PLS)

Front Desk, Billing, Laboratory and Inventory User Manual

Administrator and trainer edition

Detailed operating procedures, responsibilities, controls, worked examples and recovery.

Training edition revised 6 November 2026 | Live verification is labelled per procedure

This trainer edition includes the documented procedures for all four modules. Staff use the in-application edition filtered to their active role and enabled modules. The manual does not grant permission to perform an action.

Back to contents

Contents

Understanding Prime Laboratory Software 7

How to use this manual 13

Part 1. CRM 15

1.1 Patient workflow . . . 19

1.1.1 From patient arrival to billing handoff . . . 19

1.2 Patients . . . 21

1.2.1 Register a patient . . . 21

1.2.2 Find and manage a patient . . . 25

1.3 Patient service . . . 27

1.3.1 Track a patient through the queue . . . 27

1.3.2 Review referrer follow-up . . . 28

1.3.3 Review upcoming birthdays and contact details . . . 29

1.3.4 Find a released patient result . . . 30

1.3.5 Review the test price list . . . 31

1.4 Relationships . . . 33

1.4.1 Review referring organizations . . . 33

1.4.2 Find referring practitioners . . . 34

1.4.3 Review referrer acquisition . . . 35

1.4.4 Manage and use referral codes . . . 36

1. Practice and competency check . . . 38

1. Glossary . . . 39

Part 2. Billing 40

2.1 Payment workflow . . . 44

2.1.1 From prepared bill to cashier receipt . . . 44

2.2 Billing . . . 51

2.2.1 Prepare a patient bill . . . 51

2.2.2 Suspend and resume a billing draft . . . 53

2.3 Payments . . . 55

2.3.1 Collect an outstanding payment . . . 55

2.3.2 Find a receipt record and reprint from sales . . . 56

2.3.3 Review your sales session . . . 58

2.3.4 Create an organization invoice and record its payment . . . 59

2.3.5 Request and review a billing refund . . . 60

2.4 Catalogue . . . 62

2.4.1 Review a package and its applicability . . . 62

2.4.2 Configure billing strategies . . . 63

2.5 Insurance . . . 65

2.5.1 Review NHIS receivables and remittances . . . 65

2.6 Reports . . . 67

2.6.1 Review sales and breakdowns . . . 67

2.7 Expenses . . . 69

2.7.1 Create an expense request . . . 69

2.7.2 Review expenses awaiting approval . . . 70

2.7.3 Record an approved expense payment . . . 71

2. Practice and competency check . . . 73

2. Glossary . . . 74

Part 3. Operations **75**

3.1 Clinical workflow . . . 77

3.1.1 From sample to delivered result . . . 77

3.2 Patient assessment . . . 79

3.2.1 Record patient vital signs . . . 79

3.3 Samples . . . 81

3.3.1 Collect and review samples . . . 81

3.3.2 Validate collected samples . . . 85

3.3.3 Store, retrieve and retain a specimen . . . 86

3.3.4 Review and recollect a rejected specimen . . . 88

3.3.5 Review specimen decisions and notifications . . . 89

3.4 Results . . . 91

3.4.1 Enter and review results . . . 91

3.4.2 Validate the latest result revision . . . 94

3.4.3 Deliver released results . . . 96

3.4.4 Use the laboratory workbench . . . 97

3.4.5 Dispatch an outsourced test and receive its report . . . 98

3.5 Quality . . . 101

3.5.1 Create and review a QC session . . . 101

3.5.2 Handle a critical result event . . . 102

3.5.3 Review laboratory turnaround time . . . 104

3.6 Imaging . . . 106

3.6.1 Work through imaging cases . . . 106

3.6.2 Create and review imaging report templates . . . 107

3.7 Department stock . . . 109

3.7.1 Request, receive and consume laboratory stock . . . 109

3.7.2 Request, receive and consume imaging stock . . . 111

3.8 Records . . . 114

3.8.1 Find a previous patient result . . . 114

3. Practice and competency check . . . 116

3. Glossary . . . 117

Part 4. Inventory **118**

4.1 Stock workflow . . . 120

4.1.1 From departmental request to stock usage . . . 120

4.2 Catalogue . . . 122

4.2.1 Find and review inventory items . . . 122

4.2.2 Create and maintain inventory categories . . . 123

4.2.3 Configure inventory units . . . 124

4.2.4 Configure storage locations . . . 125

4.2.5 Configure test material templates . . . 126

4.3 Purchasing . . . 129

4.3.1 Create and review purchase orders . . . 129

4.3.2 Review goods receipts . . . 130

4.3.3 Create and maintain supplier details . . . 131

4.3.4 Receive an order into stock . . . 132

4.4 Payments . . . 136

4.4.1 Pay an inventory supplier . . . 136

4.4.2 Trace inventory payments . . . 137

4.5 Department stock . . . 139

4.5.1 Approve and issue departmental stock . . . 139

Back to contents

4.6 Stock movements 141

4.6.1 Record inventory consumption 141

4.6.2 Review an item consumption history 142

4.6.3 Review stock wastage records 143

4.6.4 Review expired inventory batches 144

4.7 Reports 146

4.7.1 Understand stock analytics 146

4. Practice and competency check 149

4. Glossary 150

Back to contents

Understanding Prime Laboratory Software

Prime Laboratory Software (PLS) brings the administrative, diagnostic, stock and financial work of a healthcare facility into connected workspaces. Its purpose is to help staff identify the right patient, record the requested service, account for charges and payments, track clinical work and hand over a traceable outcome to the next responsible person. It supports facilities with different combinations of laboratory, imaging, consultation and pharmacy services; the modules enabled for your facility determine what is available.

Our operating philosophy

One identity, connected records

Start with the correct patient and facility. A visit, bill, service, physical sample, result and receipt are different records connected by their references. Search before creating a second patient; do not create a replacement bill just to recover a lost receipt.

Each stage has a purpose

Registration identifies the patient. Billing records charges. Collection records money received. Sample collection records a specimen. Result entry records findings. Validation approves a particular revision. Delivery records release. Completing one stage does not prove that every later stage is complete.

Responsibility follows the work

The front desk, cashier, collection team, scientist, validator, storekeeper and accountant have different responsibilities. An employee may have several assigned roles, but the active role and current branch determine the actions allowed in the workspace. A manual instruction never grants permission.

Configuration reflects the facility

Direct collection and a separate cashier counter are both supported. Payment, specimen, validation, critical-value and release settings can block a later action. Follow the configured workflow; do not change a control simply to get past a warning.

Verify the saved outcome

A preview, printed slip or entered amount does not establish that a transaction was saved. Record the generated reference and inspect the saved status, amount and history. After a timeout, check for an existing save before repeating it.

Keep clinical and financial evidence traceable

Use the existing correction, refund, revalidation, discrepancy and incident workflows. These preserve who did what and why. Do not replace an old record with a new one to hide an error.

How PLS supports the organization

Front desk and patients

A consistent registration and billing sequence reduces duplicate identities, incorrect payer selection and repeated entry. Staff can give a clear next step and pass the correct reference to the cashier or clinical team.

Back to contents

Clinical teams

Linked service and specimen references support a clearer chain from request to collection, processing, current-result review and release. Status checks help the next team distinguish work ready to proceed from work awaiting a prerequisite.

Store and departments

Requisition, approved quantity, issue, acknowledgement and consumption have separate meanings. Department-level records help compare what was supplied, received and used without losing the general stock view.

Finance and management

Billing, receipts, outstanding balances, expenses, supplier payments, payroll and accounting reports answer different questions. Review the correct date, branch, account and report basis rather than treating billed revenue as cash collected.

Modules and manual coverage

Only enabled modules and permitted actions appear in your workspace. This overview does not grant access.

CRM and front desk

Patient registration, customer search, queue, referring practitioners, organizations and follow-up.

Manual coverage: Detailed procedures in this manual; begin here.

Billing and collections

Payer selection, services, prices, cashier handoff, partial collections, receipts, refunds and insurance balances.

Manual coverage: Detailed procedures in this manual; follows registration.

Laboratory operations

Specimens, result entry, validation, critical results, quality control, outsourcing, archives and delivery.

Manual coverage: Procedures in this manual; live verification status is stated per enhanced procedure.

Imaging

Imaging requests, templates, reports and departmental supplies.

Manual coverage: Included within Operations; site-specific examination/report training is also required.

Inventory

Purchasing, receipts, funded supplier payments, store and department custody, consumption, loss and analytics.

Manual coverage: Procedures in this manual; purchasing is distinct from departmental requisition approval.

Pharmacy

Medicines, prescriptions, dispensing, direct or cashier-counter sales, stock and financial days.

Manual coverage: Separate Pharmacy Learning Center and manual. This document does not replace it.

Back to contents

Consultations and practitioner access

Consultation records, practitioner access and case referrals where enabled.

Manual coverage: Module overview only here; dedicated practitioner training is outside this edition.

Accounting

Ledger, chart of accounts, financial statements, reconciliation, budgets and forecasts where enabled.

Manual coverage: Module overview only here; accounting configuration and closing require separate training.

Payroll and human resources

Employee compensation, salary templates, attendance, deductions and payroll processing/payment.

Manual coverage: Module overview only here; payroll procedures are outside this edition.

Communications

SMS/email templates, campaigns, delivery information and contact-group synchronization where enabled.

Manual coverage: Module overview only here; sending and provider configuration require their own permissions.


Supporting workspaces

Appointments, expenses, commissions, analytics, incident reporting and administration support the service teams.

Manual coverage: Relevant expense and referral procedures are included; remaining specialist configuration is not fully documented in this edition.


Back to contents

Recognize the front-desk workspace



Front-desk orientation: the blank Patient Registration Wizard and Customer Management menu. Reused from the website; it is a reference illustration, not evidence of a new saved patient. Menu availability follows the active role.

Back to contents



Billing orientation: find the correct existing patient before building a bill. This website reference image explains the entry point; the live saved-bill walkthrough follows in the billing chapter.

How work moves between teams

Front desk

Find the existing patient or register once; confirm branch and requested services.

Handoff evidence: Patient ID and selected visit.

Billing desk

Confirm payer and current charges; save the reviewed bill through the configured payment flow.

Handoff evidence: Saved Bill ID; cashier code when separate-counter mode is configured.

Cashier

Retrieve the same bill, verify the current balance and record the actual authorized collection.

Handoff evidence: Payment history, remaining balance and receipt.

Collection and reception

Identify the patient, record the physical specimen and complete the required reception/suitability checks.

Handoff evidence: Sample UID/barcode and specimen status linked to the service.

Back to contents

Scientist and validator

Record the measured result, reopen to check it and approve the current revision under the configured controls.

Handoff evidence: Saved result revision and required approvals.

Delivery team

Check release eligibility and patient/recipient details before handing over the final report.

Handoff evidence: Released report and delivery record.

Store and finance

Record supporting stock movements and financial transactions in their own authorized workspaces.

Handoff evidence: Order/receipt/movement references and reconciled financial evidence.

Recommended learning sequence

1. Read this introduction and the facility/role checks first.
2. Complete the CRM/front-desk chapter: patient search, registration, queue and record review.
3. Complete billing next: payer, selection, charges, save, cashier collection and receipt, then exceptional cases.
4. Continue to laboratory work only after the patient/service handoff is understood. Follow specimen, result and release prerequisites.
5. Use inventory and specialist chapters for the duties assigned to you. Do not assume a chapter makes every action available to your role.

Scope of this edition

This edition contains detailed task procedures for CRM, billing, Operations and inventory, with enhanced training examples and verification notes. It is not a claim that every application module has a complete manual or that every procedure has passed live acceptance testing. Screenshot captions and verification labels distinguish actual captures and completed checks from illustrative examples and remaining tests. Follow your facility's clinical SOPs and policies alongside this software manual.

Back to contents

How to use this manual

Begin with the relevant module introduction, its roles and operating rules. Use the numbered procedures to prepare, perform and verify each task. The controls listed in a procedure explain the screen information that must be reviewed. Worked examples are illustrative training scenarios. Use a training environment when practising transactions.

This document is generated from the same procedure content used by the application manuals. Five enhanced pilot procedures include field rules, original application screenshots where captured, worked examples and explicit verification status. Other procedures remain reference material awaiting equivalent live walkthroughs. Record-specific pages are opened from the selected record.

Procedures describe the source-reviewed implementation. Site configuration, active role, assigned record scope and financial controls affect the actions available. Live representative-user acceptance remains a separate activity.

Reading conventions

Preparation

Information and access to review before starting.

Controls and fields

The purpose of the relevant screen controls.

Steps

Actions to perform in the stated order.

Verification

Evidence to inspect after the save or transition.

Recovery

What to check before retrying or escalating an exception.

Back to contents

First sign-in and finding your workspace

1. Open the facility application address supplied by your administrator and sign in using your assigned credentials. Confirm the facility, branch and active role shown in the application.
2. Open the relevant module from the sidebar. Open its Learning Center to find the online manual and searchable guides. If a module or action is missing, ask an authorized administrator to review your access and the enabled facility modules.
3. Use the named sidebar menus and selected record to reach the page. Menu availability depends on your active role and enabled modules. The PDF does not assume a shared production address.
4. For practice, use a designated training environment and fictional patient or document data. Confirm that you are in that environment before saving or collecting money.

When an action fails

1. Read the message and check the current patient, document, branch, active role and required fields.
2. After an uncertain response, reopen or reload the saved record and inspect its history or reference before retrying. A repeated payment, stock issue or clinical save can create conflicting work.
3. If another user changed the record, reload it and review the current values before submitting again.
4. If the problem persists, give support the page, document reference, action, time and exact error. Use your approved support channel for patient details and omit passwords, session tokens and API keys.

Back to contents

Part 1. CRM

Registration, patient service and referring relationships

This manual explains how front-desk and customer-service work establishes a reliable patient identity and carries it into the visit, billing and report handoff. It also covers referrer relationships, enquiries and follow-up. Patient identity is the connecting reference. Similar names, different spelling or a returning visit are reasons to search carefully before creating another record.

Audience

Registrars, reception and customer-service staff, authorized marketers, managers and administrators.

Learning objectives

- Find an existing patient before creating a new identity.
- Review registration and contact information before saving.
- Follow the active visit and transfer the correct reference to billing or another service point.
- Locate eligible reports and review their delivery state.
- Distinguish patient service, referrer acquisition and management tasks.

Roles and responsibilities

Registrar / CRM staff

Search patients, register authorized new records, review the queue and prepare permitted billing requests.

Customer-service staff

Review patient enquiries, eligible reports and result-delivery state within their access.

Marketer

Use assigned referrer acquisition and follow-up records. Patient registration access is separate.

Cashier

Collect payments through the billing workspace. Cashier and CRM page access are distinct.

Manager / administrator

Manage permitted organization, practitioner and configuration tasks and investigate exceptions.

Before you start

1. Confirm the active branch and role.
2. Ask for patient identifiers and review available identity information.

3. Check contact details with the patient or authorized referrer.

4. Identify whether the task concerns an existing patient, a new registration, a referrer or a specific visit.

Rules and controls

- A patient name alone may not uniquely identify a person. Confirm the intended record before changing details or handing over a report.

- Use the saved patient and visit references in subsequent billing and clinical work.

- Management actions on organizations, practitioners and portal access retain their own permissions.

- Legacy lead and follow-up URLs redirect into referrer acquisition. Access is checked against that destination.

- A report enquiry, report opening and recorded delivery represent different stages.

- Opening a phone, email or messaging link does not prove that communication was delivered.

Daily operating sequence

1. Search and identify the arriving patient.

2. Register only where a new identity is appropriate and confirm the saved reference.

3. Review the active visit and direct the patient to the next service point.

4. Hand the correct patient and payer context to billing.

5. Review follow-up and report-delivery enquiries against the recorded history.

What the front desk is responsible for

The front desk connects a person to the correct identity, requested services and next service point. Registration is not payment, and a patient record is not a laboratory result. Your responsibility is to confirm who the patient is, who is paying and where the patient should go next.

One person can return for several visits. Keep their existing patient identity and prepare the appropriate new visit/bill instead of registering the person again. A familiar name alone is not enough: compare the patient identifier and other available details before opening an action.

Staff check

- Confirm the facility, branch and active role before the first patient.

- Search the existing register before creating a new patient.

- Use only your permitted patient, billing, consultation and result-delivery actions.

- End each interaction with a clear handoff: destination, record reference and next task.

Back to contents

Understand the identifiers before you begin

Patient ID identifies the person. A full patient ID may include facility-specific letters; a numeric internal ID may also be shown. Bill ID identifies one bill for that patient. The short cashier code retrieves that saved bill; it is not a password or proof of payment.

A service belongs to the bill. Later, a physical sample UID/barcode identifies a container linked to the requested tests. A result revision records a particular saved set of findings. A receipt number identifies recorded financial evidence. Never substitute one identifier for another just because both are numbers.

Staff check

- Read back the patient name and identifier before billing or updating records.
- Carry the saved Bill ID or cashier code to the counter.
- Use the same patient and service references when the clinical team takes over.

New patient or returning patient: choose the right path

For a returning patient, use Customers and Filter By Field to search Patientid, Fullpatientid, Mobile number or Fullname. Inspect the returned row, then use its Actions menu. For a new patient, open Registration and use Quick Duplicate Check before completing Basic Info.

When only basic registration is needed, Save & Proceed to Billing records the identity and moves to payer selection. For the full profile, Save & Continue to Address takes you through Address, Emergency Contact and Photo & Credentials. Follow the patient-registration procedure for required fields and the two paths.

If you discover a probable duplicate, record the two identifiers and use the facility's authorized duplicate-review/merge process. Do not delete either history or edit one patient into another person.

Staff check

- Verify age and its Yrs/Mths/Days unit, gender and contact spelling.
- At Address, Region and Area are required even when the label lacks an asterisk.
- Do not create portal credentials merely to complete registration.
- After an uncertain save, search before trying again.

Queue, appointments, referrals and results at reception

The queue helps staff track the current service stage. An appointment is a planned service; it is not proof that registration, billing or clinical work has completed. Link the intended patient or saved bill only through the permitted queue/appointment action.

A referring clinician or organization identifies where the case came from. The paying account identifies who owes the charge. They may be different. Review each independently during billing.

When a patient asks for results, use the released-result or delivery workflow permitted to you. A saved result may still await validation, payment, critical-value communication or release. Do not enter clinical values or mark delivery complete just to satisfy a reception request.

Back to contents

Staff check

- Confirm the current queue ticket and patient before linking work.
- Distinguish the referrer from the payer.
- Check report release eligibility and recipient identity.
- For a lost receipt, reprint the saved transaction; do not collect the money twice.

Recommended learning order

From patient arrival to billing handoff

Register a patient

Find and manage a patient

Track a patient through the queue

Back to contents


1.1 Patient workflow

1.1.1 From patient arrival to billing handoff

Understand how patient identity connects registration, queue tracking and billing. Each stage is performed by a person with the existing permission for that task.

Where to open it

Open CRM & Billing / Customer Management / Customers for a returning patient, or Registration for a new patient.



Before you begin

- Confirm the patient identity and active visit before handing the reference to billing.

- Agree who is responsible for the next handoff.

Controls and fields

Front desk

Search for an existing patient.

Registrar

Confirm identity and register only when needed.

CRM team

Track the active visit and direct the patient.

Billing team

Prepare the correct services and payer details.

Step-by-step procedure

1. Confirm facility, branch and active role. Ask whether the patient has an existing patient ID and what services are requested.
2. Search Customers by the appropriate field and compare the patient identity. Use Registration only after checking that the patient is not already recorded.
3. For a new patient, complete the required Basic Info and choose the appropriate registration path. Record the generated patient ID and verify the saved profile.
4. Open Bill Client for that patient, or continue directly from registration. Confirm the actual payer and any separate referring clinician/organization.
5. Review requested tests/services and their final charges. Follow the configured direct-payment or separate-cashier workflow; pass the saved Bill ID or code to the cashier.
6. Direct the patient to the correct next service point. The collection/clinical team uses the same patient and requested-service references. A queue ticket or bill is not proof of clinical completion.
7. For later inquiries, locate the original patient, bill and released report or receipt rather than creating another registration or collection.

Expected outcome and verification

The correct patient identity and active visit reference are available for the next billing and service tasks.

Verify that the visit and bill refer to the same intended patient.

Worked example

Situation. A returning patient arrives for another service. Action. Find their existing identity, confirm the active visit and hand over the correct patient reference for billing. Expected outcome. Verify that the visit and bill refer to the same intended patient.

Troubleshooting and recovery

If a stage is blocked, review its record status, required information and responsible role before proceeding. For an uncertain save, inspect the recorded history before retrying.

Related procedures

Find and manage a patient

Register a patient

Track a patient through the queue

Back to contents

1.2 Patients

1.2.1 Register a patient

Registration creates the patient identity used by billing and clinical services. Searching first prevents histories being split across avoidable duplicate records.

Where to open it

Open CRM & Billing from Applications, then Customer Management / Registration. The page heading is Patient Registration Wizard.

Enhanced training procedure

Live registration completed

Reviewed 5 November 2026

Checks completed

- Created fictional patient TRAINING MANUAL PILOT NOV05; saved Basic Info, Address and Emergency Contact, then completed registration into billing.
- Verified the four wizard stages and both Basic Info save paths in the signed-in application.

Still to verify

- Duplicate-match reuse, optional photo upload and portal credential creation were not performed in this pilot.




Figure 1. Basic Info: run the duplicate check before creating another patient.

Back to contents
1. Check Mobile: search before registering another patient.

2. Name fields: enter and review the patient identity.

Field rules and common mistakes

First Name / Last Name

Required. Enter the patient's actual names; Middle Name is optional.

Check: Do not enter an identifier in place of the patient name.

Gender

Required. Choose the appropriate listed option.

Check: Do not leave a default selection unreviewed.

DOB & Age

Use DD/MM/YYYY for a known birth date, or enter age with Yrs, Mths or Days. Review the calculated value.

Check: An age in months entered as years changes clinical reference ranges.

Primary Mobile Contact

Required; the local mobile input expects 10 digits. Review the country selection.

Check: Do not publish real phone numbers in training screenshots.

Region / Area

Required when saving the Address stage, even if the current labels do not show an asterisk.

Check: An empty Area can prevent progression.

Photo & Credentials

Optional. JPEG, PNG or GIF photo, at most 5 MB. Leave both username and password empty when no portal account is needed.

Check: Do not enter only one credential or capture a password in a screenshot.

Independent practice and pass criteria

In a designated training facility, register a fictional patient with no real contact details. Record the generated patient ID, reopen the record and compare the saved name, age, gender and address. Pass only when the same patient opens in billing without a second registration.

Record facility, branch, role, date, saved references and observed outcome. Review unresolved checks with your trainer before working independently.

Before you begin

- Confirm the active facility and branch and that you have patient-registration access.

- Ask for existing patient ID and check for an existing registration before creating a new patient.

- Use fictional details only for a training exercise; do not send notifications to a fabricated contact.

Back to contents

Controls and fields

Personal Details

First name, last name and gender are required by the wizard. Review designation, other names, age and age unit, or the entered birth-date fields.

Patient search and existing matches

Review a matching identity before creating another patient. Select the correct existing record where appropriate.

Mobile and contact ownership

Review country codes, mobile and WhatsApp details, and whether the contact belongs to the patient or a relative.

Additional personal information

Review email, marital status, occupation and organization where applicable.

Address & Location

Region and Area are required when saving this step. District, country, GPS location and address are optional additional details.

Emergency Contact

Review emergency contact name, relationship, telephone, address and occupation.

Photo & Credentials

Review or capture/upload the patient photograph. Supported uploads are JPEG, PNG or GIF up to 5 MB. A pending photo needs Save photo or completion.

Username and password

Enter both credential fields or leave both empty. Use the configured patient access workflow and review returned validation.

Save / next / go to billing

Save Personal Details before later steps. The wizard supports continuing registration or moving to billing after the required saved identity.

Complete Registration & Go to Billing

Persist the pending photo and entered credentials, then continue using the saved patient reference.

Primary Mobile Contact

Required. Enter the correct 10-digit local mobile number and review the selected country code. Resolve duplicate matches before creating another patient.

Back to contents

Step-by-step procedure

1. In Quick Duplicate Check, enter the mobile number in Search by mobile number... and select Check Mobile. Inspect any match and reuse the correct existing patient instead of registering them twice.
2. On Basic Info, complete First Name, Last Name, Gender and Primary Mobile Contact. Enter DOB & Age carefully and review its unit. Complete optional fields only when known.
3. Review the patient's spelling, age and contact with them. Save & Proceed to Billing saves the basic registration and goes to billing; Save & Continue to Address continues the longer registration. Choose the path required by your facility.
4. For the full registration, select Save & Continue to Address. Choose Region and enter Area. Add District, GPS and street address when available. Select Save & Continue to Emergency Contact.
5. On Emergency Contact, enter the contact details available to you, then use the save-and-continue button to reach Photo & Credentials.
6. On Photo & Credentials, leave the optional photo and both credentials blank if they are not required. Otherwise follow your facility's consent and account-creation process. Never share passwords in training material.
7. Select Complete Registration & Go to Billing. Confirm the full patient name and generated patient ID on the next screen. Record the identifier before selecting services.

Expected outcome and verification

The saved patient identifier can be used to locate the patient for billing and subsequent services.

Reopen the saved patient using the generated patient ID. Verify name, gender, age, mobile and any completed address/emergency details. Confirm billing is for that same patient.

Worked example

Situation. A new fictional adult is being registered for a training exercise. Action. The live pilot used TRAINING MANUAL PILOT NOV05, Male, 30 Yrs, a non-routable training phone and TRAINING AREA. It followed all four wizard stages. Expected outcome. The application generated NE-000005-MY in the pilot facility and opened billing for the same patient. Your facility generates its own identifier; never type this pilot ID into another facility.

Troubleshooting and recovery

If a duplicate appears, stop and inspect it before creating another record. If a save is uncertain, search for the patient before clicking Save again. At Address, complete both Region and Area. If the session is replaced, sign in again; do not keep resubmitting the form.

Related procedures

Find and manage a patient

Back to contents

1.2.2 Find and manage a patient

The customer register is the starting point for locating an existing patient. Row actions operate on the selected patient record.

Where to open it

Use CRM / Customers in the workspace navigation. Menu wording depends on your active role. The Open task page button opens the same register or form directly.

Before you begin

- Use a reliable patient identifier when possible.

- Check the patient identity before selecting a record action.

Controls and fields

Customer filters

Narrow the list to the patient you need.

Actions menu

Choose a permitted task for the selected row.

Patient record

Review the identity and existing information before making an authorized update.

Patient row Actions

Available choices include Bill Client, Update Records, Record Vital Signs, Transactions(Analytics), View Previous Transactions(Test), Patient Portal, Book Appointment and Consultation. The exact choices follow current access. Transactions(Analytics) opens financial history. View Previous Transactions(Test) opens laboratory case history.

Step-by-step procedure

1. In Filter By Field, choose Fullname, Patientid, Fullpatientid, Mobile number or another relevant field. Enter the matching value in Search patient using the selected field. Confirm the identifier in the returned row.

2. Use Advanced Filtering when the simple field search is insufficient. Rows per page and Search table control the displayed table. Confirm the returned record before using Actions.

3. Open the matching row's Actions menu. Bill Client prepares a bill; Update Records opens the profile; Record Vital Signs opens the permitted clinical form. Confirm the same patient ID in the destination.

4. Use Transactions(Analytics) for the financial history or View Previous Transactions(Test) for clinical case history. These answer different questions.

5. Patient Portal, Book Appointment and Consultation open their specific permitted workflows. Opening a menu does not grant access to restricted actions.

6. For profile changes, compare existing and intended values, save through the relevant form and reopen the same patient to confirm the update. Do not change one person's record into another person.

Back to contents

Expected outcome and verification

Authorized updates remain attached to the selected patient record.

The task opens for the intended patient and saved changes appear after reload.

Worked example

Situation. The customer list contains one matching patient. Action. Open that row Actions menu and choose the required task. Expected outcome. Confirm the task shows the same patient identifier before saving anything.

Troubleshooting and recovery

Use the current role permissions if an action is unavailable. Check the result before retrying an uncertain save.

Related procedures

Register a patient

Back to contents

1.3 Patient service

1.3.1 Track a patient through the queue

The queue shows a visit moving between service points. A stage update should reflect the patient actual progress.

Where to open it

Use Walk-in Queue & Client Tracking in the workspace navigation. Menu wording depends on your active role. The Open task page button opens the same register or form directly.

Before you begin

- Confirm the patient and active visit.

- Review the current stage and any prerequisites before advancing.

Controls and fields

Queue filters

Find the intended visit.

Visit stage

Review where the patient is in the service journey.

Transition action

Use only the action that matches the completed handoff.

Step-by-step procedure

1. Open track a patient through the queue using Open task page in this procedure. Confirm the page and active branch match your intended work.

2. Find the patient in the active queue.

3. Review the visit and stage before using any available transition action.

4. Confirm the new stage and direct the patient to the appropriate service point.

5. The queue reflects the intended visit and current stage.

Expected outcome and verification

The updated stage helps the next service point identify the patient waiting for them.

The queue reflects the intended visit and current stage.

Worked example

Situation. A patient has completed registration and needs the next service point. Action. Review the visit stage and use the available transition for the completed work. Expected outcome. Confirm the updated stage before directing the patient onward.

Back to contents

Troubleshooting and recovery

Check the visit and service prerequisites when progression is blocked.

Related procedures

Review referrer follow-up

1.3.2 Review referrer follow-up

Legacy lead and follow-up pages open the unified referrer acquisition workspace. Access is determined by the acquisition workspace permissions.

Where to open it

Open Referrer acquisition & performance. Legacy lead links redirect into this workspace. Use the available tabs and record actions for the selected prospect or follow-up.

Before you begin

- Find the correct lead and contact details.

- Review previous follow-up information before adding another outcome.

Controls and fields

Follow-up list

Find the intended lead.

Lead details

Read existing contact and follow-up information.

Follow-up update

Record the permitted outcome for that lead.

Step-by-step procedure

1. Open Referrer acquisition & performance using Open task page. Confirm the page and active branch match your intended work.

2. Find the lead using the list filters.

3. Review existing follow-up information and contact details.

4. Record the permitted follow-up update and review the saved record.

5. The follow-up record reflects the intended lead and outcome.

Expected outcome and verification

The next staff member can review the lead history before taking further action.

The follow-up record reflects the intended lead and outcome.

Worked example

Situation. A lead was contacted earlier today by another colleague. Action. Review the saved activity before making another contact. Expected outcome. Record the next appropriate outcome using the available task.

Troubleshooting and recovery

Check existing activity before repeating an update or contacting the same person again.

Related procedures

Track a patient through the queue

1.3.3 Review upcoming birthdays and contact details

Birthday lists support patient relationship activity. The selected period and contact details determine whom staff intend to contact.

Where to open it

Open Review upcoming birthdays and contact details from the CRM navigation, or use the task-page link in this procedure. Confirm the branch before selecting a record.

Before you begin

- Sign in using the active role authorized for this procedure.

- Confirm the patient or referrer identity before editing details or contacting the recipient.

Controls and fields

Birthday scope

Review the selected day or upcoming period.

Patient list

Confirm the patient identity and available contact details.

Contact actions

Use the available communication action after checking the recipient.

Step-by-step procedure

1. Choose the relevant birthday period.

2. Review the listed patient and contact details.

3. Check previous or planned communication before contacting the patient again.

4. Use the available communication task under its existing permissions.

5. Review any recorded status or communication evidence separately from opening a contact link.

Back to contents

Expected outcome and verification

The intended patient and recipient details are used for the birthday communication.

The intended patient and recipient details are used for the birthday communication.

Worked example

Situation. A team plans birthday follow-up for the coming week. Action. Review the upcoming list and confirm recipient contact information. Expected outcome. Communication is directed to the intended patients.

Troubleshooting and recovery

A contact link opening does not prove delivery. Verify delivery in the relevant messaging history when available.

Related procedures

Track a patient through the queue

Review referrer follow-up

Find a released patient result

Review the test price list

1.3.4 Find a released patient result

The released-results list supports customer service for eligible reports. Result access, payment eligibility and report release are still checked when opening or printing.

Where to open it

Open Find a released patient result from the CRM navigation, or use the task-page link in this procedure. Confirm the branch before selecting a record.

Before you begin

- Sign in using the active role authorized for this procedure.

- Confirm the patient or referrer identity before editing details or contacting the recipient.

Controls and fields

Released list

Find the intended patient visit and test.

Report action

Open the available report after confirming its identity.

Delivery record

Use the result delivery workflow when a report handoff needs recording.

Back to contents

Step-by-step procedure

1. Find the patient and visit using the list controls.

2. Review the test identity and release information.

3. Open the available report and confirm it matches the intended visit.

4. Use the permitted print or delivery workflow for the intended recipient.

5. Review the recorded delivery state when handing over the result.

Expected outcome and verification

The client receives the intended eligible report and the relevant delivery record is updated.

The client receives the intended eligible report and the relevant delivery record is updated.

Worked example

Situation. A client asks whether their report is ready. Action. Find the visit, review the eligible report and its delivery state. Expected outcome. The response reflects the actual release and delivery status.

Troubleshooting and recovery

A visible list entry does not override report-level access or payment settings. Resolve the returned eligibility message before proceeding.

Related procedures

Track a patient through the queue

Review referrer follow-up

Review upcoming birthdays and contact details

Review the test price list

1.3.5 Review the test price list

The price list supports service enquiries. Final patient billing may depend on payer, package, strategy, adjustments and applicable charges.

Where to open it

Open Review the test price list from the CRM navigation, or use the task-page link in this procedure. Confirm the branch before selecting a record.

Before you begin

- Sign in using the active role authorized for this procedure.

- Confirm the patient or referrer identity before editing details or contacting the recipient.

Back to contents

Controls and fields

Test list

Find the intended test or service.

Displayed price

Review the listed amount and currency.

Billing context

Use the patient billing workflow to confirm the final applicable charge.

Step-by-step procedure

1. Search for the intended service and verify its exact identity.

2. Review the displayed price and relevant service information.

3. For a specific patient quote, confirm the payer and applicable pricing through authorized billing.

4. Review any package or strategy applicability before explaining the final amount.

Expected outcome and verification

The quoted amount is supported by the correct service and patient billing context.

The quoted amount is supported by the correct service and patient billing context.

Worked example

Situation. An organization patient asks for a service price. Action. Find the service, then confirm the organization-specific billing context. Expected outcome. The quoted amount reflects the applicable payer configuration.

Troubleshooting and recovery

Do not assume a general list price equals every organization or insurance price. Review the applicable configuration.

Related procedures

Track a patient through the queue

Review referrer follow-up

Review upcoming birthdays and contact details

Find a released patient result

Back to contents

1.4 Relationships

1.4.1 Review referring organizations

Organizations group referring or paying relationships. Their contact details and configured applicability affect how staff select them elsewhere.

Where to open it

Use Organizations / Organization in the workspace navigation. Menu wording depends on your active role. The Open task page button opens the same register or form directly.

Before you begin

- Find the existing organization before creating another.
- Editing requires the appropriate organization management permissions.

Controls and fields

Organization search

Find a record by the available list filters.

Row actions

Open the organization or choose an authorized management action.

Contact and email

Review uniqueness and accuracy before saving authorized changes.

Step-by-step procedure

1. Open review referring organizations using Open task page in this procedure. Confirm the page and active branch match your intended work.
2. Search the organization list and open the matching record or available row action.
3. Review contact information and applicable relationships.
4. For an authorized edit, check the unique contact and email before saving.
5. The organization details remain associated with the intended record.

Expected outcome and verification

The organization remains available to the workflows and configuration where it is applicable.

The organization details remain associated with the intended record.

Worked example

Situation. A referring facility already exists under an abbreviated name. Action. Search and review the matching organization before adding a new one. Expected outcome. Use its existing record once the identity and contact information match.

Back to contents

Troubleshooting and recovery

Resolve duplicate contact or email warnings. Configuration changes require the appropriate management permissions.

Related procedures

Find referring practitioners

Review referrer acquisition

1.4.2 Find referring practitioners

A practitioner record identifies the referring healthcare professional. Portal access and invitations are separate authorized tasks associated with that identity.

Where to open it

Use Clinicians / Clinicians in the workspace navigation. Menu wording depends on your active role. The Open task page button opens the same register or form directly.

Before you begin

- Verify the practitioner identity and contact details.

- Access actions require the applicable practitioner management permissions.

Controls and fields

Practitioner list

Locate the existing practitioner.

Record actions

Open the permitted detail or access task.

Access state

Review existing invitation or access information before repeating an action.

Step-by-step procedure

1. Open find referring practitioners using Open task page in this procedure. Confirm the page and active branch match your intended work.

2. Find the practitioner in the list and confirm their contact details.

3. Use the available record action to review their details.

4. If authorized to manage access, review the invitation or access result before sending again.

5. The intended practitioner record and access state are shown.

Expected outcome and verification

The saved practitioner identity and access state determine the next appropriate access action.

The intended practitioner record and access state are shown.

Worked example

Situation. A practitioner says they cannot access their portal. Action. Locate the correct record and review its access state through the permitted action. Expected outcome. Correct the reported configuration or use the existing invitation workflow when authorized.

Troubleshooting and recovery

Access management requires its existing permissions. Confirm invitation delivery before repeating it.

Related procedures

Review referring organizations

Review referrer acquisition

1.4.3 Review referrer acquisition

Acquisition activity connects referrer development and follow-up to the records visible in your assigned scope.

Where to open it

Use Referrer acquisition & performance in the workspace navigation. Menu wording depends on your active role. The Open task page button opens the same register or form directly.

Before you begin

- Use your assigned acquisition scope.

- Review the existing activity before recording another follow-up.

Controls and fields

Workspace filters

Narrow records using the available criteria.

Acquisition record

Review the intended referrer and activity.

Follow-up controls

Record authorized progress against that record.

Step-by-step procedure

1. Open review referrer acquisition using Open task page in this procedure. Confirm the page and active branch match your intended work.

2. Open the acquisition workspace and review the available filters.

3. Select the relevant referrer or acquisition record.

4. Record permitted follow-up and review the resulting status.

5. The correct acquisition record carries the updated activity.

Expected outcome and verification

Saved activity supports subsequent acquisition review and follow-up.

The correct acquisition record carries the updated activity.

Worked example

Situation. A marketer is following up an assigned referrer. Action. Open the matching acquisition record and review the last activity. Expected outcome. Record the outcome and confirm it appears on that record.

Troubleshooting and recovery

Assignments and record visibility depend on your active role and scope.

Related procedures

Review referring organizations

Find referring practitioners

1.4.4 Manage and use referral codes

Referral codes identify referral relationships. Review the intended owner and applicability before using a code in a registration or billing context.

Where to open it

Open Manage and use referral codes from the CRM navigation, or use the task-page link in this procedure. Confirm the branch before selecting a record.

Before you begin

- Sign in using the active role authorized for this procedure.

- Confirm the patient or referrer identity before editing details or contacting the recipient.

Controls and fields

Code list

Find the existing code and owner.

Code details

Review its status and relationship information.

Management actions

Create or update codes only through the actions available to your role.

Back to contents

Step-by-step procedure

1. Search for an existing code belonging to the intended referrer.

2. Review the code details and applicable status.

3. If authorized, create or update the intended code using required fields.

4. Reopen the saved code and verify its owner and status.

5. Use the reviewed code in the relevant workflow and check the recorded referral association.

Expected outcome and verification

The code identifies the intended referral relationship.

The code identifies the intended referral relationship.

Worked example

Situation. A referrer provides a code for a patient. Action. Find and verify the code owner before recording the referral. Expected outcome. The saved referral association points to the intended referrer.

Troubleshooting and recovery

Check status, ownership and management permissions when a code cannot be used or edited.

Related procedures

Review referring organizations

Find referring practitioners

Review referrer acquisition

Back to contents

1. Practice and competency check

Work through the recommended learning order in the training environment. Use the worked examples in each procedure and record the saved references so that you can verify each handoff.

Independent practice

1. Confirm the correct branch and active role, then locate the relevant record and identify its current status.
2. Explain the prerequisites, required fields and responsible person before taking an action.
3. Follow the procedure and inspect its expected outcome and verification evidence.
4. Follow the next handoff with the appropriate authorized training account. Confirm that the same patient, bill or stock reference is carried forward.
5. Use the troubleshooting instructions for a missing prerequisite or changed record. Explain how you would check whether an uncertain save already succeeded.

Completion checklist

- I can locate each task required for my assigned duties using the sidebar and guide contents.
- I can explain the distinction between saving, reviewing, approving and completing the relevant transaction.
- I can demonstrate the recorded evidence described in the verification section.
- I know when to stop, reload, seek authorized review or contact support.
- I have recorded any unresolved training questions and the responsible person for follow-up.

Back to contents

1. Glossary

Patient identifier

The reference used to distinguish a patient from other people with similar names.

Visit

A particular attendance or service journey for a patient.

Lead

A prospective customer record used for follow-up.

Referrer

A practitioner or organization referring cases to the facility.

Applicability

The patients or organizations for which a configured offer or package is available.

Back to contents

Part 2. Billing

Prepare bills, collect payments and review receipts

This manual explains how services become a bill, how the payer and price are selected, and how actual money received is allocated and receipted. Preparing a bill and collecting money can be performed by different people. A saved bill records charges. A recorded collection reduces the relevant balance. Keeping those stages distinct is essential for cashier handoffs, partial payment, waivers, organization invoicing and NHIS remittances.

Audience

Registrars preparing bills, cashiers, accountants, billing managers and authorized administrators.

Learning objectives

- Select the correct patient, payer, services and applicable pricing.
- Review packages, strategies and outsourcing choices before saving.
- Use the configured direct-payment or cashier-handoff workflow.
- Allocate payments and authorized waivers without exceeding payable balances.
- Find receipts, review collections and understand organization and NHIS balances.

Roles and responsibilities

Registrar / billing desk

Prepare permitted patient bills and hand the recorded reference to the cashier when configured.

Cashier

Review the saved bill, allocate actual collections and print or reprint the recorded receipt.

Accountant

Review permitted collection, invoice, insurance, reconciliation and correction work.

Manager / administrator

Manage authorized pricing configuration and review exceptions. Financial approval limits remain applicable.

Before you start

1. Confirm the patient and active branch.
2. Review the responsible payer and any applicable organization, insurer, package or strategy.
3. Use the sales session required by the current financial configuration.
4. Review the selected services, adjustments, payable amount and intended payment choice before submitting.

Back to contents

Rules and controls

- A receipt must correspond to a recorded payment. Reprinting uses the original recorded transaction.
- A partial payment leaves a remaining balance. An authorized waiver is a separate reduction and needs its own review.
- The sum of allocated payments and waivers must agree with the intended bill balances. Review totals before confirming.
- Selecting an outsourcing organization is optional for billing. Later organization changes require relevant charges to be reviewed again.
- NHIS settlement requires recognized eligible receivables for the selected branch and service period. Legacy billing balances alone do not create accounting recognition.
- Review saved payment history before retrying an uncertain collection, so the same money is not recorded twice.

Daily operating sequence

1. Review the active sales-session requirements.
2. Prepare or locate the correct bill and confirm payer and services.
3. Review the current outstanding amount before entering payment allocations.
4. Record actual collections using the correct method and verify the receipt.
5. Review session totals, outstanding balances and any pending corrections.

From request to charge: what billing records

Billing records the selected services, payer, reviewed prices, adjustments and applicable tax. Cash collection records money actually received. A bill can exist with nothing paid; its unpaid or partial balance remains visible until it is collected or adjusted through an authorized workflow.

In the Modern layout, the sequence is Billing setup / Select items / Review charges / Payment. Review the patient banner, paying account and Transaction options first. The legacy multi-billing layout follows the same underlying billing rules but arranges the controls differently.

Catalogue prices are a selection aid. The reviewed server quote is the amount to check before saving, because tax, payer rules, packages and time or urgent adjustments may affect the final payable.

Staff check

- Confirm the intended services, not only their names or search position.
- Review package contents and applicability before adding a package.
- Only authorized staff may enter pricing adjustments.
- Changing an outsourcing organization or other charge-related selection requires a new charge review.

Back to contents

Choose the payer without confusing the referral

General Billing normally charges the patient. Organizational Billing, private insurance, NHIS and the special healthcare-provider source require their own configured account/member details and catalogue. The referring organization/clinician can be recorded separately.

If the chosen insurance catalogue has no configured services, ask the responsible administrator to review that setup. Do not select a different payer simply to make submission succeed. NHIS remittances are settled through recognized eligible receivables; the patient cash counter is not a substitute for that process.

FOC or staff benefit is not a cash payment. Select the eligible benefit account, reason and coverage where offered, review the remaining patient payable and follow any approval requirement. A waive-off is also distinct from money received and retains its own authority.

Staff check

- Confirm payer and any required membership or claims information.
- Check the service-period and branch for insurer settlement.
- Never represent cash received as a waiver or staff benefit.

Direct payment or a separate cashier: use the configured flow

In direct-payment mode, the authorized billing user completes the payment controls for the transaction. In separate-cashier mode, the registrar saves the reviewed charges with Save bill & generate cashier code. The code and unpaid slip pass to the cashier; the registrar has not collected money by generating them.

At Cash Collection, Find a bill contains separate Cashier code, Patient ID and Bill ID fields. Enter the appropriate reference and choose Find bill. The code lookup resolves the saved patient and bill automatically. Confirm the displayed identity and current balances before entering an amount.

Payment status affects the search. Pending is useful for outstanding bills. All or Completed may be needed to locate a settled bill for reprinting. A successful code lookup selects the matching bill; it must not create another bill.

Staff check

- Wait for a saved Bill ID and code before sending the patient to the counter.
- An unpaid invoice/payment slip is not a receipt for money received.
- At the counter, use the original reference and verify patient, services and balance.
- After a server interruption, review the saved record before resubmitting.

Partial payment, final settlement and receipt copies

Enter the payment against the intended service rows. The Payment overview distinguishes the current saved balance from Collecting now, which is only an entry until Collect Payment succeeds. Remaining after payment is a preview, not proof that the balance has been settled.

Choose the actual Payment method. For Cash, enter Cash received and review any change. For final settlement, Use full balance fills the remaining amounts; inspect each row before submitting. A payment cannot exceed the current amount collectible.

After a saved collection, inspect the updated balance and receipt. Reprint receipt, POS and Print receipt retrieve evidence of the saved transaction. Generating another receipt copy must not record another payment. The receipt audit register and Daily Sales Report provide additional record-finding paths described in the receipt procedure.

Staff check

- Initial payable minus actual payments minus authorized waivers must explain the remaining balance.
- Reopen the same bill between instalments.
- After an uncertain payment response, inspect history before retrying.
- Check full patient name, Bill ID, amounts and receipt format before printing.

Corrections and closing the working day

For an incorrect service, amount or payment, use the available amendment, void, refund or reversal workflow with the required authorization and evidence. These actions have different financial consequences; do not use a new bill or waiver as a replacement for a proper correction.

At the end of a shift, review the appropriate sales session, actual collections and handover information. Billed value and cash collected can differ: some services remain unpaid and some collections settle earlier bills. Compare the same branch, date basis and payment methods.

Do not close a session while unresolved amounts or required handovers remain unexplained. Use the authorized reviewer and reconciliation process rather than entering a balancing number solely to make the screen close.

Staff check

- Record saved bill, payment and correction references for investigation.
- Count physical cash and compare the applicable cash collections.
- Review pending corrections and required handovers before closure.

Recommended learning order

From prepared bill to cashier receipt

Prepare a patient bill

Collect an outstanding payment

Find a receipt record and reprint from sales

Back to contents

2.1 Payment workflow

2.1.1 From prepared bill to cashier receipt

Understand the separate billing and payment stages, including cashier handoffs. Each stage is performed by a person with the existing permission for that task.

Where to open it

Open CRM & Billing / Billing & Sales / Billing, or continue from patient registration. Cashiers use Cash Collection to retrieve the saved bill.

Enhanced training procedure

Live save, cashier lookup, partial payment, settlement and reprint verified

Reviewed 6 November 2026

Checks completed

- Saved fictional Bill #67 for NE-000005-MY with cashier code BBK6 and GH₵93.50 payable.
- Retrieved the original bill by BBK6 in Cash Collection. Recorded GH₵30.00, then reopened and verified GH₵63.50 remaining.
- Recorded the remaining GH₵63.50 against the same bill. Verified GH₵93.50 paid and zero outstanding; opened the existing receipt reprint link.

Still to verify

- Printer output on physical 80 mm/A4 paper, direct-payment mode, staff-benefit approvals, insurance cases and restricted cashier-role acceptance are separate checks.
- The first follow-up lookup was interrupted by a backend restart. Reopening after the server recovered displayed the saved balance; no payment was repeated.




Figure 1. Select the payer for the confirmed training patient before building the bill.




Figure 2. Reviewed quote in this pilot: 85.00 + 8.50 tax = 93.50. Prices and tax are facility-specific.




Figure 3. The separate-cashier handoff saves charges first; money is collected against the resulting bill.




Figure 4. Live saved bill #67 and cashier code BBK6. The unpaid balance remains GH₵93.50 until the cashier records payment.

Back to contents




Figure 5. After the two recorded collections, Bill #67 is SETTLED. Already paid is GH₵93.50, outstanding is zero and Reprint receipt uses the existing bill.

Field rules and common mistakes

Billing source

Select the actual payer, then Continue. General Billing is for the private/general example.

Check: NHIS needs configured services and claim/member details; do not substitute General merely to bypass a warning.

Urgency

Review Routine versus the configured urgent option before loading charges.

Check: The displayed default may be urgent; check it rather than assuming normal pricing.

Receiving laboratories

An outsourcing organization is optional for billing. Review charges again after changing it.

Check: Do not bill another test just because no organization has been assigned.

Bill totals

Compare selected services, subtotal, discount, surcharge, tax and Amount payable.

Check: Catalogue prices can differ from the final reviewed quote.

Save bill & generate cashier code

In separate-cashier mode, saves the bill without collecting payment.

Check: A payment slip or code is not a payment receipt.

Payment / Waive-off

Enter actual collection separately from any authorized waiver.


Check: Never use a waiver to represent money received.

Back to contents

Independent practice and pass criteria

Prepare two services for a fictional patient. Record the reviewed total and save once. Pass the billing stage only after a saved Bill ID and cashier code are visible. An authorized cashier must retrieve that same bill and demonstrate a partial payment and its remaining balance in the designated training environment.

Record facility, branch, role, date, saved references and observed outcome. Review unresolved checks with your trainer before working independently.



Before you begin

- Confirm facility, branch, patient and payer. Use the sales session required by the facility.
- The registrar prepares charges; the authorized cashier records the actual payment. One person may perform both only where configured and permitted.
- Do not proceed with clinical work when payment, specimen, QC or release settings prohibit it.

Controls and fields

Registrar

Select patient, payer and services.

Billing desk

Review charges and save the bill.

Cashier

Find the bill and allocate the collected payment.

Cashier

Review and print the recorded receipt.

Step-by-step procedure

1. Select the intended patient. On Select Billing Source, choose the actual payer and Continue. Complete payer details for organization or insurance billing.
2. In Modern UI Layout, complete Billing setup, Select items, Review charges and Payment in that order. Review Transaction options and Urgency. Load the catalogue when requested.
3. Search for each requested test and add it. Review the selected list, remove unintended tests and check applicable package or pricing rules. Select an outsourcing organization if known; an unassigned outsourced test can still be billed.
4. At Review charges, compare every service and Bill totals. Add a meaningful Billing note when needed. Continue only after the final payable amount is correct.
5. In separate-cashier mode, Payment shows Send this bill to the cashier. Select Save bill & generate cashier code once. Wait for a saved Bill ID and four-character code. If either is missing, check the saved history before trying again.
6. Give the cashier the saved code or Bill ID. The payment slip identifies an unpaid bill and must not be described as a receipt. In direct-payment mode, complete the configured payment controls instead.
7. The cashier opens Cash Collection. In Find a bill, enter the reference in Cashier code, Patient ID or Bill ID and choose Find bill. Confirm patient identity, services, paid amounts and current balance. Payment status can be set to All or Completed to locate a settled bill.
8. For partial payment, enter only the amount actually received against the intended service rows. Select Payment method and, for cash, enter Cash received. Review Current balance, Collecting now and Remaining after payment. Apply a waive-off only with its existing authority.
9. Select Collect Payment once. Inspect the recorded collection and remaining balance. For a second instalment, retrieve the same bill and pay only the current balance.
10. Use Reprint receipt for a saved collection, or the original bill's Actions / Print Receipt POS format / Print Receipt A4 format in Daily Sales Report. Reprinting must not create another collection.

Expected outcome and verification

A successfully saved bill has its own reference. A successfully recorded payment reduces that bill's balance. The receipt is evidence of that payment; the cashier code is a retrieval reference.

Check the saved bill and payment history, not only a success message. Initial payable minus actual collections minus authorized waivers must equal the remaining balance, with refunds and adjustments reviewed separately.

Back to contents

Worked example

Situation. The reviewed training quote is GH₵93.50 for WIDAL and FBC ADULT MALE. The client intends to pay GH₵30.00 first. Action. Save the bill without collection, retrieve the same reference at Cash Collection, then record GH₵30.00 only in an approved training payment exercise. Expected outcome. Live verified: the first GH₵30.00 payment left GH₵63.50. A second GH₵63.50 settled the same Bill #67, with GH₵93.50 paid and zero outstanding. The original receipt was opened for reprinting.

Troubleshooting and recovery

If “The bill was not saved” appears, retain the selections and review the original patient's saved bills before retrying. If a collection response is uncertain, inspect payment history first. Resolve sales-session, authorization and current-balance warnings through their existing controls.

Related procedures

Prepare a patient bill

Collect an outstanding payment

Find a receipt record and reprint from sales

Back to contents

2.2 Billing

2.2.1 Prepare a patient bill

A bill records the services and who is responsible for paying. Recording a bill and collecting money can happen at different service points.

Where to open it

Use Billing requests / Prepare billing or Billing & Sales / Billing in the workspace navigation. Menu wording depends on your active role. The Open task page button opens the same register or form directly.

Before you begin

- Select the correct patient and payer details.

- Use the sales session and billing layout required by your facility configuration.

Controls and fields

Patient selection

Find the patient before opening the configured billing layout.

Select Billing Source

The setup shows Patient selected, Choose billing source and Build the bill. Select one payer option, then Continue. Change patient returns to patient selection. Billing tools provides Find clinician, Add clinician, Find organization and Add organization in a new tab so the setup remains open.

Catalogue and selected services

Choose tests or packages and review selected prices and adjustments.

Receiving laboratories

Choose an outsourcing organization when known. An unassigned outsourced test can still be billed.

Payment step

Review totals and use the available payment or save-without-payment option for your configured workflow.

Full payment

Allocate the full payable amount using the available payment method or supported split methods.

Partial payment

Select the intended service items and amounts and review what remains outstanding.

Staff benefit

Choose an eligible staff benefit account and reason. Review available allowance, covered amount, patient payable and any approval requirement.

Back to contents

NHIS claim

Review the insurance billing context and submit using the applicable claim option.

Receipt & printing

After a saved collection, review the saved transaction, choose POS receipt for 80 mm paper or A4 receipt, then Print receipt.

Step-by-step procedure

1. Search for and select the intended patient. Confirm the patient identity and active branch.
2. On Select Billing Source, review the patient selected. Use Change patient if it is incorrect. Select General Billing, Organizational Billing, Private Health Insurance Scheme(P.H.I.S), National Health Insurance Scheme(N.H.I.S) or Special Health Care Provider Billing to match the payer. Continue remains disabled until a source is selected. Complete the required payer details before loading applicable services.
3. Choose the requested tests or packages. Review each selected service, applicable prices, quantities or other available options and the running total.
4. For an outsourced service, select a receiving laboratory when known. An unassigned outsourced service can still be billed. Review charges again after a change that affects them.
5. Review discount, surcharge, urgent or other applicable adjustments and the final payable amount.
6. Continue to the payment stage in the configured billing layout. Choose Full payment, Partial payment, Staff benefit or NHIS claim where offered for that billing context.
7. For full payment, review the entered amounts and any supported split across methods. For partial payment, review the selected service items, entered amount and remaining balance.
8. For a staff benefit, select the eligible account and reason and review allowance, coverage, patient payable and approval requirements before proceeding.
9. If configured for a separate cashier handoff, use the available save-without-payment action and pass the saved bill reference to the cashier.
10. Confirm the intended submission and wait for the saved result. Review payment history before retrying an uncertain response.
11. For a saved collection, review Receipt & printing. Select POS receipt for 80 mm paper or A4 receipt, then Print receipt. A saved unpaid bill remains outstanding until payment is recorded.

Expected outcome and verification

The saved bill becomes the service and payment reference. Only a recorded payment reduces the outstanding balance.

The saved bill contains the intended patient, services, payer and amounts.

Worked example

Situation. The front desk prepares a bill for a patient who will pay at the cashier. Action. Review the services and payer, then use the available billing-without-payment action. Expected outcome. Give the recorded bill reference to the cashier and verify the bill remains outstanding until collection.

Back to contents

Troubleshooting and recovery

An outsourced test can be billed without an assigned receiving organization. Review the latest charges after changing service options.

Related procedures

Suspend and resume a billing draft

2.2.2 Suspend and resume a billing draft

A suspended draft preserves billing work for later review. Resume the intended draft and review its current charges before final submission.

Where to open it

Open Suspend and resume a billing draft from the Billing navigation, or use the task-page link in this procedure. Confirm the branch before selecting a record.

Before you begin

- Sign in using the active role authorized for this procedure.

- Confirm the patient, payer, bill or invoice reference and the intended amount.

Controls and fields

Draft list

Review patient, payer source and saved draft information.

Resume

Open the selected draft for continued billing.

Remove

Use the authorized deletion action only when the saved draft is no longer needed.

Step-by-step procedure

1. Open Suspended Transactions and locate the intended patient draft.

2. Review its payer source and saved context before resuming.

3. Resume the selected draft and review patient, services, prices and payment choices.

4. Complete the billing workflow or suspend the intended draft again as appropriate.

5. Check the resulting saved bill or remaining draft state before resuming another copy.

Expected outcome and verification

The intended draft is resumed and its final saved state is clear.

The intended draft is resumed and its final saved state is clear.

Back to contents

Worked example

Situation. Billing is interrupted before the patient confirms all services. Action. Suspend the draft and later resume that same patient draft. Expected outcome. The selected services can be reviewed before final billing.

Troubleshooting and recovery

Refresh the list after an uncertain action. Check whether billing was already recorded before creating another transaction.

Related procedures

Prepare a patient bill

Back to contents

2.3 Payments

2.3.1 Collect an outstanding payment

The payment allocation determines which service balances are settled. A waiver reduces the amount collectible and needs the existing authorization.

Where to open it

Use Cash Collection in the workspace navigation. Menu wording depends on your active role. The Open task page button opens the same register or form directly.

Before you begin

- Find the correct patient and bill.

- Review current outstanding values and the amount actually being collected.

Controls and fields

Open bills and service rows

Review each service payable, paid and balance values.

Payment and Waive-off fields

Enter intended amounts and inspect the remaining balance. Review a global waiver across the allocated rows.

Payment method and tendered amount

Choose the actual collection method and review the money received.

Collect Payment

Confirm only after the allocation and totals agree.

Step-by-step procedure

1. Open Cash Collection and confirm the active facility and branch. Find a bill has separate Cashier code, Patient ID and Bill ID fields. Enter the appropriate reference and choose Payment status, then Find bill. A code lookup resolves the saved patient and bill automatically.

2. Choose Find bill. For a cashier-handoff invoice, use the short code supplied by the attendant. Confirm the full patient identity, Bill ID, service names, original charges, paid amounts and current balances. The code retrieves an existing bill; it does not create another bill.

3. If lookup returns No billing records found, review the reference and Payment status. Use Outstanding list to return to the list, then Search outstanding bills and Billed date to narrow the records. Use NHIS remittances for eligible NHIS settlement rather than direct cash collection.

4. Enter the amount actually being collected against the intended service or services. For final settlement, Use full balance fills the remaining service balances. Enter any waive-off only with existing authorization; a waiver reduces the balance without being money received.

5. Select the actual Payment method. For Cash, enter Cash received. Review Current balance, Collecting now and Remaining after payment, including any entered waive-off. Resolve any mismatch before submitting.

6. Choose Collect Payment once and wait for confirmation. Confirm the saved paid amount and remaining balance. If the response is uncertain, reload the bill and inspect its payment history before retrying.

7. For a later instalment, retrieve the same bill again, review its latest outstanding balance and record only the new money. For example, a GH₵40.00 bill paid GH₵10.00 first must show GH₵30.00 remaining before the final GH₵30.00 payment.

8. After collection, use Reprint receipt to preview another copy for the saved bill. Check the patient, bill and payment information before printing. Do not record another collection to obtain a receipt copy.

Expected outcome and verification

The payment and authorized waiver update the selected balances. A receipt records the collection.

The payment appears in the bill history and the outstanding amount reduces correctly.

Worked example

Situation. An attendant has generated a cashier code for a GH₵40.00 bill. The patient pays GH₵10.00 now. Action. Find the existing bill using Cashier code. Enter 10.00 for the service, select Cash, enter Cash received as 10.00 and Collect Payment. Later use the remaining balance of 30.00 for the final collection. Expected outcome. The first payment leaves GH₵30.00 outstanding and the bill part-paid. The final GH₵30.00 payment brings the balance to zero. Both payments belong to the original bill.

Troubleshooting and recovery

If the response is uncertain, review payment history before resubmitting. Waivers and payment actions retain their authorization checks.

Related procedures

Find a receipt record and reprint from sales

Review your sales session

2.3.2 Find a receipt record and reprint from sales

Reprinting retrieves evidence of a payment already recorded. Check the reference and amount before handing the receipt to the client.

Where to open it

Use Receipts & reprints or Receipts in the workspace navigation. Menu wording depends on your active role. The Open task page button opens the same register or form directly.

Before you begin

- Locate the original payment reference or patient.

- Verify the receipt is the intended transaction before printing.

Controls and fields

Receipts audit register

Billing IDs, receipt numbers, generation and printing timestamps and staff names provide an audit reference. The register has table search but no direct reprint action.

Billed Clients Actions

Daily Sales Report provides Print Receipt A4 format and Print Receipt POS format for the selected bill.

Cash Collection Reprint receipt

Opens the POS receipt preview for the bill after collection. Use it for another copy without entering or recording another payment.

Step-by-step procedure

1. Open Billing & Sales > Receipts to review the receipt audit register. Use Search table and Rows per page to locate the Billing ID or Receipt Number. Review Generated At, Printed At, Status, Generated By and Printed By.
2. If you have just collected payment in Cash Collection, use its Reprint receipt link for the same saved bill. Review the patient, bill and paid amounts in the preview. This link is also available after a partial payment; it does not collect another payment.
3. The receipt audit register does not expose a reprint action. Note the original Billing ID and billing date, then open Billing & Sales > Daily Sales Report.
4. Choose the relevant Period and Search. In Billed Clients, enter the Bill ID in Patient or bill. Review the patient identifier, bill reference and paid amount.
5. Open the row Actions dropdown beside View Tests. Select Print Receipt A4 format or Print Receipt POS format according to the paper required. Closed sales retain receipt and transaction-detail access.
6. Review the receipt preview against the original recorded transaction before printing. A reprint must use the saved bill rather than recording another collection.

Expected outcome and verification

The client receives a copy of the recorded receipt.

The print preview matches the original recorded payment.

Worked example

Situation. A client loses a receipt and requests another copy. Action. Find the original recorded payment and verify its identity and amount. Expected outcome. Use reprint and check the print preview before handing it over.

Troubleshooting and recovery

If the audit register has no reprint control, use the saved Billing ID in the Daily Sales Report for the original billing period. Confirm patient identity and payment evidence before selecting a receipt format.

Back to contents

Related procedures

Review sales and breakdowns

Collect an outstanding payment

2.3.3 Review your sales session

A sales session groups cashier activity and reconciliation. Session closure depends on the configured cash and financial controls.

Where to open it

Use Cashier sales session or Sales Session in the workspace navigation. Menu wording depends on your active role. The Open task page button opens the same register or form directly.

Before you begin

- Review the active session and its dates.

- Count the cash and gather reconciliation information before closing.

Controls and fields

Session status

Identify whether the session is open or closed.

Collection totals

Compare recorded collections with the relevant payment evidence.

Session action

Use the permitted action once required reconciliation information is complete.

Step-by-step procedure

1. Open review your sales session using Open task page in this procedure. Confirm the page and active branch match your intended work.

2. Open your sales session and review its status.

3. Review the recorded collections and reconciliation information.

4. Use the available session action only after checking the cash and required details.

5. The session status and totals reflect the recorded collections.

Expected outcome and verification

The updated session status records the completed cashier reconciliation stage.

The session status and totals reflect the recorded collections.

Worked example

Situation. A cashier finishes a shift with recorded cash collections. Action. Compare the physical cash and required reconciliation figures with the session totals. Expected outcome. Resolve discrepancies through the existing controls before confirming closure.

Troubleshooting and recovery

Resolve outstanding reconciliation or access requirements before closing a session.

Related procedures

Collect an outstanding payment

Find a receipt record and reprint from sales

2.3.4 Create an organization invoice and record its payment

An organization invoice groups eligible bills for collection from that organization. Review selection, invoice balance and recorded payment separately.

Where to open it

Open Create an organization invoice and record its payment from the Billing navigation, or use the task-page link in this procedure. Confirm the branch before selecting a record.

Before you begin

- Sign in using the active role authorized for this procedure.

- Confirm the patient, payer, bill or invoice reference and the intended amount.

Controls and fields

Organization and bill selection

Choose the intended organization and eligible bills.

Generate invoice

Review selected bill totals before creating the document.

Invoice detail

Review status, included bills and balance; print or download the PDF.

Payment and void actions

Record an authorized payment or use the permitted correction action with its required information.

Step-by-step procedure

1. Choose the intended organization and review eligible bills.

2. Select the bills to include and check their patient references, totals and eligibility.

3. Generate the invoice and open its detail. Verify organization, included bills, invoice total and balance.

4. Print or download the reviewed invoice when required.

5. When payment is received, enter the intended amount and required payment information against that invoice.

6. Review payment history and the remaining invoice balance. Use a void action only through its authorized correction workflow.

Expected outcome and verification

The invoice document, included bill references, recorded payments and balance agree.

The invoice document, included bill references, recorded payments and balance agree.

Worked example

Situation. An organization pays part of an invoice. Action. Record the actual payment amount against the correct invoice. Expected outcome. The remaining balance stays outstanding and payment history explains the receipt.

Troubleshooting and recovery

Do not include a bill merely because it belongs to a similarly named organization. Review eligibility and current invoice status before retrying generation or payment.

Related procedures

Collect an outstanding payment

Find a receipt record and reprint from sales

Review your sales session

Request and review a billing refund

2.3.5 Request and review a billing refund

Refund actions depend on the active role and the original transaction. Review the financial history and authorization before requesting or approving a correction.

Where to open it

Open Request and review a billing refund from the Billing navigation, or use the task-page link in this procedure. Confirm the branch before selecting a record.

Before you begin

- Sign in using the active role authorized for this procedure.

- Confirm the patient, payer, bill or invoice reference and the intended amount.

Controls and fields

Role-specific workspace

The refund entry page directs the active role to its permitted refund task.

Back to contents

Original transaction

Review the patient, bill and recorded payment evidence.

Refund decision

Use the required request or administrative action with supporting evidence.

Step-by-step procedure

1. Open Refund Management using the authorized role.

2. Find the original transaction and verify its patient, amounts and prior corrections.

3. Review the permitted refund action and enter its required evidence.

4. Submit the request or decision through the existing approval workflow.

5. Check the resulting refund status and financial history before printing or communicating the outcome.

Expected outcome and verification

The refund status and recorded amounts are traceable to the original transaction.

The refund status and recorded amounts are traceable to the original transaction.

Worked example

Situation. A client requests return of money for a billed service. Action. Review the original bill and payment and follow the available refund request process. Expected outcome. The financial correction remains supported by the original transaction and approval evidence.

Troubleshooting and recovery

Requested, approved and paid/refunded states must be distinguished. Resolve financial-day and approval restrictions through the relevant controls.

Related procedures

Collect an outstanding payment

Find a receipt record and reprint from sales

Review your sales session

Create an organization invoice and record its payment

Back to contents

2.4 Catalogue

2.4.1 Review a package and its applicability

A package groups test panels and defines where the package is applicable. Viewing it helps staff select correctly without opening configuration.

Where to open it

Use View packages or Packages in the workspace navigation. Menu wording depends on your active role. The Open task page button opens the same register or form directly.

Before you begin

- Find the intended package.

- Confirm the patient or organization meets its applicability requirements.

Controls and fields

Package list

Find the package using the available list controls.

View action

Inspect included test panels and applicable organizations.

Billing selection

Use the patient billing workflow to add the applicable package.

Step-by-step procedure

1. Open review a package and its applicability using Open task page in this procedure. Confirm the page and active branch match your intended work.

2. Find the package in the package list.

3. Use its view action to inspect included test panels and applicability.

4. Use the patient billing workflow to bill the selected package.

5. The viewed tests and applicability match the package intended for the patient.

Expected outcome and verification

The package selection follows its saved test membership and applicability.

The viewed tests and applicability match the package intended for the patient.

Worked example

Situation. A customer asks whether a package includes a particular test. Action. Open the package view and inspect its panels and applicability. Expected outcome. Confirm those details before selecting the package in patient billing.

Back to contents

Troubleshooting and recovery

Editing and configuration remain restricted to authorized users.

Related procedures

Configure billing strategies

2.4.2 Configure billing strategies

A billing strategy defines configured test prices and organization applicability. Review both the selected tests and assignments to avoid an unintended price policy.

Where to open it

Use Billing & Sales / Billing Strategies in the workspace navigation. Menu wording depends on your active role. The Open task page button opens the same register or form directly.

Before you begin

- Have the intended test prices and applicable organizations ready.

- Use a role authorized to configure billing strategies.

Controls and fields

Test selection

Select the applicable tests and review the selected set.

Test prices

Set and verify the intended price for each selected test.

Organization assignments

Review which organizations should use the strategy.

Save configuration

Save after reviewing test selection, prices and applicability together.

Step-by-step procedure

1. Open configure billing strategies using Open task page in this procedure. Confirm the page and active branch match your intended work.

2. Find or create the intended strategy through the available controls.

3. Select the applicable tests and review each configured price.

4. Review the organization assignments and save the intended configuration.

5. Reload the strategy and confirm its prices and applicable organizations.

Back to contents

Expected outcome and verification

Saved strategy configuration becomes available to applicable billing selections.

Reload the strategy and confirm its prices and applicable organizations.

Worked example

Situation. Two organizations should use the same agreed set of test prices. Action. Configure the selected test prices and assign the intended organizations. Expected outcome. Reload the saved strategy and verify every selected test and organization.

Troubleshooting and recovery

Check permissions and validation messages. Review existing assignments before changing them.

Related procedures

Review a package and its applicability

Back to contents

2.5 Insurance

2.5.1 Review NHIS receivables and remittances

Operational NHIS balances and accounting receivables can differ after migration. A remittance needs eligible recognized receivables for the selected branch and service period.

Where to open it

Use Billing insurance workspace in the workspace navigation. Menu wording depends on your active role. The Open task page button opens the same register or form directly.

Before you begin

- Confirm the branch and service-period dates.
- Review accounting coverage and the amount eligible for settlement.

Controls and fields

Period and branch

Define which services the remittance covers.

Expected, received and outstanding

Distinguish billed balances from money already recorded.

Missing-receivable warning

Review legacy opening requirements when accounting recognition is absent.

Remittance action

Use the authorized receipt task with eligible balances and complete payment details.

Step-by-step procedure

1. Open review nhis receivables and remittances using Open task page in this procedure. Confirm the page and active branch match your intended work.
2. Choose the branch and service period and review the NHIS summary.
3. Check the amount eligible for settlement and review any missing-receivable warning.
4. Record a remittance only after the accounting prerequisites and payment details are complete.
5. The remittance appears in history and the eligible balance changes by the recorded amount.

Expected outcome and verification

A recorded remittance updates its payment history and eligible receivable balance.

The remittance appears in history and the eligible balance changes by the recorded amount.

Back to contents

Worked example

Situation. The screen shows legacy outstanding bills but zero eligible receivables. Action. Ask an authorized owner/accountant to review the accounting opening requirements with approved evidence. Expected outcome. After recognition is confirmed, refresh the period and review eligibility before recording remittance.

Troubleshooting and recovery

Legacy bills without receivables require an authorized accounting opening review before settlement.

Back to contents

2.6 Reports

2.6.1 Review sales and breakdowns

Billing totals measure services charged. Collection totals measure money received. Different dates, refunds and outstanding balances can make those values differ.

Where to open it

Use Billing & Sales / Daily Sales Report in the workspace navigation. Menu wording depends on your active role. The Open task page button opens the same register or form directly.

Before you begin

- Choose the intended branch and date range.

- Identify whether you are reviewing billing or cash collections.

Controls and fields

Period filters

Define the report scope.

Sales summaries

Review billed values, collections and outstanding amounts by their labels.

Charts and breakdowns

Open the available breakdown controls and inspect matching records.

Step-by-step procedure

1. Select Period and choose Search to load the report. Use Patient or bill to narrow Billed Clients by identifier and Payment status or Transaction status to narrow the loaded bills. Clear filters resets the table criteria.

2. View chart breakdown opens the chart view. In each billed row, View Tests opens the test details, while the adjacent Actions dropdown includes receipt formats and other currently permitted actions. Closed sales are read-only and retain receipt and transaction-detail access.

3. Open review sales and breakdowns using Open task page in this procedure. Confirm the page and active branch match your intended work.

4. Select the branch and reporting period.

5. Review billed values, collections and outstanding balances in their respective summaries.

6. Use the chart or breakdown controls to inspect the selected period.

7. The period and branch match all figures being reviewed.

Expected outcome and verification

The reviewed report provides a scoped view of billing and collections.

The period and branch match all figures being reviewed.

Worked example

Situation. The billed value exceeds collections for the day. Action. Review outstanding services and the dates of the payments. Expected outcome. Use the breakdown to distinguish unpaid billing from collections against earlier bills.

Troubleshooting and recovery

Check filters and the distinction between billing and collections before comparing totals.

Back to contents

2.7 Expenses

2.7.1 Create an expense request

An expense request records a cost for review. Approval and recording its actual payment are separate steps.

Where to open it

Open Billing / Expenses and select create an expense request, or use the task-page link in this procedure.

Before you begin

- Confirm the branch, intended expense or invoice and payee.
- Use the role and financial authority required for the requested action.

Controls and fields

Expense name and date

Identify the cost and its intended date/time.

Merchant and category

Choose the intended payee and expense classification from the loaded lists.

Amount and description

Enter the requested amount and the required description.

Attachments

Attach supporting receipts through the available upload workflow and review any upload failure.

Save and available next actions

Review the saved request and the actions returned for the active user.

Step-by-step procedure

1. Open New Expense and wait for categories and merchants to load.
2. Enter the expense name, date, merchant, category, amount and description.
3. Review the intended payee, classification and amount together before saving.
4. Add supporting receipts through the available attachment workflow. Review any upload warning separately from request creation.
5. Save the request and note the saved expense reference.
6. Review its current approval and payment state and use only the available next action.

Expected outcome and verification

The expense exists with the intended payee, amount, description and supporting evidence state.

The expense exists with the intended payee, amount, description and supporting evidence state.

Worked example

Situation. Staff incur a routine business cost. Action. Create the request with the intended merchant, category, amount and evidence. Expected outcome. The expense is available for review with a clear saved reference.

Troubleshooting and recovery

Resolve required fields and unavailable merchant/category lists before submitting. If receipt upload failed after request creation, continue from the saved expense instead of creating another request.

Related procedures

Review expenses awaiting approval

Record an approved expense payment

2.7.2 Review expenses awaiting approval

The approval queue separates requested costs from approved costs. Available decisions depend on the active user capabilities and approval controls.

Where to open it

Open Billing / Expenses and select review expenses awaiting approval, or use the task-page link in this procedure.

Before you begin

- Confirm the branch, intended expense or invoice and payee.

- Use the role and financial authority required for the requested action.

Controls and fields

Filters and selection

Locate intended pending requests and select only records you have reviewed.

Expense details

Inspect amount, description, paid/outstanding values, receipts and rejection history.

Approve / Reject

Use the returned permitted decision with the required evidence.

View history

Inspect the recorded expense action history.

Step-by-step procedure

1. Open Awaiting Approval and find the intended pending expense.

2. Open its details and confirm payee, amount, category and evidence.

3. Review the returned approval actions. Where offered, approve or reject using the required decision information.

4. For several requests, review every selected request before applying a bulk action.

5. Refresh the list and open history to verify the decision.

6. Pass an approved request to its permitted payment task rather than treating approval as payment.

Expected outcome and verification

The recorded decision and remaining payment state are visible in the expense record.

The recorded decision and remaining payment state are visible in the expense record.

Worked example

Situation. An expense has been submitted but no money has been paid. Action. Review the request and record the authorized approval decision. Expected outcome. The expense can be approved while its payment remains outstanding.

Troubleshooting and recovery

A missing approval action indicates that its current capability or state does not permit the decision. Check limits and the latest request before retrying.

Related procedures

Create an expense request

Record an approved expense payment

2.7.3 Record an approved expense payment

Invoice and expense payment work records actual money paid. The selected funding account, amount, date and reference support financial traceability.

Where to open it

Open Billing / Expenses and select record an approved expense payment, or use the task-page link in this procedure.

Before you begin

- Confirm the branch, intended expense or invoice and payee.

- Use the role and financial authority required for the requested action.

Controls and fields

Invoice and expense details

Confirm the intended payable document and amount still outstanding.

Back to contents

Payment account and method

Choose the eligible funding source and supported payment method available to the user.

Payment date and reference

Record when the payment occurred and its reference.

Payment history and reversal

Review recorded payments and use a permitted financial correction workflow when necessary.

Step-by-step procedure

1. Find the intended invoice or approved expense and review the outstanding amount.
2. Open the available Record payment action.
3. Select the eligible authorized payment account and method. Review funding and any financial-control messages.
4. Enter the actual payment amount, date and reference as required.
5. Review the intended amount against the current outstanding balance before confirming.
6. Wait for the recorded confirmation and inspect payment history and the remaining amount.
7. If a correction is needed, use the available authorized reversal task with its required evidence.

Expected outcome and verification

The payment history and remaining payable balance explain the money recorded.

The payment history and remaining payable balance explain the money recorded.

Worked example

Situation. An approved expense is paid in two instalments. Action. Record the actual first payment against the intended document and funding source. Expected outcome. The payment history shows that amount and the remaining balance stays outstanding.

Troubleshooting and recovery

Review approval, payment-account access, funds, financial-day restrictions and current outstanding balance when payment is rejected. Inspect history before retrying an uncertain result.

Related procedures

Create an expense request

Review expenses awaiting approval

Back to contents

2. Practice and competency check

Work through the recommended learning order in the training environment. Use the worked examples in each procedure and record the saved references so that you can verify each handoff.

Independent practice

1. Confirm the correct branch and active role, then locate the relevant record and identify its current status.
2. Explain the prerequisites, required fields and responsible person before taking an action.
3. Follow the procedure and inspect its expected outcome and verification evidence.
4. Follow the next handoff with the appropriate authorized training account. Confirm that the same patient, bill or stock reference is carried forward.
5. Use the troubleshooting instructions for a missing prerequisite or changed record. Explain how you would check whether an uncertain save already succeeded.

Completion checklist

- I can locate each task required for my assigned duties using the sidebar and guide contents.
- I can explain the distinction between saving, reviewing, approving and completing the relevant transaction.
- I can demonstrate the recorded evidence described in the verification section.
- I know when to stop, reload, seek authorized review or contact support.
- I have recorded any unresolved training questions and the responsible person for follow-up.

Back to contents

2. Glossary

Billed value

The value charged for recorded services.

Collection

Money recorded as received against billing.

Outstanding

The amount still due after relevant payments and adjustments.

Waiver

An authorized reduction of the amount to be collected.

Recognized receivable

An accounting balance recorded as money owed to the facility.

Remittance

A payment received from a payer such as NHIS against eligible balances.

Back to contents

Part 3. Operations

Samples, results, quality and departmental stock

This manual follows a diagnostic case from the patient visit and specimen through processing, result entry, validation and report delivery. It also explains supporting work such as critical-result communication, quality control, outsourcing, specimen retention, imaging and departmental stock. Staff must identify the same patient, visit and service at every handoff. A row in a worklist is a starting point for review. The service status and application rules determine which action can be performed.

Audience

Laboratory scientists, phlebotomy staff, imaging staff, nurses, department heads, supervisors and authorized report-delivery staff.

Learning objectives

- Locate the correct patient visit and identify its current stage.
- Record specimen, result and delivery actions against the correct service.
- Distinguish result entry, validation, communication and final release.
- Investigate rejected samples, missing evidence and outsourced report returns.
- Track material custody and usage by the responsible department.

Roles and responsibilities

Collection staff

Confirm patient identity, collect the required specimen and record specimen movements.

Scientist / result author

Work within assigned visibility and editing permissions, record measured values and review material usage.

Validator

Independently review the current result revision under the configured validation requirements.

Nurse

Record measured vital signs for the selected patient using the displayed units.

Imaging practitioner

Review the requested examination and record the permitted imaging report.

Department staff

Request, receive and consume stock according to independently granted permissions.

Supervisor / administrator

Manage the permitted operational settings and review exceptions within branch and tenant scope.

Before you start

1. Confirm the active facility, branch and role before opening clinical work.
2. Have a reliable patient identifier and the intended visit or billing reference.
3. Review specimen requirements, required workflow stages and payment eligibility.
4. Check that the relevant device, control material or partner setup exists for the task.

Rules and controls

- A changed result must be reviewed as its current revision. A previous approval must not be treated as approval of the changed values.
- Unpaid and partially paid services follow the application settings governing entry, validation and printing. A visible worklist row does not override those settings.
- Assigned responsibility does not itself grant editing, validation or supervisory authority.
- Critical-result acknowledgement, successful clinician communication and release clearance are separate recorded events.
- A returned external PDF provides source evidence. Internal validation and report release still follow their own checks.
- Receipt of department stock must reflect the physical quantity received. Unreceived quantities require investigation and cannot be consumed.

Daily operating sequence

1. Review assigned and pending work and identify missing prerequisites.
2. Confirm collection and specimen suitability before result processing.
3. Record results, route the current revisions for required review and resolve communication holds.
4. Review undelivered reports and document the appropriate recipient handoff.
5. Record actual stock usage and review unresolved shortages or incidents.

Recommended learning order

From sample to delivered result

Record patient vital signs

Collect and review samples

Validate collected samples

Back to contents


3.1 Clinical workflow

3.1.1 From sample to delivered result

Follow one patient visit from specimen collection through result delivery. Each stage is performed by a person with the existing permission for that task.

Where to open it

Use the task-page link to open the first stage. Continue through the linked guides using your authorized role.



Before you begin

- Confirm the patient identifier, visit and requested service carried between the clinical stages.

- Agree who is responsible for the next handoff.

Controls and fields

Collection team

Confirm the patient and specimen, then record collection.

Sample reviewer

Review suitability before processing.

Back to contents

Result author

Record measured values against the correct service.

Validator

Review and approve the latest revision.

Delivery team

Deliver an eligible report and record the handoff.

Step-by-step procedure

1. Confirm the patient and specimen, then record collection.
2. Review suitability before processing.
3. Record measured values against the correct service.
4. Review and approve the latest revision.
5. Deliver an eligible report and record the handoff.

Expected outcome and verification

The visit has a reviewed specimen, a recorded current result revision and the required approval and delivery records.

Confirm the current revision is approved and the intended report delivery is recorded.

Worked example

Situation. A visit needs collection, processing and a released report. Action. Move through the required stages using the task guides. The responsible authorized person completes each handoff. Expected outcome. Confirm the current revision is approved and the intended report delivery is recorded.

Troubleshooting and recovery

If a stage is blocked, review its record status, required information and responsible role before proceeding. For an uncertain save, inspect the recorded history before retrying.

Related procedures

Collect and review samples

Validate collected samples

Enter and review results

Validate the latest result revision

Deliver released results

Back to contents

3.2 Patient assessment

3.2.1 Record patient vital signs

A vital-sign observation belongs to a patient and an observation time. The unit beside each field determines how a measurement must be entered.

Where to open it

Use Laboratory Operations Lifecycle / Customers Vital signs in the workspace navigation. Menu wording depends on your active role. The Open task page button opens the same register or form directly.

Before you begin

- Have the patient identity and measured observations ready.
- Check the displayed units before copying values from a device.

Controls and fields

Patient search

Choose a search field and enter at least three characters. Select and confirm the patient. Change patient discards unsaved measurements after confirmation.

Systolic and diastolic (mmHg)

Enter the two blood-pressure components in their separate fields.

Temperature (°C)

Enter the measured temperature in degrees Celsius.

Pulse (bpm)

Enter the measured pulse as a whole-number beats-per-minute value.

Respiratory rate (breaths/min)

Enter the measured whole-number respiratory rate.

SpO_2 (%)

Enter the measured whole-number oxygen saturation percentage.

Weight (kg) and height (cm)

Use kilograms and centimetres, as labelled on the form.

Observation date & time

For a new observation, enter the observation time or leave it blank to use the current time.

Reason for measurements not recorded

Explain missing core observations. A blank value is retained as Not recorded.

Back to contents

Correction reason

An audited correction requires a reason. Existing observation identity and revision are retained for the correction workflow.

Observed from / to and history

Filter observations by observed date and review recorded values, correction options and available history.

Step-by-step procedure

1. Find the patient using a search field and at least three characters. Select the intended patient and verify the identity banner.
2. Enter systolic and diastolic pressure in mmHg, temperature in °C, pulse in bpm, respiratory rate in breaths/min and SpO_2 as a percentage. Enter measured weight in kg and height in cm when available.
3. Leave an unmeasured value blank. Enter the reason when a core observation is missing. Do not use zero as a substitute for an unrecorded measurement.
4. For a new observation, set Observation date & time when recording an earlier observation. Leave the field blank to use the current time.
5. Choose Save observations and wait for the saved confirmation. Check the observation history for the values and observed time.
6. To correct an existing record, choose its permitted correction action. Review the loaded values, enter a correction reason and choose Save audited correction.
7. Review the available correction history and before-values when investigating an amendment. Use Cancel correction to abandon an unsaved correction.
8. Use Observed from / to to review the relevant history period. The laboratory recording page displays history without the optional trend chart.

Expected outcome and verification

The saved observations become part of the selected patient history.

The correct patient history displays the measured values and observation time.

Worked example

Situation. A nurse measures a patient before consultation. Action. Select the patient, enter only the measurements actually taken and save the observation. Expected outcome. Verify the values and observation time in that patient history.

Troubleshooting and recovery

Review units, numeric input and the missing-observation reason. A correction needs an explanatory reason and the current revision. Confirm the patient before retrying. Change patient discards the unsaved form only after its confirmation.

Back to contents

3.3 Samples

3.3.1 Collect and review samples

Collection records specimen custody for a particular billed service. A patient can have several services with different specimen requirements.

Where to open it

Open Operations or Phelobotomy and choose Sample Collection. The laboratory collection entry opens the same collection workspace.

Enhanced training procedure

Live simulated start, collection and specimen acceptance verified

Reviewed 6 November 2026

Checks completed

- Located paid Bill #67 in Sample Collection and opened Collect Samples.
- Used Start collection to create S-20261106-52F1C902, then Complete collection. Confirmed Collected and linked ascensions 170 and 171.
- Opened Sample Validation / Validate Sample, found the same UID and used Accept container. Verified that it appeared under accepted containers.

Still to verify

- Clinical suitability, actual container configuration, physical barcode printer output, rejection/recollection and storage were not clinically validated.
- The training catalogue proposed Unspecified container. That display is a configuration gap to review before clinical use, not a recommended collection plan.

Back to contents




Figure 1. The actual training collection plan. Unspecified container indicates setup to review; this screenshot is not a clinical specimen recommendation.




Figure 2. The same simulated physical sample has Collected status, a UID/barcode and its linked tests. Collection does not itself mean specimen acceptance.

Back to contents




Figure 3. Sample Validation recorded acceptance of the same UID. Storage is a separate available task.

Field rules and common mistakes

Tests sharing this physical sample

Keep only tests actually sharing the same specimen/container selected. At least one is required.

Check: Selecting every test can link an incompatible test to the wrong physical sample.

Start collection / Collect now

Start collection creates an in-progress specimen; Collect now records completed collection.

Check: Do not record collected before the specimen is physically obtained.

Combine / split / change proposed containers

Use only when the proposed specimen plan needs correction and you are authorized.

Check: Do not create a duplicate container to correct a recoverable planning issue.

Physical samples

Review sample UID, status, specimen/container type and linked tests.

Check: A printed barcode alone does not prove reception or acceptance.

Complete collection

Completes an existing collection_started sample.

Check: Do not create a second sample for an already started container.

Independent practice and pass criteria

With an approved fictional visit, identify the intended tests and containers. Record collection once, note each sample UID and demonstrate that the linked tests and subsequent reception use those same samples.

Record facility, branch, role, date, saved references and observed outcome. Review unresolved checks with your trainer before working independently.

Before you begin

- Identify the patient and visit using at least the facility's required identifiers.
- Confirm the requested services and the payment/sample prerequisites enforced by the facility.
- Prepare the correct containers and follow the facility's specimen collection and infection-control procedures. This manual does not replace those clinical procedures.

Controls and fields

Collection list

Locate the patient visit and service requiring a specimen.

Service collection action

Record collection against the selected service.

Collection status

Check which samples have already been recorded to avoid duplicate collection.

Step-by-step procedure

1. Open Operations / Laboratory Operations Lifecycle / Sample Collection. Use Search samples and Load samples, or the date filters, to locate the visit. Compare patient, PatientId/BillID and requested tests, then choose Collect Samples.
2. Review Samples to collect. Each card proposes a specimen type and container and lists Tests sharing this physical sample. Check the test selections against the actual container.
3. If the plan says Unspecified container, resolve the test/container configuration with the authorized laboratory lead before a real clinical collection. Training screenshots illustrate the interface, not specimen compatibility or clinical approval.
4. If the plan is wrong, use Combine / split / change proposed containers and review the corrected grouping before continuing. Use proposed containers returns to the proposed plan.
5. Use Start collection when the procedure has begun but is not complete. Use Collect now only after the specimen has actually been collected. Wait for the resulting sample UID.
6. For a started specimen, use Complete collection on its existing Physical samples card. Use + Add another container only when a genuinely additional physical container is required.
7. Review each Physical samples card: UID, specimen/container, linked tests and collected status. Use Print sample barcode and match the label to the patient and container before handoff.
8. Review any collection-supply recording available for the specimen. Keep supply usage separate from specimen status.
9. Select Finish after the required collection groups are complete. Then open Sample Validation, locate the intended visit and choose Validate Sample. Scan or enter the saved UID/barcode in Scan or enter sample

barcode / ID, then Find sample. Review the linked tests before Accept container or Reject container; a decision applies to the displayed container and all its linked tests. Use Finish validation after the intended review. Storage remains a separate action.

Expected outcome and verification

The collection record identifies the service and feeds the sample review and processing stages.

The visit shows the intended collected sample UID(s), with the correct tests attached and no unintended extra containers. The receiving team can locate the same identifiers.

Worked example

Situation. The fictional visit NE-000005-MY has paid Bill #67 with two test requests. Action. The live software exercise created S-20261106-52F1C902 with Start collection, completed it, then found and accepted that same UID in Physical Sample Validation. No real patient specimen was involved. Expected outcome. The UID remained linked to ascensions 170 and 171. The accepted-container view was displayed. Clinical container suitability and physical printer output still require separate validation.

Troubleshooting and recovery

If an action fails or times out, reopen Physical samples before creating another container. If the specimen is unsuitable, use the authorized rejection/recollection workflow and retain the original history. Do not mark a specimen accepted solely to unlock result entry.

Related procedures

Validate collected samples

3.3.2 Validate collected samples

Sample validation confirms whether the collected specimen can proceed. It is a different review from approving the final laboratory result.

Where to open it

Use Laboratory Operations Lifecycle / Sample Validation in the workspace navigation. Menu wording depends on your active role. The Open task page button opens the same register or form directly.

Before you begin

- Review patient identity and specimen details.

- Confirm your role can perform sample validation.

Controls and fields

Row selection

Select only specimens you have reviewed.

Header checkbox

Select the current list deliberately after checking its contents.

Back to contents

Validation action

Apply the available review action and inspect the resulting status.

Step-by-step procedure

1. Open validate collected samples using Open task page in this procedure. Confirm the page and active branch match your intended work.
2. Filter the pending samples and identify the patient and service.
3. Review specimen details before selecting individual samples or the header selection checkbox.
4. Apply the available validation action only to the reviewed samples.
5. Selected samples have the intended validation status.

Expected outcome and verification

The specimen status controls its progression through the laboratory workflow.

Selected samples have the intended validation status.

Worked example

Situation. Three specimens appear in the list, but only two have been reviewed. Action. Select the two reviewed rows individually. Expected outcome. Confirm that only those specimens receive the intended validation status.

Troubleshooting and recovery

Review rejected or unsuitable specimens through the existing sample review workflow.

Related procedures

Collect and review samples

3.3.3 Store, retrieve and retain a specimen

Specimen lifecycle records track physical location, remaining material, retention and documented disposal. The barcode identifies the physical specimen being moved.

Where to open it

Open Store, retrieve and retain a specimen from the Operations navigation, or use the task-page link in this procedure. Confirm the branch before selecting a record.

Before you begin

- Sign in using the active role authorized for this procedure.
- Confirm the patient, visit, specimen or operational event reference before selecting an action.

Controls and fields

Worklist and specimen detail

Find the specimen and review its current state and history.

Storage position

Choose an available position when storing a specimen.

Lifecycle actions

Use only the available store, retrieve, aliquot or disposal actions for the current specimen state.

Retention and label

Review retention eligibility and print the specimen label where needed.

Step-by-step procedure

1. Locate the specimen by its identifier and confirm the patient and service.
2. Open its detail and review current storage state, remaining quantity and retention date.
3. Select the available lifecycle action. For storage, choose an available position and enter the required movement details.
4. Review parent and aliquot identities before handling split material.
5. Save the action and inspect the updated event history and position.
6. For disposal, review retention and required evidence before confirming documented disposal. Early disposal requires the permitted override.
7. Print and verify the label when the physical container needs identification.

Expected outcome and verification

The specimen identity, lifecycle state, storage position and history match the physical material.

The specimen identity, lifecycle state, storage position and history match the physical material.

Worked example

Situation. A stored specimen is needed for additional authorized work. Action. Find its barcode, review the recorded position and use the permitted retrieval action. Expected outcome. The history records retrieval of the intended specimen.

Troubleshooting and recovery

A full storage position cannot accept another specimen. Retention restrictions and override authority must be resolved before early disposal. Allow the label print window if blocked.

Related procedures

Collect and review samples

Validate collected samples

Review and recollect a rejected specimen

Review specimen decisions and notifications

Back to contents

3.3.4 Review and recollect a rejected specimen

Rejected specimens require a traceable decision about independent review or recollection. The replacement remains linked to the original specimen.

Where to open it

Open Review and recollect a rejected specimen from the Operations navigation, or use the task-page link in this procedure. Confirm the branch before selecting a record.

Before you begin

- Sign in using the active role authorized for this procedure.
- Confirm the patient, visit, specimen or operational event reference before selecting an action.

Controls and fields

Rejected worklist

Find the rejected specimen and review its rejection history.

Independent review

Request review with a reason and inspect the decision workflow.

Recollection

Use the permitted recollection action when the rejection is upheld or recollection is required.

Notifications

Review messages and delivery attempts associated with the specimen chain.

Step-by-step procedure

1. Select the rejected specimen and confirm its identity and rejection evidence.
2. Review whether an independent review is already pending.
3. If an independent review is needed, enter the reason and submit the available review request.
4. An authorized independent reviewer records whether the sample is usable or the rejection is upheld.
5. When recollection is required, start the linked replacement and track it through collection.
6. Review patient notifications and attempts rather than assuming a message was delivered.

Expected outcome and verification

The original rejection, review decision and any replacement specimen remain linked in history.

The original rejection, review decision and any replacement specimen remain linked in history.

Worked example

Situation. A scientist questions whether a rejected specimen can still be used. Action. Request an independent review and wait for the authorized reviewer's decision. Expected outcome. The next action follows the recorded review outcome.

Troubleshooting and recovery

The requester cannot provide the independent decision. A pending review blocks a conflicting duplicate decision. Resolve recollection using the recorded chain.

Related procedures

Collect and review samples

Validate collected samples

Store, retrieve and retain a specimen

Review specimen decisions and notifications

3.3.5 Review specimen decisions and notifications

Review reports provide oversight of rejected specimen decisions and related patient communications.

Where to open it

Open Review specimen decisions and notifications from the Operations navigation, or use the task-page link in this procedure. Confirm the branch before selecting a record.

Before you begin

- Sign in using the active role authorized for this procedure.

- Confirm the patient, visit, specimen or operational event reference before selecting an action.

Controls and fields

Review worklist

Find the relevant specimen review and current state.

Specimen reference

Match the original specimen, review and replacement where present.

Decision history

Read the recorded evidence and responsible users.

Step-by-step procedure

1. Find the review using the available worklist filters.

2. Confirm the specimen and patient before opening related details.

3. Read the review request, outcome and any outstanding action.

4. Continue the authorized decision or recollection task from the relevant specimen record.

5. Review related notification status when communicating with the patient.

Expected outcome and verification

The reviewer can explain the decision and current replacement or communication state.

The reviewer can explain the decision and current replacement or communication state.

Worked example

Situation. A supervisor needs to explain why a recollection was requested. Action. Open the specimen review and read the rejection and independent decision evidence. Expected outcome. The explanation is supported by the recorded history.

Troubleshooting and recovery

Do not interpret a requested notification as delivered. Review its actual attempt and failure information.

Related procedures

Collect and review samples

Validate collected samples

Store, retrieve and retain a specimen

Review and recollect a rejected specimen

Back to contents

3.4 Results

3.4.1 Enter and review results

Results belong to a specific service and revision. Editing a previously approved result can require validation again. Payment and application settings still control whether entry is allowed.

Where to open it

Open Operations / Laboratory Operations Lifecycle / Completed stage, then Enter result for the intended test. Processing stage is required only when the facility workflow has not configured it to be bypassed.

Enhanced training procedure

Live entry and amendment invalidation verified; final reapproval pending

Reviewed 6 November 2026

Checks completed

- Opened the paid fictional WIDAL request (ascension 171) through Completed stage, selected the single test and confirmed Open result form.
- The user entered their own PIN and saved the two demonstration parameter values with an explicit training-only comment. The save recorded result-entry completion and initial approval under the configured validation bypass.
- The user saved an amendment. Database verification showed revision 2, isapproved = 0 and requires_revalidation = 1: the earlier approval no longer releases the changed result. No PIN was copied into diagnostics.

Still to verify

- Final approval of the amended revision, physical printing and report delivery still need live acceptance.
- The values in this training screenshot are fictional interface examples, not clinical findings, expected results or reference ranges.

Back to contents




Figure 1. The actual WIDAL form for a fictional training visit, with demonstration-only comments. Enter your own PIN in the software when required; do not copy training values into a real patient result.

Field rules and common mistakes

Result fields

Use the test's configured fields, units, reference ranges and required format.

Check: A sample value from a manual is not a patient result.

Reload latest results

Refresh the current revision before approval after another edit or stale-result warning.

Check: Do not approve an older screen after the result has changed.

Review confirmation

Select I have reviewed the patient details and current results. only after checking them.

Check: The checkbox is an attestation, not a way around review.

Your secure PIN / Verify PIN

Shown where the facility requires secure validation. Enter your own PIN only in the software.

Check: Never use another validator's PIN or include it in training screenshots.

Record approval

Records your approval of the current revision; final release still needs the configured validators.

Check: Saving and approving are different actions; one approval may not release the result.

Independent practice and pass criteria

Use a fictional test visit with authorized training values. Save a result, reopen it, have an authorized validator review the current revision, then change a value through the permitted correction workflow and demonstrate that earlier approval does not validate the new revision.

Back to contents
Record facility, branch, role, date, saved references and observed outcome. Review unresolved checks with your trainer before working independently.

Before you begin

- Confirm patient, visit, test and sample identity. The specimen must satisfy the configured reception/acceptance checks.
- Confirm paid, part-paid or unpaid-service eligibility under the application settings. Do not change the settings merely to complete training.
- Complete any required QC and use your own result-entry or validation permission.

Controls and fields

Processing list

Find the service ready for result work.

Result fields

Review parameter names, units, reference information and calculated values.

Save action

Record the results and wait for the returned status before leaving.

Step-by-step procedure

1. Locate the patient and test by Patient ID, Billing ID or Ascension ID. Laboratory Workbench shows the current eligibility and any payment, sample or QC blockers. Do not assume an older stage-list row proves that a processing action is required.
2. Where processing is required, use Start and Stop in Processing stage for the actual test work, then Proceed to Result Entry or Completed stage. If the server reports Processing is already completed or bypassed, review the configured workflow and use the eligible result-entry stage; do not change settings to force processing. In Completed stage choose Enter result and verify the patient, test, units and reference information.
3. On the patient's result-entry page, select Enter results for the intended test. Check the patient/test in Confirm result entry, then choose Open result form. Load Multiple is a separate workflow: select only the tests you intend to complete.
4. Review the configured Parameter, Value, Unit, Reference, Mode and Constraints columns. For the demonstration WIDAL form, Typhi H and Typhi O are dropdowns; other tests can use different fields. Complete comments as appropriate. Never treat example training values as a clinical recommendation.
5. Review every required value, units and comments. If Enter pin here appears, enter your own secure PIN only in the application. Use Save changes once. Verify the saved outcome before resubmitting. A blocked unpaid service must remain blocked when settings require payment.
6. After a successful save, Result Validation may ask whether to continue. Continue proceeds to review the selected result. Validate All concerns the available set and requires review of every included result. Cancel closes this prompt; it does not undo the saved result. If initial validation is configured to be bypassed, the

first result may already be approved, but amendments still require revalidation.

7. For validation, open the current results and select Reload latest results after any stale-revision warning. Review patient, service, values, comments and any revalidation notice.

8. Confirm I have reviewed the patient details and current results. If Your secure PIN appears, enter your own PIN and use Verify PIN.

9. Select Record approval, or the permitted bulk action only after reviewing each included result. Check whether further validators are required before final release.

10. If a result changes after approval, reopen the latest revision and repeat the required review. Previous approvals do not apply to the changed revision.

11. Print or deliver only when the configured validation, payment, critical-value and release requirements are satisfied. Review the patient and final version in the preview.

Expected outcome and verification

Saving records the result revision. Final release still follows validation and application settings.

Reopened values match the saved worksheet. Each approval names the signed-in validator and current revision. A changed result requires the applicable new approvals, and a service blocked by settings cannot be saved, validated or printed through an alternative path.

Worked example

Situation. A fictional WIDAL request on paid Bill #67 is saved, then one demonstration dropdown value is changed. Action. The user completed the PIN-protected initial save and amendment. No real specimen was tested. The software recorded the two parameter rows and revised the approval state. Expected outcome. Live verified: revision 2 was unapproved and required revalidation despite initial validation bypass. Final reapproval is a separate task; it is not claimed merely because the save succeeded.

Troubleshooting and recovery

For “The result has changed”, reload and review the latest revision before approving. For a payment, sample or QC block, resolve the underlying prerequisite through the responsible team. If save returns an uncertain error, reopen the current result before resubmitting.

Related procedures

Validate the latest result revision

Deliver released results

3.4.2 Validate the latest result revision

An approval applies to the revision the validator reviewed. A later edit makes the old approval insufficient for the changed result.

Where to open it

Use Laboratory Operations Lifecycle / Validation stage in the workspace navigation. Menu wording depends on your active role. The Open task page button opens the same register or form directly.

Back to contents

Before you begin

- Load the latest result values.

- Confirm you are an authorized validator for the service.

Controls and fields

Pending results

Locate results awaiting review.

Reload latest results

Refresh revisions when the displayed result has changed.

Validation action

Record approval as the signed-in validator after reviewing the current values.

Step-by-step procedure

1. Open validate the latest result revision using Open task page in this procedure. Confirm the page and active branch match your intended work.

2. Open a pending result and review its patient, test and current values.

3. If the result changed, reload the latest results and review the replacement revision.

4. Record your validation through the available approval action.

5. The approval belongs to the current revision and the signed-in validator.

Expected outcome and verification

The approval is attached to the reviewed revision. Release depends on the required validators and configured rules.

The approval belongs to the current revision and the signed-in validator.

Worked example

Situation. Another user updates a result while its validation window is open. Action. Reload the latest results and review the changed values. Expected outcome. Validate the current revision and check its approval state.

Troubleshooting and recovery

A changed result requires another review. Required validators and release settings determine final release.

Related procedures

Enter and review results

Deliver released results

Back to contents

3.4.3 Deliver released results

A result can be complete without having been delivered. Delivery tracking records the report handoff after the relevant release checks.

Where to open it

Use Records & Auditing / Laboratory Result Not Delivered in the workspace navigation. Menu wording depends on your active role. The Open task page button opens the same register or form directly.

Before you begin

- Identify the correct patient and visit.
- Check report release and delivery eligibility.

Controls and fields

Undelivered list

Find reports that still need a delivery action.

Report review

Confirm the report identity and released content.

Delivery action

Use the permitted action and check the delivery record afterwards.

Step-by-step procedure

1. Open deliver released results using Open task page in this procedure. Confirm the page and active branch match your intended work.
2. Search the undelivered list and confirm the patient and visit.
3. Review the released report and available delivery actions.
4. Use the authorized delivery action and check the updated record.
5. The delivery record matches the intended report and recipient.

Expected outcome and verification

The delivery history provides evidence of the report handoff.

The delivery record matches the intended report and recipient.

Worked example

Situation. A patient returns to collect an available report. Action. Find their visit, review the report and confirm the intended recipient. Expected outcome. Record the permitted delivery action and check the updated list.

Troubleshooting and recovery

Check release, payment and delivery permissions when an action is unavailable.

Back to contents

Related procedures

Enter and review results

Validate the latest result revision

3.4.4 Use the laboratory workbench

The workbench combines assigned laboratory work, processing status, planning and material use. Assignment, permission to read, and permission to edit are distinct controls.

Where to open it

Open Use the laboratory workbench from the Operations navigation, or use the task-page link in this procedure. Confirm the branch before selecting a record.

Before you begin

- Sign in using the active role authorized for this procedure.

- Confirm the patient, visit, specimen or operational event reference before selecting an action.

Controls and fields

View and search

Select the available work view, search for the intended service and decide whether completed work should be included.

Service stage

Review whether a service is processing, ready for results, awaiting validation or finalized.

Assignment and planning

Use the permitted record controls to review responsible staff, devices and timing.

Materials

Review the current material plan and available quantities before recording material use.

Daily Laboratory Request alternative

This separate worklist starts with Today and Pending. Choose the relevant date period and Pending, Partial or Paid, then Load or press Enter. Filter by Patient Name, Patient ID, Billing ID or Laboratory Test. Open Selected remains disabled until rows are selected.

Step-by-step procedure

1. Open Laboratory Workspace > Laboratory Workbench. Choose All open work, Assigned to me, Unassigned, Overdue by configured target or Urgent / STAT. Enter an accession reference, patient number, name or test and choose Search. Include finalized results only when reviewing completed work.

2. For the intended row, open Manage / history. Review Assigned staff, Priority, Analyzer used for QC clearance and the current deadline. Use the test default target or turn it off to enter an override deadline. Review

Work history before any authorized Save assignment or Escalate action.

3. Search the workbench for the patient or service reference.

4. Confirm the patient, test and displayed stage. Read a blocked reason before opening result work.

5. Review the assigned staff, device and timing information. Use the available assignment or planning action only when authorized.

6. When recording materials, load the current plan for the selected service and check the intended quantities.

7. Review any saved change in the service history. Open result entry only when workflow and payment checks permit it.

Expected outcome and verification

The selected service has the intended assignment, planning or material record, and its stage matches the completed work.

The selected service has the intended assignment, planning or material record, and its stage matches the completed work.

Worked example

Situation. A scientist sees a service blocked from result entry. Action. Review its stage, assignment and blocked reason before changing anything. Expected outcome. The missing prerequisite is resolved through its own authorized workflow.

Troubleshooting and recovery

Refresh the service after a stale plan or changed record. Restricted staff must use their assigned scope. A supervisor must review access rather than bypassing it. An empty Today/Pending worklist does not mean the patient has no historical records. Use a specific identifier and a narrow date period. All Time can load a very large legacy worklist. If the page becomes unresponsive, reopen the workspace and narrow the query.

Related procedures

Enter and review results

Validate the latest result revision

Deliver released results

Dispatch an outsourced test and receive its report

3.4.5 Dispatch an outsourced test and receive its report

An outsourced case tracks receiving facility, dispatch, external references and returned source reports. Attaching an external PDF does not itself validate or release the internal result.

Where to open it

Open Dispatch an outsourced test and receive its report from the Operations navigation, or use the task-page link in this procedure. Confirm the branch before selecting a record.

Before you begin

- Sign in using the active role authorized for this procedure.
- Confirm the patient, visit, specimen or operational event reference before selecting an action.

Controls and fields

External laboratory request

Create or view the request linked to the case.

Partner and dispatch

Review receiving organization, contact, dispatch date, due date and agreed cost.

Returned reports

Attach a PDF up to 2 MB and retrieve recorded source reports.

Next action and handover evidence

Use only available case transitions and record the dispatch or external reference and supporting notes.

Step-by-step procedure

1. Find the outsourced case and confirm the patient and requested service.
2. Review the assigned receiving organization and its contact information.
3. Open Create / view external laboratory request and verify the request before sending it with the sample.
4. Record the available dispatch transition, external reference and handover evidence.
5. When the report returns, attach the correct PDF within the 2 MB limit. Review its patient and service identity.
6. Complete internal result review and validation through the existing laboratory workflow.
7. Use the available completion transition only after result validation and release clearance. Review the case history.

Expected outcome and verification

The case history explains dispatch, returned report evidence and the current completion state.

The case history explains dispatch, returned report evidence and the current completion state.

Worked example

Situation. A partner facility returns a PDF for a dispatched test. Action. Attach it to the matching case, then perform internal result entry and validation as required. Expected outcome. The source report is retained and the internal release controls are completed.

Troubleshooting and recovery

Historical legacy-pending cases may lack detailed dispatch evidence. Review the actual status without inventing dates. Supplier payment is handled separately by finance.

Back to contents

Related procedures

Enter and review results

Validate the latest result revision

Deliver released results

Use the laboratory workbench

3.5 Quality

3.5.1 Create and review a QC session

A QC session links a device, a control material and recorded measurements. Control limits support review of instrument performance before relying on patient measurements.

Where to open it

Use Quality & Performance / Quality Control in the workspace navigation. Menu wording depends on your active role. The Open task page button opens the same register or form directly.

Before you begin

- A device must exist in Devices.
- The device needs an appropriate control material and parameter setup.

Controls and fields

New QC session

Start session creation from the workspace header or New session tab.

Device and control material

Choose the device first, then one of its loaded control materials.

QC sessions

Find recorded sessions and review measurements and charts.

Setup

Authorized administrators and managers edit warning and action defaults for new control parameters.

Workspace tabs

Overview, QC sessions, New session, Control materials, Devices and Setup separate monitoring, recording and configuration tasks.

Step-by-step procedure

1. From Quality & Performance > Quality Control, choose New QC session. Wait for New session to finish loading. Select Device first, then its Control material. Create QC session remains disabled while that selection is incomplete. After successful creation, use QC sessions to review and record results.
2. Open Quality control and choose New QC session or the New session tab.
3. Select the device. Wait for the control materials belonging to that device to load.
4. Select the intended control material and lot. If no devices or materials exist, configure them through Devices or Control materials with an authorized user.

5. Continue to create one session. Wait for the session reference and recording page. If creation succeeded without returning its reference, inspect QC sessions before creating another.

6. Record the control parameter readings and review the session measurements and charts.

7. To edit defaults, open Setup. Administrators and managers can enter a positive Warning limit (SD) and a larger Action limit (SD), up to 100 SD.

8. Choose Save QC defaults and verify the saved confirmation. These defaults apply when adding new control parameters. Each existing material retains its saved limits.

9. When a settings revision conflicts, reload settings, review the current defaults and reapply the intended edit. Review rules and notification preferences are separate from these defaults.

Expected outcome and verification

Successful creation opens the reading workflow. Recorded readings can be reviewed through QC sessions.

The session and its measurements appear in the QC history.

Worked example

Situation. The selected device has no available control material. Action. Open Control materials and have an authorized user configure the correct lot and parameters. Expected outcome. Return to New session, select the material and create one session before recording readings.

Troubleshooting and recovery

Use Reload lists for device or control loading failures. If the session was created but its reference is missing, find it under QC sessions before retrying. For Setup, check your administrator/manager role, positive limits, action limit greater than warning limit, and the current revision. Notification preferences are not configured by the QC defaults form.

Related procedures

Handle a critical result event

Review laboratory turnaround time

3.5.2 Handle a critical result event

A critical event requires documented review and communication. Acknowledgement, a successful clinician communication and release clearance are separate actions.

Where to open it

Open Handle a critical result event from the Operations navigation, or use the task-page link in this procedure. Confirm the branch before selecting a record.

Before you begin

- Sign in using the active role authorized for this procedure.

- Confirm the patient, visit, specimen or operational event reference before selecting an action.

Back to contents

Controls and fields

Event list

Select the current critical event and review its evidence and history.

Next action

Choose acknowledgement, clinician communication or resolution from actions available to your role.

Communication details

Record recipient, method, outcome or read-back, and whether the recipient was actually reached.

Evidence / reason

Supply the evidence supporting the recorded action.

Step-by-step procedure

1. Open the critical event and verify the patient, test, value and current status.
2. Review previous acknowledgements and communication attempts.
3. Use Acknowledge finding when appropriate and record the required evidence.
4. For clinician communication, enter the recipient, method and outcome. Confirm successful contact and read-back only when it occurred.
5. Use the available resolve or clearance action with supporting evidence when its prerequisites are satisfied.
6. Reopen the event history and verify the action and any remaining hold.

Expected outcome and verification

The event history records what occurred, who acted and whether communication and clearance requirements remain.

The event history records what occurred, who acted and whether communication and clearance requirements remain.

Worked example

Situation. A clinician could not be reached on the first attempt. Action. Record the unsuccessful attempt accurately, then record the later successful contact with its evidence. Expected outcome. The history distinguishes failed contact from confirmed communication.

Troubleshooting and recovery

An unsuccessful contact attempt does not satisfy a successful communication requirement. Review hold and authority requirements before requesting clearance.

Related procedures

Create and review a QC session

Review laboratory turnaround time

Back to contents

3.5.3 Review laboratory turnaround time

Turnaround reports compare recorded workflow timing. Missing stages or different reporting periods affect interpretation.

Where to open it

Open Review laboratory turnaround time from the Operations navigation, or use the task-page link in this procedure. Confirm the branch before selecting a record.

Before you begin

- Sign in using the active role authorized for this procedure.
- Confirm the patient, visit, specimen or operational event reference before selecting an action.

Controls and fields

Period and report filters

Choose the relevant reporting scope.

Timing summaries

Review the meaning of the displayed start, end and duration measures.

Matching records

Inspect records contributing to an apparent delay.

Step-by-step procedure

1. Choose the period and available scope filters.
2. Identify the timing measure being reviewed before comparing totals.
3. Review delayed services and their recorded workflow stages.
4. Open the relevant service through an authorized worklist when investigation is needed.
5. Compare timestamps and missing prerequisites before assigning a cause for delay.

Expected outcome and verification

The timing explanation matches the selected period and the recorded service events.

The timing explanation matches the selected period and the recorded service events.

Worked example

Situation. A report indicates a delay in result completion. Action. Review the affected services and their recorded processing and completion timestamps. Expected outcome. The cause is traced to recorded workflow evidence.

Back to contents

Troubleshooting and recovery

A missing workflow timestamp should be investigated in its original record. Different service types and periods should not be compared as identical measures.

Related procedures

Create and review a QC session

Handle a critical result event

Back to contents

3.6 Imaging

3.6.1 Work through imaging cases

The imaging waiting list contains examinations that need reporting. The selected examination determines the patient, requested service and reporting context.

Where to open it

Use Imaging / Waiting List in the workspace navigation. Menu wording depends on your active role. The Open task page button opens the same register or form directly.

Before you begin

- Confirm the examination and patient identity.
- Use a role with access to the selected case.

Controls and fields

Waiting List

Find examinations awaiting reporting.

Report fields and templates

Review the selected examination before using a template or entering findings.

Processed List

Review the examination after the permitted completion action.

Step-by-step procedure

1. Open work through imaging cases using Open task page in this procedure. Confirm the page and active branch match your intended work.
2. Locate the patient in the waiting list and confirm the requested examination.
3. Open the case and review the available report fields and templates.
4. Complete the report using the permitted save or completion action.
5. The correct case appears with its updated reporting status.

Expected outcome and verification

The case follows its configured reporting and completion workflow.

The correct case appears with its updated reporting status.

Worked example

Situation. Two patients have similar names in the waiting list. Action. Match the patient identifier and requested examination before opening the report. Expected outcome. Complete the intended examination and verify its updated status.

Back to contents

Troubleshooting and recovery

Review access and examination status before retrying a blocked action.

Related procedures

Create and review imaging report templates

3.6.2 Create and review imaging report templates

Templates provide reusable report structure. Patient-specific findings still need review in the selected examination.

Where to open it

Open Create and review imaging report templates from the Operations navigation, or use the task-page link in this procedure. Confirm the branch before selecting a record.

Before you begin

- Sign in using the active role authorized for this procedure.

- Confirm the patient, visit, specimen or operational event reference before selecting an action.

Controls and fields

Template list

Find the intended ultrasound template.

Create Templates

Open the authorized template creation task.

Template content

Review the reusable report structure before saving or using it.

Step-by-step procedure

1. Search the template list to avoid creating an unnecessary duplicate.

2. Open an existing template or use the permitted create task.

3. Enter the intended reusable report structure and review its wording.

4. Save through the available template action and reopen the saved template.

5. When applying it to a case, replace or confirm patient-specific findings before completing the report.

Expected outcome and verification

The saved template can be found and its structure is suitable for the intended examination.

The saved template can be found and its structure is suitable for the intended examination.

Worked example

Situation. A reporting team uses a standard examination structure. Action. Save the reusable structure as a template and review it in a new reporting task. Expected outcome. The case-specific content is checked before report completion.

Troubleshooting and recovery

Template management permissions remain separate from case reporting. Review the saved template before using it on a patient case.

Related procedures

Work through imaging cases

Back to contents

3.7 Department stock

3.7.1 Request, receive and consume laboratory stock

A requisition moves stock custody from stores to the laboratory. Receiving stock makes it available to the department. Consumption records actual usage against that received balance.

Where to open it

Use Laboratory / Stock requisitions in the workspace navigation. Menu wording depends on your active role. The Open task page button opens the same register or form directly.

Before you begin

- You need the relevant request, receive or consume permission.

- Check item units and the quantities physically needed or received.

Controls and fields

Inventory item and Add item

Search an item, enter a whole quantity and add it to the basket. Focus returns to the item picker.

Requisition basket

Review quantities, remove mistakes and send all basket items together. Duplicate items combine.

Confirm receipt

Enter the actual quantity received after stores issue the request.

Consume / Record wastage / Record loss

Choose the movement matching what actually happened. Wastage and loss require reasons.

Finding the next stage

Request status offers Awaiting approval, Ready to issue, Awaiting receipt, Delivery shortages, Available to consume and Rejected. Filter department requests narrows by item, request or status. Department analytics and Movement history provide separate views.

Receipt shortage and incident

Issued, Received and Unreceived are separate quantities. A short receipt opens a reported incident containing the item, request, difference, department and receiver note. Recording a stores reconciliation does not automatically complete the incident investigation.

Step-by-step procedure

1. Open this department's stock workspace using Open task page. Confirm facility, branch and department. Choose Requisitions & stock. Requesting, receiving and consuming require their own existing permissions; a head role is not required when a staff member has the relevant access.

2. In Build a requisition, search Inventory item by name or SKU, select the correct item and unit, enter Requested quantity and optionally Request reason. Choose Add item or press Enter. The added line appears in Requisition basket and focus returns to item selection, with quantity reset to 1.

3. Continue adding items. Adding the same item again combines its quantity into one line. Edit the basket quantity or reason, or use Remove to correct a line. Review all pages of the basket, then Send requisition once. All basket items are submitted, including those on other pages. Wait for Requisition sent to stores for review.

4. Find the saved request in Requisitions and departmental stock. Request status can narrow Awaiting approval, Ready to issue, Awaiting receipt, Delivery shortages, Available to consume or Rejected. Filter department requests finds the item or request. Stores reviews the request, approves its quantity and issues the approved stock; Requested and Approved may differ.

5. After issue, filter Awaiting receipt. On the correct item choose Confirm receipt. Enter Quantity physically received, review the unit and Confirm action. A lower receipt requires an explanation and automatically opens a Stock receipt discrepancy incident. Record physical truth rather than forcing Received to equal Issued. Unreceived stock cannot be consumed.

6. After receipt, use Available to consume and choose Consume for the intended item. Enter the quantity actually used; it must fit the department's available balance. A reason is optional for normal consumption. Confirm once and verify the new Available quantity. Use the separate Record wastage, Record loss / theft or Return to stores action when appropriate; those actions require explanations.

7. For a Receipt shortage, review the automatically created incident in Incident Reporting and provide the request reference to stores. Stores investigates and uses its authorized return-unreceived or transit-loss action. Stock reconciliation and incident investigation are separate tasks; an unreceived balance reaching zero does not automatically close the incident.

8. Open Movement history. Match the item and request to its approval, issue, receipt, consumption and any return/loss events, including quantity, date and staff. Use Department analytics to review balances and movements. Refresh before relying on a balance changed by another user.

9. Verify the company/custody relationship: issue and receipt move custody; actual consumption, wastage and loss reduce company stock. For example, 100 Pieces with 8 received in the laboratory and 2 consumed leaves Stores 92, laboratory Available 6 and company stock 98. Investigate differences instead of entering balancing usage without evidence.

Expected outcome and verification

Request, approval, issue, receipt and usage remain traceable in the department movement history.

The request history and remaining department quantity reflect the recorded movement.

Worked example

Situation. A department requests 10 Pieces; the storekeeper approves and issues 8 Pieces. Action. The department confirms physical receipt of 8, then records normal consumption of 2 without a mandatory reason. Expected outcome. The request shows approved 8, issued 8 and received 8. Department stock available to consume is 6 Pieces. Movement history retains all four actions.

Back to contents

Troubleshooting and recovery

A receipt shortage remains visible for resolution. Record investigation evidence through incident reporting. Loss and wastage require a reason.

Related procedures

Request, receive and consume imaging stock

3.7.2 Request, receive and consume imaging stock

Imaging has its own custody and consumption history. An issue from stores is followed by a physical receipt confirmation before departmental usage.

Where to open it

Use Imaging / Stock requisitions in the workspace navigation. Menu wording depends on your active role. The Open task page button opens the same register or form directly.

Before you begin

- Check imaging stock permissions and item units.

- Count the physical delivery before confirming receipt.

Controls and fields

Add item

Build a multi-item requisition without submitting one request at a time.

Approved and issued quantities

Review what stores approved and sent.

Confirm receipt

Record the quantity actually delivered to imaging.

Movement actions

Record consumption, return, wastage or loss against the available imaging balance.

Finding the next stage

Request status offers Awaiting approval, Ready to issue, Awaiting receipt, Delivery shortages, Available to consume and Rejected. Filter department requests narrows by item, request or status. Department analytics and Movement history provide separate views.

Receipt shortage and incident

Issued, Received and Unreceived are separate quantities. A short receipt opens a reported incident containing the item, request, difference, department and receiver note. Recording a stores reconciliation does not automatically complete the incident investigation.

Back to contents

Step-by-step procedure

1. Open this department's stock workspace using Open task page. Confirm facility, branch and department. Choose Requisitions & stock. Requesting, receiving and consuming require their own existing permissions; a head role is not required when a staff member has the relevant access.

2. In Build a requisition, search Inventory item by name or SKU, select the correct item and unit, enter Requested quantity and optionally Request reason. Choose Add item or press Enter. The added line appears in Requisition basket and focus returns to item selection, with quantity reset to 1.

3. Continue adding items. Adding the same item again combines its quantity into one line. Edit the basket quantity or reason, or use Remove to correct a line. Review all pages of the basket, then Send requisition once. All basket items are submitted, including those on other pages. Wait for Requisition sent to stores for review.

4. Find the saved request in Requisitions and departmental stock. Request status can narrow Awaiting approval, Ready to issue, Awaiting receipt, Delivery shortages, Available to consume or Rejected. Filter department requests finds the item or request. Stores reviews the request, approves its quantity and issues the approved stock; Requested and Approved may differ.

5. After issue, filter Awaiting receipt. On the correct item choose Confirm receipt. Enter Quantity physically received, review the unit and Confirm action. A lower receipt requires an explanation and automatically opens a Stock receipt discrepancy incident. Record physical truth rather than forcing Received to equal Issued. Unreceived stock cannot be consumed.

6. After receipt, use Available to consume and choose Consume for the intended item. Enter the quantity actually used; it must fit the department's available balance. A reason is optional for normal consumption. Confirm once and verify the new Available quantity. Use the separate Record wastage, Record loss / theft or Return to stores action when appropriate; those actions require explanations.

7. For a Receipt shortage, review the automatically created incident in Incident Reporting and provide the request reference to stores. Stores investigates and uses its authorized return-unreceived or transit-loss action. Stock reconciliation and incident investigation are separate tasks; an unreceived balance reaching zero does not automatically close the incident.

8. Open Movement history. Match the item and request to its approval, issue, receipt, consumption and any return/loss events, including quantity, date and staff. Use Department analytics to review balances and movements. Refresh before relying on a balance changed by another user.

9. Verify the company/custody relationship: issue and receipt move custody; actual consumption, wastage and loss reduce company stock. For example, 100 Pieces with 8 received in the laboratory and 2 consumed leaves Stores 92, laboratory Available 6 and company stock 98. Investigate differences instead of entering balancing usage without evidence.

Expected outcome and verification

Imaging custody, remaining quantities and movements can be reviewed independently of laboratory stock.

The imaging stock balance and movement history match physical custody.

Worked example

Situation. Imaging requests 4 Pieces. Stores approves and issues 6; imaging physically receives 5. Action. Approve 6 with an adjustment explanation. At receipt enter 5 and explain the short delivery. Record normal consumption of 1. Stores investigates the missing Piece and, when confirmed retained at stores, uses Return unreceived stock to stores for 1 with evidence. Expected outcome. The request retains requested 4, approved/issued 6 and received 5. Imaging has 4 Pieces available after consumption, Unreceived becomes zero after the stores return, and the reported incident remains available for its separate investigation workflow.

Troubleshooting and recovery

Ask an administrator to review request, receipt or consumption access if the action is unavailable.

Related procedures

Request, receive and consume laboratory stock

Back to contents

3.8 Records

3.8.1 Find a previous patient result

Patient archives locate historical cases and their original reports. Search criteria and dates must identify the intended patient and billing record.

Where to open it

Open Find a previous patient result from the Operations navigation, or use the task-page link in this procedure. Confirm the branch before selecting a record.

Before you begin

- Sign in using the active role authorized for this procedure.
- Confirm the patient, visit, specimen or operational event reference before selecting an action.

Controls and fields

Search field and value

Choose the identifier field and enter its value.

From and to dates

An end date requires a start date. The end must be on or after the start.

Apply, clear and refresh

Apply draft filters, reset the search or reload the current results.

View result

Open the selected original report in a separate window.

Step-by-step procedure

1. Choose a patient or billing identifier as appropriate for the archive view.
2. Enter the value and, if needed, a valid date range. Apply the filters.
3. Review the patient, test, bill and validation information in the matching rows.
4. Use the selected record view action to open the original report. Confirm the report identity again before printing or sharing.
5. Use paging to inspect additional matches. Clear filters when beginning a different search.

Expected outcome and verification

The opened report belongs to the selected patient, service and historical visit.

The opened report belongs to the selected patient, service and historical visit.

Worked example

Situation. A patient needs an older result rather than today's report. Action. Search the relevant identity and service dates, then open the matching record. Expected outcome. The report shows the intended historical visit.

Troubleshooting and recovery

Allow the report window to open. Check filters when no rows match. A loading failure must be retried before interpreting the archive as empty.

Back to contents

3. Practice and competency check

Work through the recommended learning order in the training environment. Use the worked examples in each procedure and record the saved references so that you can verify each handoff.

Independent practice

1. Confirm the correct branch and active role, then locate the relevant record and identify its current status.
2. Explain the prerequisites, required fields and responsible person before taking an action.
3. Follow the procedure and inspect its expected outcome and verification evidence.
4. Follow the next handoff with the appropriate authorized training account. Confirm that the same patient, bill or stock reference is carried forward.
5. Use the troubleshooting instructions for a missing prerequisite or changed record. Explain how you would check whether an uncertain save already succeeded.

Completion checklist

- I can locate each task required for my assigned duties using the sidebar and guide contents.
- I can explain the distinction between saving, reviewing, approving and completing the relevant transaction.
- I can demonstrate the recorded evidence described in the verification section.
- I know when to stop, reload, seek authorized review or contact support.
- I have recorded any unresolved training questions and the responsible person for follow-up.

Back to contents

3. Glossary

Specimen

Material collected from a patient for a requested test.

Result revision

The saved version of a result that an approval must refer to.

Validation

Review and approval by the required authorized person.

QC session

A recorded control-material run associated with a device.

Receipt shortage

Stock issued by stores that the receiving department has not confirmed receiving.

Back to contents

Part 4. Inventory

Purchasing, funded payments and departmental stock custody

This manual explains the stock catalogue, procurement, receipt, funded supplier payments, department custody, consumption and movement review. Quantities must be read with their units. Financial payments must identify the account supplying the money. A department requisition, store approval, issue, physical receipt and consumption are separate records that together explain where the stock is and how it has been used.

Audience

Storekeepers, authorized laboratory and imaging stock users, purchasing staff, accountants, managers and administrators.

Learning objectives

- Maintain usable item, supplier, unit and storage definitions.
- Trace purchase orders, goods receipts and supplier payment records.
- Select an authorized payment account and review available funds.
- Approve above or below the requested stock quantity within available stock.
- Confirm actual department receipt, record usage and investigate shortages.
- Interpret stock, cost, procurement and movement reports using consistent scope.

Roles and responsibilities

Requesting department

Select needed items and submit a requisition when request access is granted.

Storekeeper / authorized issuer

Review requested and available quantities, approve the appropriate quantity and record issue.

Receiving staff

Count the delivery and confirm the quantity physically received.

Consuming staff

Record actual use, wastage, loss or return against the department received balance.

Finance user

Review supplier payment, authorized funding account, available funds and approval requirements.

Manager / administrator

Maintain permitted master data, approve relevant actions and review exceptions and incidents.

Back to contents

Before you start

1. Confirm the branch and whether the task concerns stores, laboratory or imaging custody.
2. Check item identity and purchase or consumption unit.
3. Review available stock before approving or recording a movement.
4. For payment, review the supplier, outstanding amount, funding account and available funds.

Rules and controls

- Approval may increase or decrease a requested quantity, subject to available stock and the relevant permission.
- Issue records stock sent. Receipt records what arrived. Consume only from the appropriate available received balance.
- Requisition reasons and ordinary department-consumption reasons are optional. Wastage, loss and specified exception actions require supporting reasons.
- A receipt discrepancy remains visible as unreceived stock until resolved through the authorized return or transit-loss process and relevant investigation.
- A head role is not the only way to receive department permissions. Request, receipt, consumption and issue capabilities are granted independently.
- Supplier payments require an eligible authorized funding account. Posted balance, commitments and available funds must be distinguished.

Daily operating sequence

1. Review pending department requests and store availability.
2. Approve and issue the intended quantities.
3. Review receipt confirmations and unresolved shortages.
4. Record actual stock use and exceptions in the appropriate custody workspace.
5. Review supplier payment and stock reports using consistent dates, units and scope.

Recommended learning order

From departmental request to stock usage

Find and review inventory items

Create and review purchase orders

Review goods receipts

Back to contents


4.1 Stock workflow

4.1.1 From departmental request to stock usage

Understand how stock custody moves between stores and clinical departments. Each stage is performed by a person with the existing permission for that task.

Where to open it

Use the task-page link to open the first stage. Continue through the linked guides using your authorized role.



Before you begin

- Confirm the requesting department, stock item unit and requisition reference.

- Agree who is responsible for the next handoff.

Controls and fields

Department

Request items and quantities. Count and confirm physical receipt. Record actual usage, returns or losses.

Stores

Review available stock and approve a quantity. Issue the approved stock.

Back to contents

Step-by-step procedure

1. Request items and quantities.
2. Review available stock and approve a quantity.
3. Issue the approved stock.
4. Count and confirm physical receipt.
5. Record actual usage, returns or losses.

Expected outcome and verification

The requisition and movement history explain quantities requested, approved, issued, received and used, including any unresolved shortage.

The issued, received, unreceived and consumed figures must be explainable from movement history.

Worked example

Situation. A department requests 10 units, stores issue 8 and only 7 arrive. Action. Record the actual receipt of 7, investigate the unreceived unit and consume only from the received balance. Expected outcome. The issued, received, unreceived and consumed figures must be explainable from movement history.

Troubleshooting and recovery

If a stage is blocked, review its record status, required information and responsible role before proceeding. For an uncertain save, inspect the recorded history before retrying.

Related procedures

Approve and issue departmental stock

Review an item consumption history

Understand stock analytics

4.2 Catalogue

4.2.1 Find and review inventory items

An item definition and unit control how quantities are interpreted in purchasing and stock movements. Review existing items before creating duplicates.

Where to open it

Use Inventory / Items in the workspace navigation. Menu wording depends on your active role. The Open task page button opens the same register or form directly.

Before you begin

- Know the item identity and intended stock unit.
- Use the appropriate item management permission for edits.

Controls and fields

Item search

Find existing items using available filters.

Item details

Review category, units and stock information.

Item actions

Use the authorized task for the selected item.

Step-by-step procedure

1. Open find and review inventory items using Open task page in this procedure. Confirm the page and active branch match your intended work.
2. Search the items list and select the intended item.
3. Review its category, unit and available stock information.
4. Use the authorized item action and verify saved changes.
5. The correct item and unit are used in subsequent stock transactions.

Expected outcome and verification

Subsequent stock records use the selected item definition and units.

The correct item and unit are used in subsequent stock transactions.

Worked example

Situation. A supplier uses a different name for an existing product. Action. Search and review the item definition and units before creating another item. Expected outcome. Use the correct existing item when the product identity is confirmed.

Back to contents

Troubleshooting and recovery

Check existing items before creating another record for the same product.

Related procedures

Create and maintain inventory categories

Configure inventory units

Configure storage locations

Configure test material templates

4.2.2 Create and maintain inventory categories

Categories organize inventory items. Review existing category names and item membership before changing the catalogue.

Where to open it

Open Create and maintain inventory categories from the Inventory navigation, or use the task-page link in this procedure. Confirm the branch before selecting a record.

Before you begin

- Sign in using the active role authorized for this procedure.

- Confirm the item, unit, supplier or stock document reference used by this procedure.

Controls and fields

Name

Enter a meaningful category name.

Description

Explain the intended grouping.

View, edit and delete

Use the authorized action for the selected category and review its item count.

Step-by-step procedure

1. Search the category list for an existing suitable group.

2. Use the add task to enter the category name and description.

3. Review and save the category.

4. Reopen it or find it in the list and verify the saved values.

5. Before editing or deleting, review the category item count and any returned dependency restrictions.

Expected outcome and verification

The category appears with its saved name and description and is used for the intended item grouping.

The category appears with its saved name and description and is used for the intended item grouping.

Worked example

Situation. Two product types need separate catalogue grouping. Action. Review existing categories and create only the missing group. Expected outcome. Items can be assigned to the intended existing or new category.

Troubleshooting and recovery

A category already used by items may be subject to deletion restrictions. Review the server message and item assignments.

Related procedures

Find and review inventory items

Configure inventory units

Configure storage locations

Configure test material templates

4.2.3 Configure inventory units

Units define the meaning of stock quantities. A box, pack and individual unit must be distinguished when defining an item and interpreting its movements.

Where to open it

Open Configure inventory units from the Inventory navigation, or use the task-page link in this procedure. Confirm the branch before selecting a record.

Before you begin

- Sign in using the active role authorized for this procedure.

- Confirm the item, unit, supplier or stock document reference used by this procedure.

Controls and fields

Name and description

Define a clear unit label and meaning.

Standard status

Review whether the unit is a standard definition.

Unit actions

View or manage the selected unit through the available action.

Back to contents

Step-by-step procedure

1. Find the intended unit before adding another one.

2. Create a missing unit using a clear name and description.

3. Save and verify the unit in the list.

4. When configuring an item, review how its purchase and consumption units are represented.

5. Check units again when reviewing quantities on orders, receipts and departmental movements.

Expected outcome and verification

Staff can interpret the item quantity using the saved unit definitions.

Staff can interpret the item quantity using the saved unit definitions.

Worked example

Situation. A supplier delivers packs but a department reports usage in individual units. Action. Review the item unit configuration before interpreting either quantity. Expected outcome. Purchase and consumption records use the intended definitions.

Troubleshooting and recovery

Do not infer a pack-to-unit conversion from the name alone. Review the actual item unit configuration and any standard-unit edit restrictions.

Related procedures

Find and review inventory items

Create and maintain inventory categories

Configure storage locations

Configure test material templates

4.2.4 Configure storage locations

Storage locations describe where inventory is held and relevant storage conditions. Location settings should reflect the actual storage arrangement.

Where to open it

Open Configure storage locations from the Inventory navigation, or use the task-page link in this procedure. Confirm the branch before selecting a record.

Before you begin

- Sign in using the active role authorized for this procedure.

- Confirm the item, unit, supplier or stock document reference used by this procedure.

Back to contents

Controls and fields

Name, description and capacity

Identify the storage location and its configured capacity.

Temperature controlled and range

Record temperature-control information where applicable.

Hazardous materials and active status

Review the storage classification and whether the location is in use.

Step-by-step procedure

1. Review existing locations before adding another.
2. Enter the location name, description and capacity.
3. Review temperature-control settings and temperature range when applicable.
4. Review hazardous-material and active status fields.
5. Save and reopen the location to verify the configured conditions.

Expected outcome and verification

The location record reflects its intended physical storage use.

The location record reflects its intended physical storage use.

Worked example

Situation. A store introduces a temperature-controlled cabinet. Action. Record its location and applicable control information. Expected outcome. The saved location is identifiable and its settings match the intended cabinet.

Troubleshooting and recovery

Review field validation and item dependencies before modifying or deleting a location. Verify physical conditions separately from the saved configuration.

Related procedures

Find and review inventory items

Create and maintain inventory categories

Configure inventory units

Configure test material templates

4.2.5 Configure test material templates

A test material template associates a test with stock items and expected quantities. The saved unit determines how a material requirement is interpreted.

Back to contents

Where to open it

Open Configure test material templates from the Inventory navigation, or use the task-page link in this procedure. Confirm the branch before selecting a record.

Before you begin

- Sign in using the active role authorized for this procedure.
- Confirm the item, unit, supplier or stock document reference used by this procedure.

Controls and fields

Template name and test

Identify the template and associated test.

Item selection

Choose the stock item required by the test.

Quantity and unit

Review each material quantity and unit before saving.

Step-by-step procedure

1. Find an existing template for the intended test.
2. Create or edit through the available template action.
3. Review the associated test and add the required material items.
4. Set each material quantity using its displayed unit.
5. Review the full item list and save.
6. Reopen the template and verify its test association and material quantities.

Expected outcome and verification

The material template records the intended test requirements and quantities.

The material template records the intended test requirements and quantities.

Worked example

Situation. A test routinely needs gloves and another consumable. Action. Configure the required items and quantities in its template. Expected outcome. Subsequent material planning can reference the saved requirements.

Troubleshooting and recovery

A template does not prove that stock was physically consumed. Review the actual consumption or service material workflow and its recorded movement.

Back to contents

Related procedures

Find and review inventory items

Create and maintain inventory categories

Configure inventory units

Configure storage locations

Back to contents

4.3 Purchasing

4.3.1 Create and review purchase orders

A purchase order describes what is being ordered from a supplier. Order, receipt and payment records track different stages of procurement.

Where to open it

Use Inventory / Purchase Orders / All Orders in the workspace navigation. Menu wording depends on your active role. The Open task page button opens the same register or form directly.

Before you begin

- Confirm the supplier and intended items.
- Check quantities, units and agreed costs before submission.

Controls and fields

Order list

Review existing orders and their status.

Supplier and item lines

Associate the order with the correct supplier and quantities.

Totals and order action

Review costs and submit the order through the available workflow.

Step-by-step procedure

1. Open create and review purchase orders using Open task page in this procedure. Confirm the page and active branch match your intended work.
2. Review existing orders before creating a new purchase order.
3. Select the supplier and add the required items, quantities and costs.
4. Review totals and submit using the available order action.
5. The saved order appears with the correct supplier, lines and status.

Expected outcome and verification

The saved order provides a reference for subsequent delivery and payment review.

The saved order appears with the correct supplier, lines and status.

Worked example

Situation. A supplier is delivering an order for several stock items. Action. Create or locate the correct order with the agreed item quantities and costs. Expected outcome. Use that order as the reference when reviewing receipt and payment tasks.

Back to contents

Troubleshooting and recovery

Review approval and order status requirements before attempting receipt or payment.

Related procedures

Review goods receipts

4.3.2 Review goods receipts

Goods receipt history records what was received against purchasing activity. Compare received quantities with the actual delivery and intended order.

Where to open it

Use Inventory / Purchase Orders / Received Items History in the workspace navigation. Menu wording depends on your active role. The Open task page button opens the same register or form directly.

Before you begin

- Locate the purchase order or receipt reference.
- Have the physical delivery evidence available for comparison.

Controls and fields

Receipt filters

Find the relevant delivery.

Received item lines

Review item identity, quantities and available batch details.

Order reference

Compare the receipt to the intended purchasing record.

Step-by-step procedure

1. Open review goods receipts using Open task page in this procedure. Confirm the page and active branch match your intended work.
2. Find the relevant order or receipt in the received items history.
3. Review the quantities, item identity and recorded batch details.
4. Compare the received details with the physical delivery and the original order.
5. The recorded delivery agrees with the received stock.

Expected outcome and verification

The receipt history supports review of stock received and supplier fulfilment.

The recorded delivery agrees with the received stock.

Worked example

Situation. The supplier delivery note lists fewer units than ordered. Action. Review the received item history against the physical delivery and original order. Expected outcome. Use the authorized discrepancy process instead of assuming the full order was delivered.

Troubleshooting and recovery

Investigate discrepancies through the available receipt and incident workflows.

Related procedures

Create and review purchase orders

4.3.3 Create and maintain supplier details

Supplier records identify the organization associated with purchasing and payment. Accurate contact information helps distinguish similar supplier names.

Where to open it

Open Create and maintain supplier details from the Inventory navigation, or use the task-page link in this procedure. Confirm the branch before selecting a record.

Before you begin

- Sign in using the active role authorized for this procedure.

- Confirm the item, unit, supplier or stock document reference used by this procedure.

Controls and fields

Name and contact

Enter the supplier identity and contact person.

Email, phone and address

Review the intended supplier communication details.

Supplier actions

View or manage the selected record through available actions.

Step-by-step procedure

1. Search for the supplier before creating another record.

2. Use the add or permitted edit task for the intended supplier.

3. Review name, contact, email, phone and address.

4. Save and verify the record in the supplier list.

5. Confirm the supplier identity again when selecting it for an order or payment.

Back to contents

Expected outcome and verification

The intended supplier is available for purchasing and payment references.

The intended supplier is available for purchasing and payment references.

Worked example

Situation. Two suppliers have similar trading names. Action. Use contact information and record details to identify the correct one. Expected outcome. The purchase order references the intended supplier.

Troubleshooting and recovery

Review dependency and validation messages before editing or deleting a supplier with transaction history.

Related procedures

Create and review purchase orders

Review goods receipts

4.3.4 Receive an order into stock

Receiving stock records an actual delivery against an order. Partial delivery is recorded using the quantities physically received. Batch, expiry and cost information must be reviewed before confirming.

Where to open it

Open Inventory / Purchase Orders / All Orders and select Create Order. Use Receive Order on the intended eligible order to open Receive stock.

Enhanced training procedure

Source reviewed - live purchase and receipt pending

Reviewed 5 November 2026

Checks completed

- Reviewed Create Purchase Order and Receive stock forms, received quantities, costs, automatic batch and receipt metadata.
- Opened Create Order and Add Item in the live application; confirmed Create Order and Create & receive buttons. No order was saved.

Still to verify

- Purchase creation, approval and stock receipt have not yet been performed in the current pilot facility. No stock increase is claimed.
- The purchase-order capture was clipped during browser resizing and was excluded from the manual. A complete screenshot must be captured before this pilot is marked illustrated.

Back to contents

Field rules and common mistakes

Supplier

Required in Create Purchase Order. Choose the actual approved supplier.

Check: A similarly named supplier is not necessarily the correct payee.

Item / Qty / Unit / Cost

Select the inventory item and check its stock unit and positive ordered quantity; review the unit cost.

Check: A box and an individual unit are not interchangeable quantities.

Quantity received

Enter only actual accepted units for this receipt. Zero skips an item; do not exceed the displayed remaining order quantity.

Check: Receive all remaining must not be used for a partial delivery.

Unit cost

Non-negative, in the item's displayed unit and company currency.

Check: A zero training cost is not appropriate for a real purchased item.

Automatic batch / Batch number

Keep automatic generation selected when no supplier batch is available; otherwise enter the genuine batch.

Check: Do not overwrite a genuine manufacturer batch merely for convenience.

Received date / Condition / Notes

Record the actual delivery context. Review damaged or expired stock through the relevant exception process.

Check: Selecting Condition alone is not proof that rejected units were excluded from stock.

Independent practice and pass criteria

In the training environment, create an order for 10 units. Receive only 6, reopen its receipt history and demonstrate 4 units remaining. Record the order and receipt references, batch and valuation; do not send supplier messages or record a real payment.

Record facility, branch, role, date, saved references and observed outcome. Review unresolved checks with your trainer before working independently.

Before you begin

- Confirm the destination facility/branch, supplier, stock item and stock unit.
- Use the existing purchasing, approval and receiving permissions. A job title alone does not grant authority.
- Count the delivered units and inspect condition, batch, expiry and cost documents before receipt.

Controls and fields

Quantity received

Enter the quantity arriving now, using the displayed unit. Review remaining order quantities.

Receive all remaining

Fill outstanding quantities only after confirming all of those items physically arrived.

Unit cost

Review the non-negative cost for each selected item.

Expiry date

Enter the received batch expiry when applicable.

Automatic batch / batch number

Keep automatic generation enabled when a batch number is not supplied. A manually selected batch requires its number.

Pricing

Where the context permits, review wholesale and retail values. The price dialog offers percentage increase, fixed increase or manual prices and shows expected profit per item.

Additional receiving details

Review Received date, Condition and Notes. Condition choices include Good, Acceptable, Damaged and Expired.

Receive stock

Review selected item count and purchase subtotal before confirming receipt.

Step-by-step procedure

1. On Purchase Orders, select Create Order to open Create Purchase Order. Select Supplier and review Supplier Contact. Enter Expected Delivery Date when known.
2. Choose Communication Method only as intended. Do not send a supplier email or SMS during a training exercise. Use Communication Notes and General Notes for relevant order context.
3. In Order Items, use Add Item. Choose Item, enter Qty and review Unit and Cost. Repeat Add Item for the remaining requested items, then review the totals. Select Create Order to save, or Create & receive only if you intend to continue immediately to receiving.
4. Record the saved Order Number and reopen the same order. Review its status and the available Receive Order action. Pending Approvals on this list concerns supplier-payment requests; do not confuse payment approval with stock receipt. Follow any additional facility purchasing approval process.
5. Open Receive stock for that same order. Compare the outstanding ordered quantities with the delivery. Enter Quantity received only for items physically accepted; leave other rows at zero.

6. Review Unit cost, Expiry date and batch for each received row. Keep Automatic batch selected if no supplier batch is provided; otherwise enter Batch number. Review Pricing only if you are authorized to change it.
7. Complete Received date, Condition and Notes. If damaged, expired or missing units exist, stop and follow the relevant rejection/discrepancy procedure; do not assume a descriptive Condition choice adjusts quantities automatically.
8. Select Receive stock once. Reopen Received Items History and the order. Confirm quantities, batch, dates, costs and remaining units.
9. Compare the item's stock and valuation before and after receipt. A partial delivery must leave the unreceived quantity outstanding.
10. Supplier payment is a separate authorized task. Use an eligible funded account and the actual payment method and amount; receiving stock does not prove payment.

Expected outcome and verification

The delivery is recorded against the order and its stock and receipt records can be reviewed.

The order's receipt history identifies the actual item, quantity, batch and cost. Stock increases only by accepted received units. Remaining order quantities and valuation reconcile with the recorded receipt.

Worked example

Situation. An approved training order requests 10 units at GH₵5.00 each; only 6 acceptable units arrive. Action. Receive 6 at unit cost 5.00 and record the batch and receipt date. Leave undelivered items at zero. Expected outcome. Arithmetic target: 6 units received, 4 outstanding and GH₵30.00 received value before any configured additional costs. This example is illustrative until the live receipt test is completed.

Troubleshooting and recovery

After an uncertain response, inspect Received Items History and stock before trying again. For a disabled receipt action, review order status and receiving permission. Resolve damaged/expired stock through the correct exception workflow; do not inflate Quantity received.

Related procedures

Create and review purchase orders

Review goods receipts

Pay an inventory supplier

Back to contents

4.4 Payments

4.4.1 Pay an inventory supplier

Supplier payment needs an authorized funding source. Available funds account for posted balances and commitments, and are checked again when payment is confirmed.

Where to open it

Use Inventory / Payments / All Payments in the workspace navigation. Menu wording depends on your active role. The Open task page button opens the same register or form directly.

Before you begin

- Review the supplier, order and amount due.
- You need payment access to an eligible funding account with sufficient available funds.

Controls and fields

Payment list and actions

Find the intended payment and use its permitted approval or payment task.

Pay from account

Select the cash, bank or mobile-money source funding the payment.

Funding review

Compare posted balance, committed payments, available funds, this payment and remaining funds.

Payment method / Refresh account balances

Use a method supported by the chosen account and refresh balances when necessary.

Step-by-step procedure

1. Open pay an inventory supplier using Open task page in this procedure. Confirm the page and active branch match your intended work.
2. Find the supplier payment or related order and review the amount due.
3. Select the payment method and eligible funding account. Review the available balance.
4. Enter the payment details, review the totals and confirm the authorized payment.
5. The payment history, supplier balance and accounting posting reflect the same amount.

Expected outcome and verification

The recorded payment, supplier balance and accounting entries can be traced using their references.

The payment history, supplier balance and accounting posting reflect the same amount.

Worked example

Situation. An account has GH₵500 posted with GH₵100 committed. A new supplier payment is GH₵450. Action. Review the GH₵400 available balance and the insufficient-funds warning. Expected outcome. Use another authorized funded source or resolve funding before confirming payment.

Troubleshooting and recovery

Insufficient funds and approval requirements must be resolved before payment. Review existing payment history before retrying.

Related procedures

Trace inventory payments

4.4.2 Trace inventory payments

The journal view explains the accounting side of inventory payments. The reference links the amounts and accounts to the operational payment.

Where to open it

Use Inventory / Payments / Journal Entries in the workspace navigation. Menu wording depends on your active role. The Open task page button opens the same register or form directly.

Before you begin

- Know the payment or order reference.
- Choose the period and filters covering the transaction.

Controls and fields

Report filters

Narrow the payment journal to the intended scope.

Account and amount columns

Review which accounts received the posted amounts.

Transaction reference

Match journal information with the related inventory payment.

Journal status and source

Status supports draft, posted, cancelled and reversed. Source supports supplier, inventory, billing and accounting. The journal is read-only and active filters apply to exports.

Step-by-step procedure

1. Open Payments > Journal Entries. Use Search for a reference, account or description. Choose Date period or enter From and To. Narrow by Account code, Status, Source and Reference type, then Apply filters.

2. Use Reset filters to clear the scope. Loaded entries, Debits on this page and Credits on this page summarize the loaded page. They are not the complete period ledger totals. Review Date / entry, Account, Debit, Credit, Reference, Description and Status before exporting.
3. Open trace inventory payments using Open task page in this procedure. Confirm the page and active branch match your intended work.
4. Choose the reporting filters and find the relevant payment.
5. Review its reference, accounts and posted amounts.
6. Compare the entry with the related payment record.
7. The journal reference and amounts match the recorded transaction.

Expected outcome and verification

The reviewed journal information supports reconciliation with payment records.

The journal reference and amounts match the recorded transaction.

Worked example

Situation. A supplier payment appears in the operational history. Action. Find its reference in the payment journal and compare the amount and funding information. Expected outcome. Investigate a missing or failed posting through the accounting controls.

Troubleshooting and recovery

Investigate missing or failed postings through the accounting controls.

Related procedures

Pay an inventory supplier

Back to contents

4.5 Department stock

4.5.1 Approve and issue departmental stock

Stores control approval and issue. The receiving department confirms actual custody, then records its own consumption. Unreceived stock remains distinct from available department stock.

Where to open it

Use Inventory / Department stock in the workspace navigation. Menu wording depends on your active role. The Open task page button opens the same register or form directly.

Before you begin

- Review department, item and available store quantity.
- Use the applicable approve and issue permissions.

Controls and fields

Request status

Filter Awaiting approval, Ready to issue, Awaiting receipt or Delivery shortages.

Approved quantity

Approve above or below the request within available store stock.

Issue

Record issue after approval.

Unreceived and available quantities

Track shortages and received stock separately. Authorized shortage actions resolve unreceived quantities.

Staff permissions

This authorized view is separate from Review & issue, Department analytics and Movement history. Requesting, receiving and consuming access are reviewed independently.

Issue confirmation

Approved and Quantity to issue show the actual amount that will be issued, which can differ from Requested. Verify the item and unit before Confirm action.

Step-by-step procedure

1. Open Inventory > Department stock to reach Stores requisition desk. Select Receiving department as Laboratory or Imaging and confirm the active branch before reviewing or changing any request.
2. In Review & issue, choose the Request status filter: Awaiting approval, Ready to issue, Awaiting receipt, Delivery shortages, Available to consume or Rejected. Use Filter department requests for the item or request reference. An empty result means no rows match the current department and filters.

3. For a pending request, choose Approve. Review the item, unit, Requested and Available in stores. Enter Approved quantity: it may be lower or higher than Requested, but must be positive and within available stores stock. Explain an adjustment before Confirm action. To reject instead, use Reject and give the required reason.

4. For an approved request, choose Issue. Review Approved and Quantity to issue rather than assuming the original Requested quantity will be issued. Confirm only when handing over the approved goods. Verify Issued and Awaiting receipt afterward. The department must record physical receipt before using its received stock.

5. Review Received, Unreceived and Available after the department confirms receipt. A short receipt creates a reported Stock receipt discrepancy incident identifying the item, request and difference. Work with the receiver to investigate it; do not replace the actual receipt with an invented matching quantity.

6. When investigation confirms the unreceived goods are back in stores, use Return unreceived stock to stores, enter the reconciled quantity and supporting reason, then Confirm action. For confirmed loss in transit, use Record transit loss with the required explanation instead. Verify the remaining Unreceived quantity.

7. Record findings and follow-up in Incident Reporting. Clearing the stock discrepancy does not automatically close the incident's investigation workflow. Retain the request/incident references and movement history as evidence.

8. Use Movement history to verify approval, issue and reconciliation quantities, dates, staff and notes. Use Department analytics for the selected department. If authorized to manage access, Staff permissions reviews independent request, receive, consume/loss/return and approve/issue grants for employees in the current branch and department.

9. Reconcile stores, departmental custody and company stock. Starting with 100 Pieces, issuing and receiving 8 leaves Stores 92 and departmental custody 8. Consuming 2 leaves Stores 92, custody 6 and company stock 98. Internal issues are custody transfers, not consumption.

Expected outcome and verification

Each handoff and quantity is retained in the department movement history.

Issue and receipt history identify the department, quantities and responsible staff.

Worked example

Situation. A department requests 300 units. Stores decide to approve 500 and have sufficient stock. Action. Enter 500 as the approved quantity, confirm approval, then issue it. Expected outcome. Review the department actual receipt. Investigate any difference before resolving the unreceived balance.

Troubleshooting and recovery

Investigate receipt shortages. Resolve unreceived stock using the authorized return or transit-loss actions with supporting reasons. No requests match this department and filter means there are no matching rows in the current branch and department scope. Review the department, status and search before assuming the requisition was lost.

Back to contents

4.6 Stock movements

4.6.1 Record inventory consumption

Consumption records actual usage. Stock issued to a department is consumed from that department received balance through its own workspace.

Where to open it

Use Inventory / Stock Consumption in the workspace navigation. Menu wording depends on your active role. The Open task page button opens the same register or form directly.

Before you begin

- Confirm the item unit and available stock.
- Use the correct general or departmental stock workflow for the custody being consumed.

Controls and fields

Item and quantity

Select the product and quantity actually used.

Usage details

Review the available movement context before confirming.

Department workspace

Use departmental consumption actions for stock held by laboratory or imaging.

Step-by-step procedure

1. Open record inventory consumption using Open task page in this procedure. Confirm the page and active branch match your intended work.
2. Select the intended stock item and review the available quantity and unit.
3. Enter the consumed quantity and the available usage details.
4. Review and confirm the movement. For department-held stock, use that department requisition workspace.
5. The movement history and remaining quantity agree with recorded usage.

Expected outcome and verification

Actual consumption reduces the relevant stock balance and appears in movement history.

The movement history and remaining quantity agree with recorded usage.

Worked example

Situation. An imaging team uses 6 units from its received department stock. Action. Record the usage in the imaging requisition workspace against its available received balance. Expected outcome. Review the remaining quantity and movement history there.

Troubleshooting and recovery

Use the separate loss or wastage workflow for those events and supply the required reason.

Related procedures

Review an item consumption history

4.6.2 Review an item consumption history

Item history separates consumption, wastage, loss and returns. Select the correct item and reporting period before interpreting the totals.

Where to open it

Use Inventory / Expired Products / Consumption History in the workspace navigation. Menu wording depends on your active role. The Open task page button opens the same register or form directly.

Before you begin

- Know the item and stock unit.

- Use a period that includes the movement being investigated.

Controls and fields

Item list

Select the item whose history you want to inspect.

Period filters

Set the relevant date scope.

Movement totals and history

Compare totals by movement type with the individual records.

Loaded history summary

Loaded records, Affected items on this page and Expired wastage on this page describe the displayed results. Review Batch / brand, Expiry date, Quantity / recorded date, Recorded by and Reason / notes. Filters also apply to exports.

Step-by-step procedure

1. Open Expired Products > Consumption History. This page reviews recorded usage and wastage involving expired stock. For wider departmental usage, use the department workspace Movement history instead.

2. Choose Inventory item to search for one item, or retain All items. Select Date period or From date and To date, then Apply filters. Review Recorded movements and use Reset filters when the scope hides expected records.

3. Open review an item consumption history using Open task page in this procedure. Confirm the page and active branch match your intended work.

4. Select the item from the item list.

5. Review the available history and period filters.

6. Compare consumption, wastage, loss and return totals with the listed movements.

7. The selected item, unit and reporting period are consistent across the history.

Expected outcome and verification

The filtered history identifies the movements contributing to the selected item totals.

The selected item, unit and reporting period are consistent across the history.

Worked example

Situation. A team wants to explain why glove stock reduced. Action. Select gloves and the relevant period. Expected outcome. Review consumption separately from wastage, loss and returns, then inspect the matching movement records.

Troubleshooting and recovery

Check the item and date filters before concluding a movement is missing.

Related procedures

Record inventory consumption

4.6.3 Review stock wastage records

Wastage history explains stock removed as waste rather than productive consumption. Review type, quantity, reason and responsible staff.

Where to open it

Open Review stock wastage records from the Inventory navigation, or use the task-page link in this procedure. Confirm the branch before selecting a record.

Before you begin

- Sign in using the active role authorized for this procedure.

- Confirm the item, unit, supplier or stock document reference used by this procedure.

Controls and fields

History filters

Find the relevant period, item or transaction.

Wasted quantity and type

Review the movement classification and unit.

Reason and responsible staff

Read the explanation and recorded actor before drawing a conclusion.

Step-by-step procedure

1. Choose the relevant history filters.

2. Locate the item or transaction under review.

3. Review batch information, wasted quantity, wastage type, reason and notes.

4. Compare the event with the item movement history and relevant department custody record.

5. Use incident reporting when the evidence requires investigation.

Expected outcome and verification

The wastage explanation is supported by the recorded movement and its reason.

The wastage explanation is supported by the recorded movement and its reason.

Worked example

Situation. An item balance reduced after a damaged batch was discarded. Action. Review the wastage history and compare the batch and quantity with the movement record. Expected outcome. The stock reduction has a recorded classification and explanation.

Troubleshooting and recovery

Do not combine productive consumption with waste or loss when explaining stock use. Check the item, period and classification.

Related procedures

Record inventory consumption

Review an item consumption history

Review expired inventory batches

4.6.4 Review expired inventory batches

Expiry reporting identifies batches requiring review. An expired-batch listing and a recorded disposal or wastage event represent different stages.

Where to open it

Open Review expired inventory batches from the Inventory navigation, or use the task-page link in this procedure. Confirm the branch before selecting a record.

Before you begin

- Sign in using the active role authorized for this procedure.

- Confirm the item, unit, supplier or stock document reference used by this procedure.

Controls and fields

Batch list and filters

Find the relevant item and expired batch.

Expiry and remaining quantity

Review the date and stock still associated with the batch.

Batch detail and history

Inspect available recorded movements before determining the next authorized action.

Step-by-step procedure

1. Review the relevant expired-product filters.
2. Confirm the item identity, batch number, expiry date and remaining quantity.
3. Compare the listed information with the physically held stock.
4. Follow the available authorized wastage or disposal workflow when removal is required.
5. Review the resulting movement history and batch balance.

Expected outcome and verification

The expired batch is identified and any authorized removal is supported by its stock movement record.

The expired batch is identified and any authorized removal is supported by its stock movement record.

Worked example

Situation. A store finds an expired batch on a shelf. Action. Confirm its identity and quantity and follow the authorized removal process. Expected outcome. The physical removal and stock history agree.

Troubleshooting and recovery

A listing does not prove disposal. Verify the actual movement and required evidence before treating expired stock as removed.

Related procedures

Record inventory consumption

Review an item consumption history

Review stock wastage records

Back to contents

4.7 Reports

4.7.1 Understand stock analytics

Inventory reports describe different measures such as purchasing, stock balances, costs and usage. Consistent dates, units and scope are necessary when comparing them.

Where to open it

Use Inventory / Analytics Dashboard / Overview in the workspace navigation. Menu wording depends on your active role. The Open task page button opens the same register or form directly.

Before you begin

- Choose the period and relevant branch or scope where available.

- Identify the measure you need before interpreting a chart.

Controls and fields

Overview charts

Review the current reporting summary.

Report categories

Choose stock levels, movement, procurement, costs or usage as needed.

Report filters and detail

Use matching periods and inspect underlying records when reconciling a total.

Stock levels

Current balances and reorder monitoring. Open from Explore inventory reports. Review the report filters and underlying records before comparing its totals.

Movement

Inventory movements and velocity. Open from Explore inventory reports. Review the report filters and underlying records before comparing its totals.

Usage

Consumption and utilization. Open from Explore inventory reports. Review the report filters and underlying records before comparing its totals.

Cost valuation

Inventory valuation detail. Open from Explore inventory reports. Review the report filters and underlying records before comparing its totals.

Purchase orders

Procurement status and orders. Open from Explore inventory reports. Review the report filters and underlying records before comparing its totals.

Procurement

Lead times and fulfilment. Open from Explore inventory reports. Review the report filters and underlying records before comparing its totals.

Suppliers

Supplier performance and spend. Open from Explore inventory reports. Review the report filters and underlying records before comparing its totals.

Payments

Supplier payment analysis. Open from Explore inventory reports. Review the report filters and underlying records before comparing its totals.

Payment timing

Payment timelines and trends. Open from Explore inventory reports. Review the report filters and underlying records before comparing its totals.

Batch expiry

Expiry risk and batch monitoring. Open from Explore inventory reports. Review the report filters and underlying records before comparing its totals.

Costs

Cost trends and comparisons. Open from Explore inventory reports. Review the report filters and underlying records before comparing its totals.

Item analytics

Detailed individual item history. Open from Explore inventory reports. Review the report filters and underlying records before comparing its totals.

Company on hand / Department or in transit / Available in stores

Company on-hand stock includes department custody. The watchlist distinguishes reserved departmental or in-transit quantity from the quantity available in stores.

Step-by-step procedure

1. Open understand stock analytics using Open task page in this procedure. Confirm the page and active branch match your intended work.
2. Select the relevant reporting period and available filters.
3. Review the overview charts and open the appropriate stock, cost or movement report.
4. Compare report totals with the underlying items and transactions.
5. The displayed period, units and scope agree with the records being compared.

Back to contents

Expected outcome and verification

The comparison helps explain procurement, holding and consumption activity.

The displayed period, units and scope agree with the records being compared.

Worked example

Situation. Purchases increased while usage remained low. Action. Compare procurement and usage reports for the same period and relevant scope. Expected outcome. Review stock levels and item movement records to explain the difference.

Troubleshooting and recovery

Different reports measure purchases, custody and consumption separately. Review their labels and filters before comparing totals.

Back to contents

4. Practice and competency check

Work through the recommended learning order in the training environment. Use the worked examples in each procedure and record the saved references so that you can verify each handoff.

Independent practice

1. Confirm the correct branch and active role, then locate the relevant record and identify its current status.
2. Explain the prerequisites, required fields and responsible person before taking an action.
3. Follow the procedure and inspect its expected outcome and verification evidence.
4. Follow the next handoff with the appropriate authorized training account. Confirm that the same patient, bill or stock reference is carried forward.
5. Use the troubleshooting instructions for a missing prerequisite or changed record. Explain how you would check whether an uncertain save already succeeded.

Completion checklist

- I can locate each task required for my assigned duties using the sidebar and guide contents.
- I can explain the distinction between saving, reviewing, approving and completing the relevant transaction.
- I can demonstrate the recorded evidence described in the verification section.
- I know when to stop, reload, seek authorized review or contact support.
- I have recorded any unresolved training questions and the responsible person for follow-up.

Back to contents

4. Glossary

Requisition

A request by a department for stock from stores.

Approved quantity

The quantity stores authorize, which can differ from the request.

Issued quantity

The quantity recorded as sent by stores.

Received quantity

The quantity the department confirms it physically received.

Consumption

Actual use of stock from the relevant available balance.

Available funds

The amount available for payment after posted balances and commitments are considered.