Falcon Switch

Transaction Test Report

NPCI simulator transaction evidence and selected historical Switch examples mapped to Falcon CMS API and Events v2 Table 3

Item	Value
Report date	21 October 2026
Report version	1.5
Scenario source	Falcon CMS – API & Events v2 (Table 3, 42 scenarios); SHA-256 fb0ad93bb03edb5f…
Test run	Latest simulator attempts: 16 October 2026, 20:24 to 20:30 IST; selected older Switch history
Coverage	35 transaction records, all complete
Companion data	Falcon_CMS_Test_Data_and_Evidence.json; history/decline-scenarios-2026-10-21.json
Prepared by	CMS Core V2 engineering and QA
Classification	Confidential – prepared for the Falcon programme

Contents

1 Switch transaction examples 3
W26 Domestic retail purchase at POS, contact chip 3
W30 Domestic ATM cash withdrawal with online PIN 7
W32 International POS and international e-commerce 8
W34 Balance enquiry 9
W35 Decline cases 10
W36 Pre-authorisation creates a hold 30
W37 Cancellation releases the pre-authorisation hold 34
W39 Full authorisation reversal 35
2 Related transaction examples 37
Appendix A Evidence files 38

1 Switch transaction examples

COMPLETE means the request and response parameter tables are available with matching transaction identifiers. Configured simulator flows: purchase, pre-authorisation and reversal.

W26 Domestic retail purchase at POS, contact chip

HIST-01 Domestic retail purchase at POS, contact chip

COMPLETE | Historical | RRN 628811972454 | STAN 972454

Request parameters

Field	Recorded data
MTI	0100
DE3 processing code	000000
DE4 amount (stored)	1
DE11 STAN	972454
DE18 MCC	7011
DE19 acquiring country	356
DE22 POS entry mode	051
DE25 POS condition code	00
DE37 RRN	628811972454
DE41 terminal	TEST1234
DE49 currency (numeric)	356
Channel	POS01
DE7 transmission date and time	1015061946
Switch register transaction ID	1011792045186672577823
Switch request row ID	1975

Response parameters

Field	Recorded data
MTI	0110
DE39 response code	00
DE38 authorisation code	WRM8S5
saved response time UTC	2026-10-15T06:19:49.418807
Saved response transaction ID	0100101506194662881197245 4

NPCI-001 PURCHASE

COMPLETE | Latest simulator run | RRN 628920891197 | STAN 891197

Request parameters

Field	Recorded data
MTI	0100
DE2 masked PAN	817319******7474
DE3 processing code	000000
DE4 amount INR	1
DE7 transmission date and time	1016145401
DE11 STAN	891197
DE18 MCC	7011
DE19 acquiring country	356
DE22 POS entry mode	051
DE25 POS condition code	00
DE32 acquiring institution	123457
DE37 RRN	628920891197
DE41 terminal	TEST1234
DE42 merchant	111111111111111
DE49 currency	356
Switch register transaction ID	1011792162442218690407
Switch request row ID	1976

Response parameters

Field	Recorded data
MTI	0110
DE39 response code	00
internal response code	APPROVED
DE38 authorisation code	D4G4WX
saved response time UTC	2026-10-16T14:54:05.370353
saved response transaction ID	0100101614540162892089 1197

NPCI-002 PURCHASE

COMPLETE | Latest simulator run | RRN 628920020523 | STAN 020523

Request parameters

Field	Recorded data
MTI	0100
DE2 masked PAN	817319******7474
DE3 processing code	000000
DE4 amount INR	1
DE7 transmission date and time	1016145525
DE11 STAN	020523
DE18 MCC	7011
DE19 acquiring country	356
DE22 POS entry mode	051
DE25 POS condition code	00
DE32 acquiring institution	123457
DE37 RRN	628920020523
DE41 terminal	TEST1234
DE42 merchant	111111111111111
DE49 currency	356
EMV validation	Mandatory tag 9F02 absent; log maps ARQC_VERIFICATION_FAILED to FORMAT_ERROR 30.
Switch register transaction ID	1011792162525472989292
Switch request row ID	1977

Response parameters

Field	Recorded data
MTI	0110
DE39 response code	30
internal response code	FORMAT_ERROR
DE38 authorisation code	Not captured
saved response time UTC	2026-10-16T14:55:25.918486
saved response transaction ID	0100101614552562892002052 3

NPCI-003 PURCHASE

COMPLETE | Latest simulator run | RRN 628920767460 | STAN 767460

Request parameters

Field	Recorded data
MTI	0100
DE2 masked PAN	817319******7474
DE3 processing code	000000
DE4 amount INR	1
DE7 transmission date and time	1016145803
DE11 STAN	767460
DE18 MCC	7011
DE19 acquiring country	356
DE22 POS entry mode	051
DE25 POS condition code	00
DE32 acquiring institution	123457
DE37 RRN	628920767460
DE41 terminal	TEST1234
DE42 merchant	111111111111111
DE49 currency	356
Switch register transaction ID	1011792162683890831263
Switch request row ID	1978

Response parameters

Field	Recorded data
MTI	0110
DE39 response code	00
internal response code	APPROVED
DE38 authorisation code	KCDJWK
saved response time UTC	2026-10-16T14:58:05.512398
saved response transaction ID	0100101614580362892076746O

W30 Domestic ATM cash withdrawal with online PIN

HIST-02 Domestic ATM cash withdrawal with online PIN

COMPLETE | Historical | RRN 621911900022 | STAN 900022

Request parameters

Field	Recorded data
MTI	0200
DE3 processing code	010000
DE4 amount (stored)	2000
DE11 STAN	900022
DE18 MCC	6011
DE19 acquiring country	356
DE22 POS entry mode	051
DE25 POS condition code	00
DE37 RRN	621911900022
DE41 terminal	TEST1234
DE49 currency (numeric)	356
Channel	ATM01
DE7 transmission date and time	0807060326
Switch register transaction ID	1011786082606966953000
Switch request row ID	1955

Response parameters

Field	Recorded data
MTI	0210
DE39 response code	00
DE38 authorisation code	I2DP6W
saved response time UTC	2026-08-07T11:33:27.010751
Saved response transaction ID	02000807060326621911900022

W32 International POS and international e-commerce

HIST-03 International POS and international e-commerce

COMPLETE | Historical | RRN 620516771042 | STAN 771042

Request parameters

Field	Recorded data
MTI	0100
DE3 processing code	000000
DE4 amount (stored)	19
DE11 STAN	771042
DE18 MCC	5555
DE19 acquiring country	840
DE22 POS entry mode	801
DE25 POS condition code	00
DE37 RRN	620516771042
DE41 terminal	TEST1234
DE49 currency (numeric)	840
Channel	POS01
DE7 transmission date and time	0724104948
Switch register transaction ID	1011784890188346671000
Switch request row ID	1745

Response parameters

Field	Recorded data
MTI	0110
DE39 response code	00
DE38 authorisation code	O7OETA
saved response time UTC	2026-07-24T16:19:49.954959
Saved response transaction ID	0100072410494862051677104 2

W34 Balance enquiry

HIST-05 Balance enquiry

COMPLETE | Historical | RRN 620023098274 | STAN 098274

Request parameters

Field	Recorded data
MTI	0200
DE3 processing code	310000
DE4 amount (stored)	0
DE11 STAN	098274
DE18 MCC	6011
DE19 acquiring country	356
DE22 POS entry mode	051
DE25 POS condition code	00
DE37 RRN	620023098274
DE41 terminal	TEST1234
DE49 currency (numeric)	356
Channel	ATM01
DE7 transmission date and time	0719174356
Switch register transaction ID	1011784483036361790000
Switch request row ID	1657

Response parameters

Field	Recorded data
MTI	0210
DE39 response code	00
DE38 authorisation code	QJUDR4
saved response time UTC	2026-07-19T23:13:57.554809
Saved response transaction ID	0200071917435662002309827 4

W35 Decline cases

HIST-06 Wrong PIN decline

COMPLETE | Historical | RRN 620023351505 | STAN 351505

Request parameters

Field	Recorded data
MTI	0200
DE3 processing code	010000
DE4 amount (stored)	800
DE11 STAN	351505
DE18 MCC	6011
DE19 acquiring country	356
DE22 POS entry mode	051
DE25 POS condition code	00
DE37 RRN	620023351505
DE41 terminal	TEST1234
DE49 currency (numeric)	356
Channel	ATM01
DE7 transmission date and time	0719174600
Switch register transaction ID	1011784483160431792000
Switch request row ID	1659

Response parameters

Field	Recorded data
MTI	0210
DE39 response code	55
DE38 authorisation code	not retained
saved response time UTC	2026-07-19T23:16:00.496882
Saved response transaction ID	0200071917460062002335150 5

HIST-07 Limit decline

COMPLETE | Historical | RRN 621911765111 | STAN 765111

Request parameters

Field	Recorded data
MTI	0200
DE3 processing code	010000
DE4 amount (stored)	100
DE11 STAN	765111
DE18 MCC	6011
DE19 acquiring country	356
DE22 POS entry mode	051
DE25 POS condition code	00
DE37 RRN	621911765111
DE41 terminal	TEST1234
DE49 currency (numeric)	356
Channel	ATM01
DE7 transmission date and time	0807060327
Switch register transaction ID	1011786082607206388000
Switch request row ID	1956

Response parameters

Field	Recorded data
MTI	0210
DE39 response code	61
DE38 authorisation code	not retained
saved response time UTC	2026-08-07T11:33:27.25131
Saved response transaction ID	0200080706032762191176511 1

DECL-01 Decline code 05

COMPLETE | Historical | RRN 628700059557 | STAN 059557

Request parameters

Field	Recorded data
MTI	0100
DE3 processing code	000000
DE4 amount as stored	1
DE7 transmission date and time	1014185511
DE11 STAN	059557
DE18 MCC	7011
DE19 acquiring country	356
DE22 POS entry mode	051
DE25 POS condition code	00
DE37 RRN	628700059557
DE41 terminal	TEST1234
DE49 currency as stored	356
Channel tag	POS01
Switch register transaction ID	1011792004113151316338
Switch request row ID	1971

Response parameters

Field	Recorded data
MTI	0110
DE39 response code	05
DE38 authorisation code	not retained
Saved response time as stored	2026-10-14T18:55:14.151911
Saved response transaction ID	0100101418551162870005957

DECL-02 Decline code 06

COMPLETE | Historical | RRN 526500451689 | STAN 451689

Request parameters

Field	Recorded data
MTI	0100
DE3 processing code	000000
DE4 amount as stored	1
DE7 transmission date and time	0922183612
DE11 STAN	451689
DE18 MCC	not retained
DE19 acquiring country	not retained
DE22 POS entry mode	not retained
DE25 POS condition code	not retained
DE37 RRN	526500451689
DE41 terminal	TEST1234
DE49 currency as stored	356
Channel tag	POS01
Switch register transaction ID	100526500451689
Switch request row ID	670

Response parameters

Field	Recorded data
MTI	0110
DE39 response code	06
DE38 authorisation code	not retained
Saved response time as stored	2025-09-23T00:06:24.102559
Saved response transaction ID	0100092218361252650045168 9

DECL-03 Invalid transaction or MCC Code 12

COMPLETE | Historical | RRN 620515813599 | STAN 813599

Request parameters

Field	Recorded data
MTI	0100
DE3 processing code	000000
DE4 amount as stored	19
DE7 transmission date and time	0724102945
DE11 STAN	813599
DE18 MCC	5555
DE19 acquiring country	840
DE22 POS entry mode	801
DE25 POS condition code	00
DE37 RRN	620515813599
DE41 terminal	TEST1234
DE49 currency as stored	840
Channel tag	POS01
Switch register transaction ID	1011784888985382812000
Switch request row ID	1744

Response parameters

Field	Recorded data
MTI	0110
DE39 response code	12
DE38 authorisation code	not retained
Saved response time as stored	2026-07-24T15:59:45.402941
Saved response transaction ID	0100072410294562051581359 9

DECL-04 Invalid card number Code 14

COMPLETE | Historical | RRN 522323534214 | STAN 534214

Request parameters

Field	Recorded data
MTI	0100
DE3 processing code	000000
DE4 amount as stored	100
DE7 transmission date and time	0811180244
DE11 STAN	534214
DE18 MCC	not retained
DE19 acquiring country	not retained
DE22 POS entry mode	not retained
DE25 POS condition code	not retained
DE37 RRN	522323534214
DE41 terminal	TEST1234
DE49 currency as stored	356
Channel tag	POS01
Switch register transaction ID	100522323534214
Switch request row ID	226

Response parameters

Field	Recorded data
MTI	0110
DE39 response code	14
DE38 authorisation code	not retained
Saved response time as stored	2025-08-11T23:32:45.474868
Saved response transaction ID	0100081118024452232353421 4

DECL-05 Format error Code 30

COMPLETE | Historical | RRN 628809885247 | STAN 885247

Request parameters

Field	Recorded data
MTI	0100
DE3 processing code	000000
DE4 amount as stored	1
DE7 transmission date and time	1015040009
DE11 STAN	885247
DE18 MCC	7011
DE19 acquiring country	356
DE22 POS entry mode	051
DE25 POS condition code	00
DE37 RRN	628809885247
DE41 terminal	TEST1234
DE49 currency as stored	356
Channel tag	POS01
Switch register transaction ID	1011792036809394929395
Switch request row ID	1973

Response parameters

Field	Recorded data
MTI	0110
DE39 response code	30
DE38 authorisation code	not retained
Saved response time as stored	2026-10-15T04:00:09.853871
Saved response transaction ID	0100101504000962880988524 7

DECL-06 Decline code 38

COMPLETE | Historical | RRN 525103585112 | STAN 585112

Request parameters

Field	Recorded data
MTI	0100
DE3 processing code	000000
DE4 amount as stored	1
DE7 transmission date and time	0908215045
DE11 STAN	585112
DE18 MCC	not retained
DE19 acquiring country	not retained
DE22 POS entry mode	not retained
DE25 POS condition code	not retained
DE37 RRN	525103585112
DE41 terminal	TEST1234
DE49 currency as stored	356
Channel tag	POS01
Switch register transaction ID	100525103585112
Switch request row ID	449

Response parameters

Field	Recorded data
MTI	0110
DE39 response code	38
DE38 authorisation code	not retained
Saved response time as stored	2025-09-09T03:20:46.37186
Saved response transaction ID	0100090821504552510358511 2

DECL-07 Insufficient funds Code 51

COMPLETE | Historical | RRN 533914648495 | STAN 648495

Request parameters

Field	Recorded data
MTI	0100
DE3 processing code	000000
DE4 amount as stored	145
DE7 transmission date and time	1205083604
DE11 STAN	648495
DE18 MCC	not retained
DE19 acquiring country	not retained
DE22 POS entry mode	not retained
DE25 POS condition code	not retained
DE37 RRN	533914648495
DE41 terminal	TEST1234
DE49 currency as stored	356
Channel tag	POS01
Switch register transaction ID	100533914648495
Switch request row ID	1407

Response parameters

Field	Recorded data
MTI	0110
DE39 response code	51
DE38 authorisation code	not retained
Saved response time as stored	2025-12-05T14:06:07.277926
Saved response transaction ID	0100120508360453391464849 5

DECL-08 Decline code 58

COMPLETE | Historical | RRN 526409348557 | STAN 348557

Request parameters

Field	Recorded data
MTI	0100
DE3 processing code	000000
DE4 amount as stored	7
DE7 transmission date and time	0921033630
DE11 STAN	348557
DE18 MCC	not retained
DE19 acquiring country	not retained
DE22 POS entry mode	not retained
DE25 POS condition code	not retained
DE37 RRN	526409348557
DE41 terminal	TEST1234
DE49 currency as stored	356
Channel tag	POS01
Switch register transaction ID	100526409348557
Switch request row ID	664

Response parameters

Field	Recorded data
MTI	0110
DE39 response code	58
DE38 authorisation code	not retained
Saved response time as stored	2025-09-21T09:06:31.434433
Saved response transaction ID	0100092103363052640934857

DECL-09 Suspected fraud Code 59

COMPLETE | Historical | RRN 524217912080 | STAN 912080

Request parameters

Field	Recorded data
MTI	0100
DE3 processing code	000000
DE4 amount as stored	100
DE7 transmission date and time	0830121626
DE11 STAN	912080
DE18 MCC	not retained
DE19 acquiring country	not retained
DE22 POS entry mode	not retained
DE25 POS condition code	not retained
DE37 RRN	524217912080
DE41 terminal	TEST1234
DE49 currency as stored	356
Channel tag	POS01
Switch register transaction ID	100524217912080
Switch request row ID	327

Response parameters

Field	Recorded data
MTI	0110
DE39 response code	59
DE38 authorisation code	not retained
Saved response time as stored	2025-08-30T17:46:26.620342
Saved response transaction ID	0100083012162652421791208O

DECL-10 Restricted card Code 62

COMPLETE | Historical | RRN 519816999784 | STAN 999784

Request parameters

Field	Recorded data
MTI	0100
DE3 processing code	000000
DE4 amount as stored	100
DE7 transmission date and time	0717103256
DE11 STAN	999784
DE18 MCC	not retained
DE19 acquiring country	not retained
DE22 POS entry mode	not retained
DE25 POS condition code	not retained
DE37 RRN	519816999784
DE41 terminal	TEST1234
DE49 currency as stored	356
Channel tag	POS01
Switch register transaction ID	100519816999784
Switch request row ID	195

Response parameters

Field	Recorded data
MTI	0110
DE39 response code	62
DE38 authorisation code	not retained
Saved response time as stored	2025-07-17T16:02:57.024919
Saved response transaction ID	0100071710325651981699978 4

DECL-11 PIN tries exceeded Code 75

COMPLETE | Historical | RRN 622711236633 | STAN 236633

Request parameters

Field	Recorded data
MTI	0100
DE3 processing code	000000
DE4 amount as stored	1
DE7 transmission date and time	0815062636
DE11 STAN	236633
DE18 MCC	7011
DE19 acquiring country	356
DE22 POS entry mode	051
DE25 POS condition code	00
DE37 RRN	622711236633
DE41 terminal	TEST1234
DE49 currency as stored	356
Channel tag	POS01
Switch register transaction ID	1011786775196931557000
Switch request row ID	1959

Response parameters

Field	Recorded data
MTI	0110
DE39 response code	75
DE38 authorisation code	not retained
Saved response time as stored	2026-08-15T11:56:36.987447
Saved response transaction ID	0100081506263662271123633

DECL-12 Decline code 88

COMPLETE | Historical | RRN 620604093336 | STAN 093336

Request parameters

Field	Recorded data
MTI	0100
DE3 processing code	000000
DE4 amount as stored	61
DE7 transmission date and time	0725223516
DE11 STAN	093336
DE18 MCC	4789
DE19 acquiring country	356
DE22 POS entry mode	070
DE25 POS condition code	00
DE37 RRN	620604093336
DE41 terminal	TEST1234
DE49 currency as stored	356
Channel tag	POS01
Switch register transaction ID	1011785018916830362000
Switch request row ID	1794

Response parameters

Field	Recorded data
MTI	0110
DE39 response code	88
DE38 authorisation code	not retained
Saved response time as stored	2026-07-26T04:05:16.875911
Saved response transaction ID	0100072522351662060409336

DECL-13 MAC validation failure Code 89

COMPLETE | Historical | RRN 628811255680 | STAN 255680

Request parameters

Field	Recorded data
MTI	0100
DE3 processing code	000000
DE4 amount as stored	1
DE7 transmission date and time	1015061731
DE11 STAN	255680
DE18 MCC	7011
DE19 acquiring country	356
DE22 POS entry mode	051
DE25 POS condition code	00
DE37 RRN	628811255680
DE41 terminal	TEST1234
DE49 currency as stored	356
Channel tag	POS01
Switch register transaction ID	1011792045053459919219
Switch request row ID	1974

Response parameters

Field	Recorded data
MTI	0110
DE39 response code	89
DE38 authorisation code	not retained
Saved response time as stored	2026-10-15T06:17:33.8925
Saved response transaction ID	0100101506173162881125568O

DECL-14 Compliance violation Code 93

COMPLETE | Historical | RRN 620810496925 | STAN 496925

Request parameters

Field	Recorded data
MTI	0100
DE3 processing code	340000
DE4 amount as stored	99
DE7 transmission date and time	0727043647
DE11 STAN	496925
DE18 MCC	7011
DE19 acquiring country	356
DE22 POS entry mode	051
DE25 POS condition code	00
DE37 RRN	620810496925
DE41 terminal	TEST1234
DE49 currency as stored	356
Channel tag	POS01
Switch register transaction ID	1011785127007898924000
Switch request row ID	1857

Response parameters

Field	Recorded data
MTI	0110
DE39 response code	93
DE38 authorisation code	not retained
Saved response time as stored	2026-07-27T10:06:47.921118
Saved response transaction ID	0100072704364762081049692 5

DECL-15 System malfunction response Code 96

COMPLETE | Historical | RRN 620715359715 | STAN 359715

Request parameters

Field	Recorded data
MTI	0100
DE3 processing code	000000
DE4 amount as stored	20
DE7 transmission date and time	0726095755
DE11 STAN	359715
DE18 MCC	7011
DE19 acquiring country	356
DE22 POS entry mode	051
DE25 POS condition code	00
DE37 RRN	620715359715
DE41 terminal	TEST1234
DE49 currency as stored	356
Channel tag	POS01
Switch register transaction ID	1011785059876437696000
Switch request row ID	1837

Response parameters

Field	Recorded data
MTI	0110
DE39 response code	96
DE38 authorisation code	not retained
Saved response time as stored	2026-07-26T15:27:58.340718
Saved response transaction ID	0100072609575562071535971 5

DECL-16 EMV cryptogram validation failure Code E3

COMPLETE | Historical | RRN 621520501681 | STAN 501681

Request parameters

Field	Recorded data
MTI	0100
DE3 processing code	000000
DE4 amount as stored	72.5
DE7 transmission date and time	0803144450
DE11 STAN	501681
DE18 MCC	4789
DE19 acquiring country	356
DE22 POS entry mode	051
DE25 POS condition code	00
DE37 RRN	621520501681
DE41 terminal	TEST1234
DE49 currency as stored	356
Channel tag	POS01
Switch register transaction ID	1011785768290950108000
Switch request row ID	1885

Response parameters

Field	Recorded data
MTI	0110
DE39 response code	E3
DE38 authorisation code	not retained
Saved response time as stored	2026-08-03T20:14:51.027245
Saved response transaction ID	0100080314445062152050168l

DECL-17 Terminal verification results validation failure Code E4

COMPLETE | Historical | RRN 620515690695 | STAN 690695

Request parameters

Field	Recorded data
MTI	0100
DE3 processing code	000000
DE4 amount as stored	11
DE7 transmission date and time	0724102828
DE11 STAN	690695
DE18 MCC	4900
DE19 acquiring country	840
DE22 POS entry mode	051
DE25 POS condition code	00
DE37 RRN	620515690695
DE41 terminal	DCI21101
DE49 currency as stored	840
Channel tag	POS01
Switch register transaction ID	1011784888916563185000
Switch request row ID	1743

Response parameters

Field	Recorded data
MTI	0110
DE39 response code	E4
DE38 authorisation code	not retained
Saved response time as stored	2026-07-24T15:58:36.677894
Saved response transaction ID	0100072410282862051569 0695

Decline catalogue

Decline type	Code	Transaction	Status
ARQC failure	E3	DECL-16	COMPLETE
compliance error	93	DECL-14	COMPLETE
CVM failure	05	DECL-01	COMPLETE
CVR failure	05	DECL-01	COMPLETE
CVV failure	05	DECL-01	COMPLETE
Generic decline	05	DECL-01	COMPLETE
Exceeds withdrawal or transaction limit	61	HIST-07	COMPLETE
Message format error	30	NPCI-002	COMPLETE
Insufficient funds	51	DECL-07	COMPLETE
Invalid card number	14	DECL-04	COMPLETE
Invalid MCC	12	DECL-03	COMPLETE
Wrong PIN	55	HIST-06	COMPLETE
Invalid transaction	12	DECL-03	COMPLETE
MAC failure	89	DECL-13	COMPLETE
Missing MCC	30	DECL-05	COMPLETE
PIN tries exceeded	75	DECL-11	COMPLETE
Restricted card	62	DECL-10	COMPLETE
Suspected fraud	59	DECL-09	COMPLETE
System malfunction	96	DECL-15	COMPLETE
TVR failure	E4	DECL-17	COMPLETE

W36 Pre-authorisation creates a hold

HIST-08 Pre-authorisation creates a hold

COMPLETE | Historical | RRN 609812914133 | STAN 914133

Request parameters

Field	Recorded data
MTI	0100
DE3 processing code	000000
DE4 amount (stored)	75
DE11 STAN	914133
DE18 MCC	8062
DE19 acquiring country	356
DE22 POS entry mode	051
DE25 POS condition code	55
DE37 RRN	609812914133
DE41 terminal	TEST1234
DE49 currency (numeric)	356
Channel	POS01
DE7 transmission date and time	0408063302
Switch register transaction ID	100609812914133
Switch request row ID	1000000000112

Response parameters

Field	Recorded data
MTI	0110
DE39 response code	00
DE38 authorisation code	2OD4MV
saved response time UTC	2026-04-08T12:03:03.810996
Saved response transaction ID	0100040806330260981291413 3

NPCI-005 PREAUTH

COMPLETE | Latest simulator run | RRN 628920668555 | STAN 668555

Request parameters

Field	Recorded data
MTI	0100
DE2 masked PAN	817319******7474
DE3 processing code	000000
DE4 amount INR	80
DE7 transmission date and time	1016150008
DE11 STAN	668555
DE18 MCC	7011
DE19 acquiring country	356
DE22 POS entry mode	051
DE25 POS condition code	55
DE32 acquiring institution	123457
DE37 RRN	628920668555
DE41 terminal	TEST1234
DE42 merchant	111111111111111
DE49 currency	356
Switch register transaction ID	1011792162808942220252
Switch request row ID	1981

Response parameters

Field	Recorded data
MTI	0110
DE39 response code	00
internal response code	APPROVED
DE38 authorisation code	ZXLEQQ
saved response time UTC	2026-10-16T15:00:10.888946
saved response transaction ID	0100101615000862892066855 5

NPCI-006 PREAUTH

COMPLETE | Latest simulator run | RRN 628920805157 | STAN 805157

Request parameters

Field	Recorded data
MTI	0100
DE2 masked PAN	817319******7474
DE3 processing code	000000
DE4 amount INR	90
DE7 transmission date and time	1016150017
DE11 STAN	805157
DE18 MCC	8062
DE19 acquiring country	356
DE22 POS entry mode	051
DE25 POS condition code	55
DE32 acquiring institution	123457
DE37 RRN	628920805157
DE41 terminal	TEST1234
DE42 merchant	111111111111111
DE49 currency	356
Switch register transaction ID	1011792162817544502400
Switch request row ID	1982

Response parameters

Field	Recorded data
MTI	0110
DE39 response code	00
internal response code	APPROVED
DE38 authorisation code	CLAEQ8
saved response time UTC	2026-10-16T15:00:18.481954
saved response transaction ID	0100101615001762892080515 7

NPCI-007 PREAUTH

COMPLETE | Latest simulator run | RRN 628920196805 | STAN 196805

Request parameters

Field	Recorded data
MTI	0100
DE2 masked PAN	817319******7474
DE3 processing code	000000
DE4 amount INR	70
DE7 transmission date and time	1016150023
DE11 STAN	196805
DE18 MCC	4121
DE19 acquiring country	356
DE22 POS entry mode	051
DE25 POS condition code	55
DE32 acquiring institution	123457
DE37 RRN	628920196805
DE41 terminal	TEST1234
DE42 merchant	111111111111111
DE49 currency	356
Switch register transaction ID	1011792162823372273089
Switch request row ID	1983

Response parameters

Field	Recorded data
MTI	0110
DE39 response code	00
internal response code	APPROVED
DE38 authorisation code	70WHJC
saved response time UTC	2026-10-16T15:00:24.248632
saved response transaction ID	0100101615002362892019 6805

W37 Cancellation releases the pre-authorisation hold

HIST-09 Cancellation releases the pre-authorisation hold

COMPLETE | Historical | RRN 609812914133 | STAN 914133

Request parameters

Field	Recorded data
MTI	0420
DE3 processing code	000000
DE4 amount (stored)	75
DE11 STAN	914133
DE18 MCC	8062
DE19 acquiring country	356
DE22 POS entry mode	051
DE25 POS condition code	55
DE37 RRN	609812914133
DE41 terminal	TEST1234
DE49 currency (numeric)	356
DE7 transmission date and time	0408063304
Switch register transaction ID	420609812914133
Switch request row ID	1000000000113
DE90 original reference	0100914133040806330200000123457000000000000
Original RRN	609812914133
Original STAN	914133

Response parameters

Field	Recorded data
MTI	0430
DE39 response code	96
DE38 authorisation code	not retained
saved response time UTC	2026-04-08T12:03:05.180964
Saved response transaction ID	0420040806330460981291413 3

W39 Full authorisation reversal

HIST-10 Full authorisation reversal

COMPLETE | Historical | RRN 620023190275 | STAN 190275

Request parameters

Field	Recorded data
MTI	0420
DE3 processing code	010000
DE4 amount (stored)	300
DE11 STAN	190275
DE18 MCC	6011
DE19 acquiring country	356
DE22 POS entry mode	051
DE25 POS condition code	00
DE37 RRN	620023190275
DE41 terminal	TEST1234
DE49 currency (numeric)	356
DE7 transmission date and time	0719173923
Switch register transaction ID	1011784482763367374000
Switch request row ID	1653
DE90 original reference	0200190275071917392200000123457000000000000
Original RRN	620023190275
Original STAN	190275

Response parameters

Field	Recorded data
MTI	0430
DE39 response code	00
DE38 authorisation code	1QLZX3
saved response time UTC	2026-07-19T23:09:23.381306
Saved response transaction ID	042007191739236200231902 75

NPCI-004 REVERSAL

COMPLETE | Latest simulator run | RRN 628920767460 | STAN 767460

Request parameters

Field	Recorded data
MTI	0420
DE2 masked PAN	817319******7474
DE3 processing code	000000
DE4 amount INR	1
DE7 transmission date and time	1016145805
DE11 STAN	767460
DE18 MCC	7011
DE19 acquiring country	356
DE22 POS entry mode	051
DE25 POS condition code	00
DE32 acquiring institution	123457
DE37 RRN	628920767460
DE41 terminal	TEST1234
DE42 merchant	111111111111111
DE49 currency	356
DE90 original reference	0100767460101614580300000123457000000000000
Switch register transaction ID	1011792162685983341885
Switch request row ID	1979

Response parameters

Field	Recorded data
MTI	0430
DE39 response code	00
internal response code	APPROVED
DE38 authorisation code	KCDJWK
saved response time UTC	2026-10-16T14:58:06.097499
saved response transaction ID	042010161458056289207674 60

2 Related transaction examples

HIST-11 Network PIN change

COMPLETE | Historical | RRN 620409954066 | STAN 954066

Request parameters

Field	Recorded data
MTI	0200
DE3 processing code	900000
DE4 amount (stored)	0
DE11 STAN	954066
DE18 MCC	6011
DE19 acquiring country	356
DE22 POS entry mode	051
DE25 POS condition code	00
DE37 RRN	620409954066
DE41 terminal	TEST1234
DE49 currency (numeric)	356
Channel	ATM01
DE7 transmission date and time	0723041053
Switch register transaction ID	1011784779856521642000
Switch request row ID	1723

Response parameters

Field	Recorded data
MTI	0210
DE39 response code	00
DE38 authorisation code	9EDQVJ
saved response time UTC	2026-07-23T09:40:56.704111
Saved response transaction ID	0200072304105362040995406 6

HIST-12 Contactless purchase candidate

COMPLETE | Historical | RRN 620123467683 | STAN 467683

Request parameters

Field	Recorded data
MTI	0100
DE3 processing code	000000
DE4 amount (stored)	2
DE11 STAN	467683
DE18 MCC	7011
DE19 acquiring country	356
DE22 POS entry mode	071
DE25 POS condition code	00
DE37 RRN	620123467683
DE41 terminal	TEST1234
DE49 currency (numeric)	356
Channel	POS01
DE7 transmission date and time	0720181909
Switch register transaction ID	1011784571549263439000
Switch request row ID	1669

Response parameters

Field	Recorded data
MTI	0110
DE39 response code	00
DE38 authorisation code	SMWS53
saved response time UTC	2026-07-20T23:49:10.614743
Saved response transaction ID	0100072018190962012346768 3

Appendix A Evidence files

Falcon_CMS_Test_Data_and_Evidence.json; history/selected-examples.json; history/decline-scenarios-2026-10-21.json.