Falcon Switch

Transaction Test Report

NPCI simulator transaction evidence and selected historical Switch examples mapped to Falcon CMS API and Events v2 Table 3

Item	Value
Report date	16 October 2026
Report version	1.2 (Switch extract)
Scenario source	Falcon CMS – API & Events v2 (Table 3, 42 scenarios); SHA-256 fb0ad93bb03edb5f…
Test run	Latest simulator attempts: 16 October 2026, 20:24 to 20:30 IST; selected older Switch history
Coverage	17 transaction scenarios W26 to W43; W31 is absent from Table 3; related PIN-change and contactless examples are also included
Companion data	Falcon_CMS_Test_Data_and_Evidence.json (npci_simulator_run and historical_switch_examples)
Prepared by	CMS Core V2 engineering and QA
Classification	Confidential – prepared for the Falcon programme

Contents

1 Switch transaction examples 3
W26 Domestic retail purchase at POS, contact chip 4
W27 Domestic contactless below the CVM limit 9
W28 Domestic contactless above the CVM limit 9
W29 Domestic e-commerce, card not present 9
W30 Domestic ATM cash withdrawal with online PIN 9
W32 International POS and international e-commerce 10
W33 Refund or credit to the card 11
W34 Balance enquiry 11
W35 Decline cases 12
W36 Pre-authorisation creates a hold 14
W37 Cancellation releases the pre-authorisation hold 19
W38 Timely final presentment settles the authorised transaction 20
W39 Full authorisation reversal 20
W40 Partial reversal 22
W41 Timeout reversal 22
W42 Authorisation completion or advice 22
W43 Hold expiry with no clearing 22
2 Related transaction examples 23
Appendix A Evidence files 24

1 Switch transaction examples

The latest simulator run contains seven attempts across six RRNs: three purchases, three pre-authorisations and one reversal. The Switch log records six approvals and one format-error decline. Twelve selected older examples are also included. All transaction scenario results remain partial because required control, accounting, balance or CVM effects are not fully evidenced.

CMS API scenario results W01 to W25 and their integration checks are provided in Falcon_CMS_Scenario_Test_Report.pdf. The 582 CMS checks are a separate execution and are not combined with these transaction attempts.

Historical examples use the same local database evidence source, 127.0.0.1:5432/lpsswitch. The audit excluded the latest seven requests and their helper row. It reviewed 2,072 older request records across 1,774 RRNs; missing dates and reused request keys prevent treating these as distinct certification cases.

Scenario	Older records	Selected example
W26	198	HIST-01
W30	127	HIST-02
W32	16	HIST-03
W33	47	HIST-04
W34	50	HIST-05
W35	115	HIST-06, HIST-07
W36	1	HIST-08
W37	1	HIST-09
W39	77	HIST-10

Only selected examples are added to this report and its companion evidence. Counts overlap between scenarios. The 47 refund records share one RRN and have no exact saved-response match. Contactless candidates cannot be split between W27 and W28. The original JMeter results and latest NPCI run remain unchanged.

The following records correlate the simulator attempts with the Switch application log and database records by RRN, message type and STAN. The original purchase and its reversal share an RRN and are shown as separate attempts. Scenario headings follow Table 3 of the API and Events reference; W31 is absent from that source.

Switch response codes describe the network-facing application result. A scenario is only complete when its required control, accounting and balance effects are also evidenced. The seven attempts are separate from the 582 checks in the earlier JMeter run.

The database extraction contains eight transaction rows and seven saved response rows. Seven transaction rows match the seven simulator attempts by their exact register identifiers. The eighth row is an internal 0430 reversal helper and is included with NPCI-004, rather than counted as another simulator attempt.

NPCI-O01 Reversal response and transaction status disagree. RRN 628920767460 has a saved 0430 response 00, while its primary 0420 and helper 0430 transaction rows are FAILED. The log approves in application mode. Accounting release is unverified.

NPCI-O02 Declined purchase remains pending in the transaction table. RRN 628920020523 has a saved 0110 response 30 for FORMAT_ERROR after missing EMV tag 9F02, while its primary transaction row remains PENDING.

NPCI-O03 Database source and accounting scope. The logged database host 192.168.158.36 timed out. Read-only extraction used local PostgreSQL 127.0.0.1 with exact RRN, register ID, ISO transaction ID and timestamp matches. This does not establish that the two database endpoints are identical. No hold, posting or available-balance proof was retrieved.

NPCI-O04 Decline notification returns HTTP 401. The malformed purchase decline triggered a CMS transaction-declined notification which returned HTTP 401. The Switch response remains 30; successful CMS notification processing is unverified.

Attempt	RRN	MTI / STAN	Type	INR	DE39
NPCI-001	628920891197	0100 / 891197	PURCHASE	1	00
NPCI-002	628920020523	0100 / 020523	PURCHASE	1	30
NPCI-003	628920767460	0100 / 767460	PURCHASE	1	00
NPCI-004	628920767460	0420 / 767460	REVERSAL	1	00
NPCI-005	628920668555	0100 / 668555	PREAUTH	80	00
NPCI-006	628920805157	0100 / 805157	PREAUTH	90	00
NPCI-007	628920196805	0100 / 196805	PREAUTH	70	00

Full ISO messages and complete Switch HTTP request and response bodies are not present in the pasted log. Observed or reconstructed fields are labelled in each record. The companion JSON retains the complete redacted evidence that was available; it does not recreate missing payloads.

W26 Domestic retail purchase at POS, contact chip

Older history evidence PARTIAL

HIST-01 Older example Domestic retail purchase at POS, contact chip

Request data

Field	Recorded data
MTI	0100
DE3 processing code	000000
DE4 amount (stored)	1
DE11 STAN	972454
DE18 MCC	7011
DE19 acquiring country	356
DE22 POS entry mode	051
DE25 POS condition code	00
DE37 RRN	628811972454
DE41 terminal	TEST1234
DE49 currency (numeric)	356
Channel	POS01

Response data

Field	Recorded data
MTI	0110
DE39 response code	00
DE38 authorisation code	WRM8S5
saved response time UTC	2026-10-15T06:19:49.418807

Domestic POS chip fields are present; applied controls/limits and accounting hold effects are not retained as transaction history.

Companion evidence: historical_switch_examples.selected_examples, record HIST-01.

Latest simulator run

Result: PARTIAL

Three domestic POS chip purchase attempts for INR 1 each. Two responses are approved 00 and one is FORMAT_ERROR 30 after mandatory EMV tag 9F02 was omitted.

Database fields record PURCHASE, source_channel POS, DE19=356, DE22=051 and DE25=00.

Applied card control and limit configuration, hold records and before-and-after available balances are not independently established. The format-error decline does not cover any of the six enumerated W35 decline cases.

NPCI-001 RRN 628920891197 MTI 0100 STAN 891197

Attribute	Observed value
Received at IST	2026-10-16 20:24:02.211
Switch classification	PURCHASE
Amount	INR 1.00
Masked PAN	817319******7474
Switch response	DE39 00 / APPROVED; response MTI 0110; DE38 D4G4WX
Log evidence	Pasted log lines 208-331

Request data

Sanitized stored field snapshot; the original simulator packet is unavailable.

Field	Recorded data
MTI	0100
DE2 masked PAN	817319******7474
DE3 processing code	000000
DE4 amount INR	1
DE7 transmission date and time	1016145401
DE11 STAN	891197
DE18 MCC	7011
DE19 acquiring country	356
DE22 POS entry mode	051

Field	Recorded data
DE25 POS condition code	00
DE32 acquiring institution	123457
DE37 RRN	628920891197
DE41 terminal	TEST1234
DE42 merchant	111111111111111
DE49 currency	356

Response data

Saved fields from public.transaction_response, correlated with the Switch log.

Field	Recorded data
MTI	0110
DE39 response code	00
internal response code	APPROVED
DE38 authorisation code	D4G4WX
saved response time UTC	2026-10-16T14:54:05.370353
saved response transaction ID	0100101614540162892089119 7
full response body	Not retained: database response_message is empty; original wire payload unavailable.

Accounting interaction

Field	Recorded data
invoked	Yes
endpoint	https://creditqa.tab.kitecash.in/account-simulator/api/v1/authorizations
amount INR	1
response code	00
accounting authorisation code	4297B0E4FF9E
complete HTTP bodies	Not logged or available in the queried tables.

Request data is a sanitized stored field snapshot, not the original simulator packet. Complete stored columns and log evidence are retained in the package JSON files.

Complete redacted evidence: companion JSON npci_simulator_run.attempts, record NPCI-001.

NPCI-002 RRN 628920020523 MTI 0100 STAN 020523

Attribute	Observed value
Received at IST	2026-10-16 20:25:25.472
Switch classification	PURCHASE
Amount	INR 1.00
Masked PAN	817319******7474
Switch response	DE39 30 / FORMAT_ERROR; response MTI 0110; DE38 not captured

Attribute	Observed value
Log evidence	Pasted log lines 367-471

Request data

Sanitized stored field snapshot; the original simulator packet is unavailable.

Field	Recorded data
MTI	0100
DE2 masked PAN	817319******7474
DE3 processing code	000000
DE4 amount INR	1
DE7 transmission date and time	1016145525
DE11 STAN	020523
DE18 MCC	7011
DE19 acquiring country	356
DE22 POS entry mode	051
DE25 POS condition code	00
DE32 acquiring institution	123457
DE37 RRN	628920020523
DE41 terminal	TEST1234
DE42 merchant	111111111111111
DE49 currency	356
EMV validation	Mandatory tag 9F02 absent; log maps ARQC_VERIFICATION_FAILED to FORMAT_ERROR 30.

Response data

Saved fields from public.transaction_response, correlated with the Switch log.

Field	Recorded data
MTI	0110
DE39 response code	30
internal response code	FORMAT_ERROR
DE38 authorisation code	Not captured
saved response time UTC	2026-10-16T14:55:25.918486
saved response transaction ID	0100101614555256289200205 23
full response body	Not retained: database response_message is empty; original wire payload unavailable.

Accounting interaction

Field	Recorded data
invoked	No
endpoint	Not captured

Field	Recorded data
amount INR	Not captured
response code	Not captured
accounting authorisation code	Not captured
complete HTTP bodies	Not logged or available in the queried tables.

Request data is a sanitized stored field snapshot, not the original simulator packet. Complete stored columns and log evidence are retained in the package JSON files.

The emitted and saved response is 30, while the primary transaction status remains PENDING.

Complete redacted evidence: companion JSON npci_simulator_run.attempts, record NPCI-002.

NPCI-003 RRN 628920767460 MTI 0100 STAN 767460

Attribute	Observed value
Received at IST	2026-10-16 20:28:03.844
Switch classification	PURCHASE
Amount	INR 1.00
Masked PAN	817319******7474
Switch response	DE39 00 / APPROVED; response MTI 0110; DE38 KCDJWK
Log evidence	Pasted log lines 637-757

Request data

Sanitized stored field snapshot; the original simulator packet is unavailable.

Field	Recorded data
MTI	0100
DE2 masked PAN	817319******7474
DE3 processing code	000000
DE4 amount INR	1
DE7 transmission date and time	1016145803
DE11 STAN	767460
DE18 MCC	7011
DE19 acquiring country	356
DE22 POS entry mode	051
DE25 POS condition code	00
DE32 acquiring institution	123457
DE37 RRN	628920767460
DE41 terminal	TEST1234
DE42 merchant	111111111111111
DE49 currency	356

Response data

Saved fields from public.transaction_response, correlated with the Switch log.

Field	Recorded data
MTI	0110
DE39 response code	00
internal response code	APPROVED
DE38 authorisation code	KCDJWK
saved response time UTC	2026-10-16T14:58:05.512398
saved response transaction ID	0100101614580362892076746O
full response body	Not retained: database response_message is empty; original wire payload unavailable.

Accounting interaction

Field	Recorded data
invoked	Yes
endpoint	https://creditqa.tab.kitecash.in/account-simulator/api/v1/authorizations
amount INR	1
response code	00
accounting authorisation code	3D939C69CFEF
complete HTTP bodies	Not logged or available in the queried tables.

Request data is a sanitized stored field snapshot, not the original simulator packet. Complete stored columns and log evidence are retained in the package JSON files.

Complete redacted evidence: companion JSON npci_simulator_run.attempts, record NPCI-003.

W27 Domestic contactless below the CVM limit

W28 Domestic contactless above the CVM limit

W29 Domestic e-commerce, card not present

W30 Domestic ATM cash withdrawal with online PIN

Older history evidence PARTIAL

HIST-02 Older example Domestic ATM cash withdrawal with online PIN

Request data

Field	Recorded data
MTI	0200
DE3 processing code	010000
DE4 amount (stored)	2000
DE11 STAN	900022

Field	Recorded data
DE18 MCC	6011
DE19 acquiring country	356
DE22 POS entry mode	051
DE25 POS condition code	00
DE37 RRN	621911900022
DE41 terminal	TEST1234
DE49 currency (numeric)	356
Channel	ATM01

Response data

Field	Recorded data
MTI	0210
DE39 response code	00
DE38 authorisation code	I2DP6W
saved response time UTC	2026-08-07T11:33:27.010751

Requires processing code 010000, ATM01 channel tag, acquiring country356 and MCC6011. Online PIN verification, the historical applied limit and accounting debit/hold effects are not proved.

Companion evidence: historical_switch_examples.selected_examples, record HIST-02.

W32 International POS and international e-commerce

Older history evidence PARTIAL

HIST-03 Older example International POS and international e-commerce

Request data

Field	Recorded data
MTI	0100
DE3 processing code	000000
DE4 amount (stored)	19
DE11 STAN	771042
DE18 MCC	5555
DE19 acquiring country	840
DE22 POS entry mode	801
DE25 POS condition code	00
DE37 RRN	620516771042
DE41 terminal	TEST1234
DE49 currency (numeric)	840
Channel	POS01

Response data

Field	Recorded data
MTI	0110
DE39 response code	00
DE38 authorisation code	O7OETA
saved response time UTC	2026-07-24T16:19:49.954959

International POS component only. No identifiable international e-commerce record; the combined scenario is not complete.

Companion evidence: historical_switch_examples.selected_examples, record HIST-03.

W33 Refund or credit to the card
Older history evidence PARTIAL

HIST-04 Older example Refund or credit to the card

Request data

Field	Recorded data
MTI	0200
DE3 processing code	200000
DE4 amount (stored)	12345
DE11 STAN	160323
DE37 RRN	516015123456
DE41 terminal	TERM1234
DE49 currency (numeric)	356

Response data

Field	Recorded data
Saved response	No exact saved-response record.
Response code and outcome	Unverified.

Refund processing code 200000 is retained in 47 request records, all sharing RRN 516015123456 across 31 distinct composite request keys. None has an exact saved-response match. These are not 47 distinct certification test cases. Credit accounting direction and balance effects are unverified. Money-load codes 28/29 are separately reported, not silently counted as refunds.

Companion evidence: historical_switch_examples.selected_examples, record HIST-04.

W34 Balance enquiry
Older history evidence PARTIAL

HIST-05 Older example Balance enquiry

Request data

Field	Recorded data
MTI	0200

Field	Recorded data
DE3 processing code	310000
DE4 amount (stored)	0
DE11 STAN	098274
DE18 MCC	6011
DE19 acquiring country	356
DE22 POS entry mode	051
DE25 POS condition code	00
DE37 RRN	620023098274
DE41 terminal	TEST1234
DE49 currency (numeric)	356
Channel	ATM01

Response data

Field	Recorded data
MTI	0210
DE39 response code	00
DE38 authorisation code	QJUDR4
saved response time UTC	2026-07-19T23:13:57.554809

Balance-enquiry processing code310000 is retained. Returned balances and accounting equality/no-hold requirements are not established by this count.

Companion evidence: historical_switch_examples.selected_examples, record HIST-05.

W35 Decline cases

Older history evidence PARTIAL

HIST-06 Older example Wrong PIN decline

Request data

Field	Recorded data
MTI	0200
DE3 processing code	010000
DE4 amount (stored)	800
DE11 STAN	351505
DE18 MCC	6011
DE19 acquiring country	356
DE22 POS entry mode	051
DE25 POS condition code	00
DE37 RRN	620023351505
DE41 terminal	TEST1234

Field	Recorded data
DE49 currency (numeric)	356
Channel	ATM01

Response data

Field	Recorded data
MTI	0210
DE39 response code	55
DE38 authorisation code	not retained
saved response time UTC	2026-07-19T23:16:00.496882

Saved response 55 identifies the wrong-PIN decline.

Companion evidence: historical_switch_examples.selected_examples, record HIST-06.

HIST-07 Older example Limit decline

Request data

Field	Recorded data
MTI	0200
DE3 processing code	010000
DE4 amount (stored)	100
DE11 STAN	765111
DE18 MCC	6011
DE19 acquiring country	356
DE22 POS entry mode	051
DE25 POS condition code	00
DE37 RRN	621911765111
DE41 terminal	TEST1234
DE49 currency (numeric)	356
Channel	ATM01

Response data

Field	Recorded data
MTI	0210
DE39 response code	61
DE38 authorisation code	not retained
saved response time UTC	2026-08-07T11:33:27.25131

Saved response 61 identifies a withdrawal or transaction-limit decline. The precise historical limit and CMS configuration change are unverified.

Companion evidence: historical_switch_examples.selected_examples, record HIST-07.

W36 Pre-authorisation creates a hold

Older history evidence PARTIAL

HIST-08 Older example Pre-authorisation creates a hold

Request data

Field	Recorded data
MTI	0100
DE3 processing code	000000
DE4 amount (stored)	75
DE11 STAN	914133
DE18 MCC	8062
DE19 acquiring country	356
DE22 POS entry mode	051
DE25 POS condition code	55
DE37 RRN	609812914133
DE41 terminal	TEST1234
DE49 currency (numeric)	356
Channel	POS01

Response data

Field	Recorded data
MTI	0110
DE39 response code	00
DE38 authorisation code	2OD4MV
saved response time UTC	2026-04-08T12:03:03.810996

One older approved INR 75 pre-authorisation, RRN 609812914133, on 8 April 2026. Accounting hold creation is unverified.

Companion evidence: historical_switch_examples.selected_examples, record HIST-08.

Latest simulator run

Result: PARTIAL

Three PREAUTH attempts with DE25=55, amounts INR 80, 90 and 70, and MCCs 7011, 8062 and 4121 respectively. All have saved response 00 and primary transaction status SUCCESS.

The Switch logs five accounting authorisation calls across the two approved purchases and three pre-authorisations.

An accounting-simulator approval is recorded, but creation of a hold and the reduction in available balance are unverified. MCC eligibility and sufficient-funds accounting are not independently proved.

NPCI-005 RRN 628920668555 MTI 0100 STAN 668555

Attribute	Observed value
Received at IST	2026-10-16 20:30:08.940

Attribute	Observed value
Switch classification	PREAUTH
Amount	INR 80.00
Masked PAN	817319******7474
Switch response	DE39 00 / APPROVED; response MTI 0110; DE38 ZXLEQQ
Log evidence	Pasted log lines 824-945

Request data

Sanitized stored field snapshot; the original simulator packet is unavailable.

Field	Recorded data
MTI	0100
DE2 masked PAN	817319******7474
DE3 processing code	000000
DE4 amount INR	80
DE7 transmission date and time	1016150008
DE11 STAN	668555
DE18 MCC	7011
DE19 acquiring country	356
DE22 POS entry mode	051
DE25 POS condition code	55
DE32 acquiring institution	123457
DE37 RRN	628920668555
DE41 terminal	TEST1234
DE42 merchant	111111111111111
DE49 currency	356

Response data

Saved fields from public.transaction_response, correlated with the Switch log.

Field	Recorded data
MTI	0110
DE39 response code	00
internal response code	APPROVED
DE38 authorisation code	ZXLEQQ
saved response time UTC	2026-10-16T15:00:10.888946
saved response transaction ID	0100101615000862892066855 5
full response body	Not retained: database response_message is empty; original wire payload unavailable.

Accounting interaction

Field	Recorded data
invoked	Yes
endpoint	https://creditqa.tab.kitecash.in/account-simulator/api/v1/authorizations
amount INR	80
response code	00
accounting authorisation code	B31370014D3B
complete HTTP bodies	Not logged or available in the queried tables.

Request data is a sanitized stored field snapshot, not the original simulator packet. Complete stored columns and log evidence are retained in the package JSON files.

DE25=55 and the Switch classification establish a pre-authorisation attempt. No accounting hold or before-and-after balance record was available to prove reservation.

Complete redacted evidence: companion JSON npci_simulator_run.attempts, record NPCI-005.

NPCI-006 RRN 628920805157 MTI 0100 STAN 805157

Attribute	Observed value
Received at IST	2026-10-16 20:30:17.543
Switch classification	PREAUTH
Amount	INR 90.00
Masked PAN	817319******7474
Switch response	DE39 00 / APPROVED; response MTI 0110; DE38 CLAEQ8
Log evidence	Pasted log lines 957-1076

Request data

Sanitized stored field snapshot; the original simulator packet is unavailable.

Field	Recorded data
MTI	0100
DE2 masked PAN	817319******7474
DE3 processing code	000000
DE4 amount INR	90
DE7 transmission date and time	1016150017
DE11 STAN	805157
DE18 MCC	8062
DE19 acquiring country	356
DE22 POS entry mode	051
DE25 POS condition code	55
DE32 acquiring institution	123457
DE37 RRN	628920805157

Field	Recorded data
DE41 terminal	TEST1234
DE42 merchant	111111111111111
DE49 currency	356

Response data

Saved fields from public.transaction_response, correlated with the Switch log.

Field	Recorded data
MTI	0110
DE39 response code	00
internal response code	APPROVED
DE38 authorisation code	CLAEQ8
saved response time UTC	2026-10-16T15:00:18.481954
saved response transaction ID	0100101615001762892080515 7
full response body	Not retained: database response_message is empty; original wire payload unavailable.

Accounting interaction

Field	Recorded data
invoked	Yes
endpoint	https://creditqa.tab.kitecash.in/account-simulator/api/v1/authorizations
amount INR	90
response code	00
accounting authorisation code	325BA99C034F
complete HTTP bodies	Not logged or available in the queried tables.

Request data is a sanitized stored field snapshot, not the original simulator packet. Complete stored columns and log evidence are retained in the package JSON files.

DE25=55 and the Switch classification establish a pre-authorisation attempt. No accounting hold or before-and-after balance record was available to prove reservation.

Complete redacted evidence: companion JSON npci_simulator_run.attempts, record NPCI-006.

NPCI-007 RRN 628920196805 MTI 0100 STAN 196805

Attribute	Observed value
Received at IST	2026-10-16 20:30:23.371
Switch classification	PREAUTH
Amount	INR 70.00
Masked PAN	817319******7474
Switch response	DE39 00 / APPROVED; response MTI 0110; DE38 70WHJC
Log evidence	Pasted log lines 1077-1196

Request data

Sanitized stored field snapshot; the original simulator packet is unavailable.

Field	Recorded data
MTI	0100
DE2 masked PAN	817319******7474
DE3 processing code	000000
DE4 amount INR	70
DE7 transmission date and time	1016150023
DE11 STAN	196805
DE18 MCC	4121
DE19 acquiring country	356
DE22 POS entry mode	051
DE25 POS condition code	55
DE32 acquiring institution	123457
DE37 RRN	628920196805
DE41 terminal	TEST1234
DE42 merchant	111111111111111
DE49 currency	356

Response data

Saved fields from public.transaction_response, correlated with the Switch log.

Field	Recorded data
MTI	0110
DE39 response code	00
internal response code	APPROVED
DE38 authorisation code	70WHJC
saved response time UTC	2026-10-16T15:00:24.248632
saved response transaction ID	0100101615002362892019680 5
full response body	Not retained: database response_message is empty; original wire payload unavailable.

Accounting interaction

Field	Recorded data
invoked	Yes
endpoint	https://creditqa.tab.kitecash.in/account-simulator/api/v1/authorizations
amount INR	70
response code	00
accounting authorisation code	5F84A09A9246

Field	Recorded data
complete HTTP bodies	Not logged or available in the queried tables.

Request data is a sanitized stored field snapshot, not the original simulator packet. Complete stored columns and log evidence are retained in the package JSON files.

DE25=55 and the Switch classification establish a pre-authorisation attempt. No accounting hold or before-and-after balance record was available to prove reservation.

Complete redacted evidence: companion JSON npci_simulator_run.attempts, record NPCI-007.

W37 Cancellation releases the pre-authorisation hold

Older history evidence PARTIAL

HIST-09 Older example Cancellation releases the pre-authorisation hold

Request data

Field	Recorded data
MTI	0420
DE3 processing code	000000
DE4 amount (stored)	75
DE11 STAN	914133
DE18 MCC	8062
DE19 acquiring country	356
DE22 POS entry mode	051
DE25 POS condition code	55
DE37 RRN	609812914133
DE41 terminal	TEST1234
DE49 currency (numeric)	356

Response data

Field	Recorded data
MTI	0430
DE39 response code	96
DE38 authorisation code	not retained
saved response time UTC	2026-04-08T12:03:05.180964

Original transaction

Field	Recorded data
DE37 RRN	609812914133
MTI	0100
DE11 STAN	914133
Amount (stored)	75

Field	Recorded data
DE39 response code	00
Link method	exact DE90 and same-card link

One cancellation request links exactly by DE90 and anonymous card identity to the approved INR 75 pre-authorisation. Reversal response 96 is a failure; release of the hold was not demonstrated.

Companion evidence: historical_switch_examples.selected_examples, record HIST-09.

W38 Timely final presentment settles the authorised transaction

W39 Full authorisation reversal

Older history evidence PARTIAL

HIST-10 Older example Full authorisation reversal

Request data

Field	Recorded data
MTI	0420
DE3 processing code	010000
DE4 amount (stored)	300
DE11 STAN	190275
DE18 MCC	6011
DE19 acquiring country	356
DE22 POS entry mode	051
DE25 POS condition code	00
DE37 RRN	620023190275
DE41 terminal	TEST1234
DE49 currency (numeric)	356

Response data

Field	Recorded data
MTI	0430
DE39 response code	00
DE38 authorisation code	1QLZX3
saved response time UTC	2026-07-19T23:09:23.381306

Original transaction

Field	Recorded data
DE37 RRN	620023190275
MTI	0200
DE11 STAN	190275
Amount (stored)	300

Field	Recorded data
DE39 response code	00
Link method	exact DE90 and same-card link

Positive full-amount reversals linked by DE90+card identity to approved original debit authorisations. Includes one W37 pre-authorisation cancellation. Saved reversal codes and original codes are retained; accounting release is unverified.

Companion evidence: historical_switch_examples.selected_examples, record HIST-10.

Latest simulator run

Result: PARTIAL

One INR 1 reversal of the INR 1 purchase under RRN 628920767460. DE90 identifies original MTI 0100, STAN 767460 and transmission date-time 1016145803.

The saved reversal response is MTI 0430, DE39=00, DE38=KCDJWK. Both the 0420 primary transaction row and the 0430 helper transaction row show FAILED.

The log approves the reversal in application mode. Full accounting hold release and restoration of available balance are unverified, so the complete scenario is not marked passed.

NPCI-004 RRN 628920767460 MTI 0420 STAN 767460

Attribute	Observed value
Received at IST	2026-10-16 20:28:05.982
Switch classification	REVERSAL
Amount	INR 1.00
Masked PAN	817319******7474
Switch response	DE39 00 / APPROVED; response MTI 0430; DE38 KCDJWK
Log evidence	Pasted log lines 758-772

Request data

Sanitized stored field snapshot; the original simulator packet is unavailable.

Field	Recorded data
MTI	0420
DE2 masked PAN	817319******7474
DE3 processing code	000000
DE4 amount INR	1
DE7 transmission date and time	1016145805
DE11 STAN	767460
DE18 MCC	7011
DE19 acquiring country	356
DE22 POS entry mode	051
DE25 POS condition code	00
DE32 acquiring institution	123457

Field	Recorded data
DE37 RRN	628920767460
DE41 terminal	TEST1234
DE42 merchant	111111111111111
DE49 currency	356
DE90 original reference	0100767460101614580300000123457000000000000

Response data

Saved fields from public.transaction_response, correlated with the Switch log.

Field	Recorded data
MTI	0430
DE39 response code	00
internal response code	APPROVED
DE38 authorisation code	KCDJWK
saved response time UTC	2026-10-16T14:58:06.097499
saved response transaction ID	042010161458056289207674 60
full response body	Not retained: database response_message is empty; original wire payload unavailable.

Accounting interaction

Field	Recorded data
invoked	No
endpoint	Not captured
amount INR	Not captured
response code	Not captured
accounting authorisation code	Not captured
complete HTTP bodies	Not logged or available in the queried tables.

Request data is a sanitized stored field snapshot, not the original simulator packet. Complete stored columns and log evidence are retained in the package JSON files.

Reversal amount INR 1 equals the original purchase. Both primary and helper transaction rows are FAILED despite saved response 00. The log approves in application mode; an accounting hold release is unverified.

Complete redacted evidence: companion JSON npci_simulator_run.attempts, record NPCI-004.

W40 Partial reversal

W41 Timeout reversal

W42 Authorisation completion or advice

W43 Hold expiry with no clearing

2 Related transaction examples

These two examples provide related evidence without assigning a complete Table 3 transaction result. The corresponding unverified scenario headings remain available for later work.

HIST-11 Older example Network PIN change

Request data

Field	Recorded data
MTI	0200
DE3 processing code	900000
DE4 amount (stored)	0
DE11 STAN	954066
DE18 MCC	6011
DE19 acquiring country	356
DE22 POS entry mode	051
DE25 POS condition code	00
DE37 RRN	620409954066
DE41 terminal	TEST1234
DE49 currency (numeric)	356
Channel	ATM01

Response data

Field	Recorded data
MTI	0210
DE39 response code	00
DE38 authorisation code	9EDQVJ
saved response time UTC	2026-07-23T09:40:56.704111

Related network PIN-change evidence. The original W16 CMS PIN-change/reset result remains unchanged; this record does not establish the CMS reset workflow.

Companion evidence: historical_switch_examples.selected_examples, record HIST-11.

HIST-12 Older example Contactless purchase candidate

Request data

Field	Recorded data
MTI	0100
DE3 processing code	000000
DE4 amount (stored)	2
DE11 STAN	467683
DE18 MCC	7011

Field	Recorded data
DE19 acquiring country	356
DE22 POS entry mode	071
DE25 POS condition code	00
DE37 RRN	620123467683
DE41 terminal	TEST1234
DE49 currency (numeric)	356
Channel	POS01

Response data

Field	Recorded data
MTI	0110
DE39 response code	00
DE38 authorisation code	SMWS53
saved response time UTC	2026-07-20T23:49:10.614743

Contactless purchase only. Historical CVM threshold and PIN/CVM verification are not retained. This example is not assigned to W27 or W28; both remain headings.

Companion evidence: historical_switch_examples.selected_examples, record HIST-12.

Appendix A Evidence files

The original combined companion file Falcon_CMS_Test_Data_and_Evidence.json contains npci_simulator_run for the seven latest attempts, historical_switch_examples for the twelve selected older examples, and sections.W26 to sections.W43 for scenario mappings. The original evidence limitations and redactions remain applicable.

The original testing package also contains npci/ with transaction summaries, database records and query audit, the parsed and redacted Switch log and correlation review; history/ contains selected older examples and their coverage summary. Full historical inventories are excluded from the package.

Source report: Falcon_CMS_Scenario_Test_Report.pdf, version 1.2, report date 16 October 2026. This report contains the source Switch transaction section and related transaction appendix, including their recorded uncertainties and unverified outcomes.