


TASK 1




TASK 2




TASK 3


Databases_kbtu
main
lab2.sql [postgres@localhost]
lab6.sql [postgres@localhost]
Tx: Auto
Playground
airport_db.public
postgres@localhost
SELECT 432 ms
a.airline_name
FROM airline a
LEFT JOIN flights f
ON a.airline_id = f.airline_id
AND f.scheduled_departure >=
DATE_TRUNC('month', CURRENT_DATE) + INTERVAL '1 month'
AND f.scheduled_departure <
DATE_TRUNC('month', CURRENT_DATE) + INTERVAL '2 months'
GROUP BY a.airline_id, a.airline_name
HAVING COUNT(f.flight_id) = 0;
Services
Database
postgres@localhost
lab2.sql
lab6.sql 432 ms
Output
airport_db.public.airline
DDL
CSV
airline_name
1 China International Air
2 Hungary Air
3 France Air
4 Sudan Airways
5 Brazilian Airways
6 Argentina Air
7 Senegal Airways
8 France Express Air
9 Indonesia Sky
10 Iran Airways
50 rows
Databases_kbtu › lab6 › lab6.sql
11:31 CRLF UTF-8 4 spaces


TASK 4


Databases_kbtu
main
lab2.sql [postgres@localhost]
lab6.sql [postgres@localhost]
Tx: Auto
Playground
airport_db.public
postgres@localhost
SELECT 405 ms
p.first_name,
p.last_name,
f.flight_no
FROM passengers p
JOIN booking b
1<->1..n: ON p.passenger_id = b.passenger_id
JOIN booking_flight bf
1<->1..n: ON b.booking_id = bf.booking_id
JOIN flights f
1..n<->1: ON bf.flight_id = f.flight_id
WHERE f.flight_id = 1;
Services
Database
postgres@localhost
lab2.sql
lab6.sql 405 ms
Output
Result 4
Tx: Auto
DDL
first_name
last_name
flight_no
1 Elfrida
Schukert
US-CT


TASK 5


Databases_kbtu
main
lab2.sql [postgres@localhost]
lab6.sql [postgres@localhost]
Tx: Auto
Playground
airport_db.public
postgres@localhost
SELECT 459 ms
f.flight_no,
AVG(b.price) AS average_price,
SUM(b.price) AS total_price,
MAX(b.price) AS max_price,
MIN(b.price) AS min_price
FROM flights f
JOIN booking_flight bf
1<->1..n: ON f.flight_id = bf.flight_id
JOIN booking b
1..n<->1: ON bf.booking_id = b.booking_id
GROUP BY f.flight_id, f.flight_no;
Services
Database
postgres@localhost
lab2.sql
lab6.sql 459 ms
Output
Result 5
CSV
flight_no
average_pri…
total_pri…
1 AU-WA 8929.2 8929.2
2 PG-MPL 3034.54 6069.08
3 MY-12 683.27 683.27
4 CN-41 5936.768 29683.84
5 FR-F 5874.09 17622.27
6 CA-MB 4901.8866666666666667 14705.66
7 AZ-YE 6895.95 13791.9
8 VN-U-A 4500.88 4500.88
9 UG-212 4316.52
1-500 of 501+
Databases_kbtu > lab6 > lab6.sql
12:35 CRLF UTF-8 4 spaces


TASK 6


Databases_kbtu
main
lab2.sql [postgres@localhost]
lab6.sql [postgres@localhost]
Tx: Auto
Playground
airport_db.public
postgres@localhost
SELECT 369 ms
f.flight_no,
a.airline_name,
ap.airport_name,
ap.country
FROM flights f
JOIN airline a
1..n<->1: ON f.airline_id = a.airline_id
JOIN airport ap
1..n<->1: ON f.arrival_airport_id = ap.airport_id
WHERE ap.country = 'China';
Services
Output
Result 8
DDL
CSV
flight_no
airline_name
airport_name
country
1 FI-OL Sudan Airways Elorza Airport China
2 IN-OR Portugal Air Pitalito Airport China
3 BR-PE Air Astana Melilla Airport China
4 US-IN Aegean Air Lime Acres Finsch Mine … China
5 CN-65 Brazil Connect Lime Acres Finsch Mine … China
6 BR-TO Peru Airlines Pitalito Airport China
7 MZ-P Poland Express Air Elorza Airport China
8 US-AK Russian Express Air Lime Acres Finsch Mine … China
9 PG-MPL China Internati a Airport China
10 ID-BA Warsaw Airlines ito Airport China
238 rows
Databases_kbtu
lab6
lab6.sql
11:28
CRLF
UTF-8
4 spaces


TASK 7


SELECT 405 ms
p.first_name,
p.last_name,
p.date_of_birth,
ap.city AS arrival_city,
ap.country AS arrival_country
FROM passengers p
JOIN booking b
1<->1..n: ON p.passenger_id = b.passenger_id
JOIN booking_flight bf
1<->1..n: ON b.booking_id = bf.booking_id
JOIN flights f
1..n<->1: ON bf.flight_id = f.flight_id
JOIN airport ap
1..n<->1: ON f.arrival_airport_id = ap.airport_id
WHERE p.date_of_birth > CURRENT_DATE - INTERVAL '18 years';
Services
Output
Result 9
first_name
last_name
date_of_birth
arrival_city
arrival_country
4 Vivyan Mallabone 2009-11-01 Wilmington United States
5 Cleve Edgeler 2009-04-20 Mlawe Indonesia
6 Cleve Edgeler 2009-04-20 Guinuligan Philippines
7 Vivyan Mallabone 2009-11-01 Hilotongan Philippines
8 Bernie Michal 2009-11-03 Cankova Slovenia
9 Ronnica Laybourn 2009-03-06 Polykárpi Greece
10 Vivyan Mallabone 2009-11-01 Wilmington United States
11 Ronnica Laybourn 2009-03-06 Guinuligan Philippines
12 Vivyan Mallabone 2009-11-01 Cankova Slovenia
13 Vivyan Mallabone 2009-11-01 Hilotongan Philippines
22 rows


TASK 8




TASK 9




TASK 10




TASK 11




TASK 12




TASK 13



TASK 14


Databases_kbtu
main
lab2.sql [postgres@localhost]
lab6.sql [postgres@localhost]
Tx: Auto
Playground
SELECT 360 ms
a.airline_name,
COUNT(f.flight_id) AS total_flights
FROM airline a
LEFT JOIN flights f
1<->0..n: ON a.airline_id = f.airline_id
GROUP BY a.airline_id, a.airline_name;
Services
Output
Result 17
airline_name
total_flights
1 China International Air 14
2 Hungary Air 29
3 France Air 13
4 Sudan Airways 19
5 Brazilian Airways 16
6 Argentina Air 24
7 Senegal Airways 15
8 France Express Air 31
9 Indonesia Sky 21
10 Venezuela Air 22
50 rows

TASK 15


Databases_kbtu
main
lab2.sql [postgres@localhost]
lab6.sql [postgres@localhost]
Tx: Auto
Playground
SELECT 372 ms
a.airline_name,
f.flight_no,
ap.city AS departure_city
FROM flights f
JOIN airline a
1..n<->1: ON f.airline_id = a.airline_id
JOIN airport ap
1..n<->1: ON f.departure_airport_id = ap.airport_id
WHERE ap.country = 'China';
Services
Output
Result 18
airline_name
flight_no
departure_city
1 China Star Air US-CT Shuiting
2 Russian Air RU-KR Tielu
3 Georgian Airways CA-NL Shuiting
4 Peru Airlines BR-TO Tielu
5 Ireland Air CN-TI Shuiting
6 France Express Air UZ-SU Luodian
7 Senegal Airways NO-18 Tielu
8 Indonesia Sky MN-1 Shuiting
9 Russian Express Air US-AK Luodian
10 Paris Airways US-CA Sangzhou
248 rows