

SMART INDIA HACKATHON 2025



TEAM ECOX

Problem Statement ID – SIH25122

Problem Statement Title – Student Innovation

Theme – Disaster Management

PS Category – Hardware

Team ID – 80643

Team Name – Team EcoX



PROBLEM STATEMENT:

Lack of affordable, portable, and real-time solutions for monitoring harmful emissions and ensuring protection from toxic gases remains a major challenge. Uncontrolled **emissions from industries, mines, and urban areas** expose workers to toxic gases compromising their safety as well as pollute the environment worsening inhabitants health. Conventional monitoring systems are **costly and complex**, leaving two critical gaps: **Worker Safety and Pollution Control**.


UVP:

A portable and multi-purpose IoT-based emission monitoring device that combines **real-time tracking, geo-tagged data, predictive analytics, and instant safety alerts**. Our solution combines **worker protection, and public health impact in one scalable and low-cost system**, making **worker safety and pollution control accessible to all mines, plants, and industries**, especially small and medium enterprises, unlike traditional costly and complex CEMS solutions.

SOLUTION:

Our solution is a **multi-purpose, affordable emission monitoring system** designed to improve **worker safety** and **pollution control**:

- **IoT Device:** Portable, real-time emission monitoring for toxic gases in industries, mines, and factories.
- **Dashboard:** Centralized platform with analytics, insights, and predictive alerts for industries and government agencies.
- **Camera Monitoring:** Visual incident documentation and remote monitoring for comprehensive safety oversight.
- **Safety Alerts:** A speaker is integrated to provide loud sound alerts, while multi-channel notifications via the hardware (using LTE/VoLTE, Wi-Fi, and Bluetooth) ensure immediate response to leaks or emission violations.



TECHNICAL APPROACH

Emission Monitoring & Alert System

Hardware & Software Layer

Hardware

Raspberry Pi 4B,
Winsen ZEO3-CO Gas Sensor,
Quectel EC200UCNAA 4G+GPS,
WaveShare 4.3" Touch Display,
Logitech Camera,
PAM 8403 Amplifier,
8 ohm Speaker
Battery/Powerbank.

Software

Server:
 Firebase API + SQL


Dashboards:
 Local (device),
 Website (React.js/Next.js/Tailwind),
 Mobile (Flutter) for

Backend:
 Node.js + TypeScript/JavaScript



AI/ML:
 YOLOv8n on Pi for Fire Detection
 (Float16 for quantization)

Circuit diagram

Circuit Link



Workflow



FEASIBILITY AND VIABILITY



Feasibility

- **Low-Cost Hardware:** Uses commercially available, reliable components.
- **Portable & Modular:** Lightweight design with detachable sensors.
- **Scalable:** Real-time monitoring via a robust software stack.
- **Battery-Powered:** Ensures flexible deployment.

No Fault Tolerance

- **Reliable Data Capture:** Continues recording even if the cloud connection is lost.
- **Local Storage:** Caches data securely on SD card.
- **Automatic Sync:** Data uploads automatically once connectivity is restored.
- **Uninterrupted Monitoring:** Ensures real-time and historical records are never lost.

Scalability

- **Affordable Monitoring:** Enterprise-grade capability at just ₹12,000–₹15,000.
- **Massive Savings:** CEMS cost ₹1.2–₹13 lakh, making our solution up to 90% cheaper.
- **SME-Friendly:** Accessible to Small and Upcoming Enterprises who cannot afford CEMS.
- **Scalable Deployment:** Low per-unit cost enables wide rollouts across factories or sites.

Challenges and Risks

- **Sensor calibration** for accuracy in different industrial environments.
- **Battery life** and power optimization for continuous monitoring.
- **Data reliability & latency** in remote areas with poor connectivity.
- Integration of **camera monitoring & ML models** is still in development.

Reliability

- **Proven Hardware:** Uses reliable, industry-tested components. (Winsen ZE03 CO sensor certified for industrial use, Quectel EC200U-CNAA, which has licenses in multiple region, used in industries)
- **Fail-Safe:** Stores data on a Class 10 SD card and auto-syncs when connectivity returns.
- **Consistent:** Easy calibration and replaceable sensors.
- **Scalable:** Portable for diverse industries.

Strategies to overcome

- **Sensor Calibration:** Regular protocols, reference sensors, AI drift correction.
- **Power Management:** Low-power hardware, sensor sleep cycles, solar/long-life batteries.
- **Connectivity:** Multi-network fallback, local buffering, delayed sync.
- **Environmental Robustness:** Rugged IP-rated enclosures, heat/dust protection, field-tested.

IMPACT AND BENEFITS

Key Features

GPS & Tracking: Precise geolocation for emission source mapping.

Modular Design: Lightweight and portable for easy deployment in diverse environments.

Detachable Sensors: Flexible sensor configuration for customization to different gas types.

Interactive Dashboard: Intuitive touch screen for real-time data visualization and control.

Connectivity (LTE / VoLTE / Bluetooth / WiFi): Ensures continuous monitoring and alerts for critical safety information.

Low-Cost & Scalable: Affordable manufacturing for accessibility by small and medium enterprises.

Potential Impact


Industries & Factories: Affordable monitoring, compliance made easy, safer workplaces.

Workers: Real-time alerts, reduced health risks, trust gain.

Government & Regulators: Access to real-time geo-tagged data, simplified enforcement.

Communities/Public: Cleaner air, fewer health issues, improved quality of life.

Applications



Benefits of the Solution

Social:

Real-time alerts keep workers safe. Protects nearby communities from harmful emissions.

Economic:

Cost-effective alternative to CEMS. Avoids fines & compensation costs. Enables predictive maintenance.

Environmental:

Cleaner air & reduced emissions. Supports sustainable practices.

Technological:

IoT + AI integration for real-world impact. Scalable for smart city and urban air monitoring.

IoT & Pollution Monitoring

Praveenchandar, J., Vetrithangam, D., Kaliappan, S., Karthick, M., Pegada, N. K., Patil, P. P., Rao, S. G., & Umar, S. (2022).

IoT-Based Harmful Toxic Gases Monitoring and Fault Detection on the Sensor Dataset Using Deep Learning Techniques. Scientific Programming, 2022. <https://doi.org/10.1155/2022/7516328>

Worker Safety & Industrial Monitoring

Raj, M. P., & Sairam, R. (2019). *IoT Based Smart Helmet for Hazardous Environment Worker Safety*. International Journal of Recent Technology and Engineering, 8(2S11), 120–124.

IoT-Based Harmful Toxic Gases Monitoring and Fault Detection on the Sensor Dataset Using Deep Learning Techniques. Scientific Programming, 2022. <https://onlinelibrary.wiley.com/doi/abs/10.1155/2022/7516328>

IoT in Environmental Compliance

World Health Organization (WHO). (2018). *Ambient (Outdoor) Air Quality and Health*. Retrieved from: <https://www.who.int>

How India Can Adopt Innovative Tech To Cut Industrial GHG Emissions. Retrieved from:

<https://www.forbes.com/sites/ankitmishra/2024/09/08/how-india-can-adopt-innovative-tech-to-cut-industrial-ghg-emissions/>

Sensor & Hardware Documentation

Winsen Electronics Technology Co., Ltd. (2023). *MQ Series Gas Sensors Datasheet*. Available at: <http://www.winsen-sensor.com>

Raspberry Pi Foundation. (2023). *Raspberry Pi 4 Model B Documentation*. Available at: <https://www.raspberrypi.com/documentation>

Related Standards

Central Pollution Control Board (CPCB), Government of India. (2020). *Continuous Emission Monitoring Systems (CEMS) Guidelines*. Retrieved from: <https://cpcb.nic.in>

International Labour Organization (ILO). *Workplace Safety and Health in Hazardous Industries*. Available at: <https://www.ilo.org>

Please Refer to this link for extended references and details about project [Documents](#)