
Qentro BizOps

Business Operations System · Setup Guide

Qentro AI Consulting · October 2026 · for the ready-built upload zip (no programming needed)

Your app will live at **https://bizops.qentrotech.com**.
You'll need about an hour, your Namecheap login, your Google account, and your GitHub account (**xfislearning**).



Qentro BizOps Home screen (sample data).

Contents

1. What's in the zip
2. Namecheap: point bizops.qentrotech.com at GitHub
3. Google Cloud: sign-in, Drive and Calendar
4. GitHub: upload and publish
5. Sign-in tracker (Google Sheet)
6. First sign-in check
7. Google verification
8. Troubleshooting

1. What's in the zip

qentro-bizops-upload.zip is already built. You don't install or compile anything. Unzip it and you'll see:

File / folder	What it is
`index.html`	The whole app in one file.
`config.js`	Settings (Google client ID, allowed emails, sign-in log). You normally leave it alone; GitHub fills it in from your Variables (step 4).
`.github/` (hidden)	The publishing robot. It runs on GitHub every time you upload, puts your settings into config.js and publishes the site.
`.nojekyll` (hidden), `CNAME`	Tell GitHub to serve the files as they are, at bizops.qentrotech.com.
`privacy.html`, `terms.html`	Privacy Policy and Terms of Use (Google needs these links).
`manifest.json`, `sw.js`, icons	Let the iPhone "Add to Home Screen" app work, including offline.
`signin-log.gs`, `SIGNIN-LOG-SETUP.md`	The sign-in tracker (section 5).
`GOOGLE-VERIFICATION.md/.txt`, `qentro-bizops-logo-120.png`	Google verification steps and the logo to upload (section 7).
`UPLOAD-INSTRUCTIONS.txt`, this PDF	Instructions. They are not published on the site.

> **Try it right now:** double-click `index.html`. The app opens in **local mode**: everything is saved in that browser only, with no sign-in and no internet. To sync with Google Drive and Calendar, use the website once it's published.

2. Namecheap: point bizops.qentrotech.com at GitHub

1. Log in to **namecheap.com** → **Domain List** → next to **qentrotech.com** click **Manage** → **Advanced DNS**.
2. Click **Add New Record** and enter:

Type	Host	Value	TTL
CNAME Record	`bizops`	`xfislearning.github.io`	Automatic

3. Click the green ✓ to save. It usually works within 30 minutes, but can take up to a few hours.
4. Once nothing uses the old `relationships` CNAME record, you can delete it.

> Google verification (section 7) also needs a **TXT** record on this same screen. You can add it now or later.

3. Google Cloud: sign-in, Drive and Calendar

Open **console.cloud.google.com** and pick your existing project. **Keep your existing OAuth client ID.** You only need to update its settings.

3a. Turn on the APIs

1. Go to **APIs & Services → Library**. Search **Google Drive API** → **Enable**.
2. Search **Google Calendar API** → **Enable**. If it says "Manage", it's already on.

3b. The OAuth client (Google Auth Platform → Clients → your Web client)

1. Under **Authorized JavaScript origins** add `https://bizops.qentrotech.com` (no slash at the end).
2. Under **Authorized redirect URIs** add `https://bizops.qentrotech.com/` (with the slash). The iPhone home-screen app uses it.
3. Click **Save**. Copy the **Client ID** (it ends in `.apps.googleusercontent.com`). You'll need it for GitHub, unless you already set it there.

3c. Branding (Google Auth Platform → Branding)

Field	Value
App name	**Qentro BizOps**
User support email	contact@qentrotech.com (if it isn't offered in the list, use your Gmail)
App logo	`qentro-bizops-logo-120.png` from the zip
Application home page	`https://bizops.qentrotech.com`
Privacy policy link	`https://bizops.qentrotech.com/privacy.html`
Terms of service link	`https://bizops.qentrotech.com/terms.html`
Authorized domains	`qentrotech.com`
Developer contact email	contact@qentrotech.com

3d. Data access (scopes): add exactly these

Scope	Why
`openid`, `email`, `profile`	Sign-in, plus your name and picture in the app
`…/auth/drive.file`	Only the app's own "Qentro BizOps" folder and the files it creates. The app can't see the rest of your Drive.
`…/auth/calendar.events`	Calendar entries for your meetings and follow-ups. The app asks for this only when you click **Connect Google Calendar**.

3e. Testing or published?

Testing (most private)
Only the people you add under **Audience → Test users** can sign in. Add your own Gmail. Every 7 days Google asks you to sign in again.

In production (published)
Anyone with a Google account can get past Google's screen. The app's **allowed emails** setting then blocks them (section 4). Until Google verifies the app, people see an "unverified app" warning.

Either way, each person only ever reaches **their own** Drive. Nobody else can see your data.

4. GitHub: upload and publish

4a. Clear out the old files

1. Open **github.com/xfislearning** and the repository that hosts the site.
2. Delete the old files and folders: `src/`, `package.json`, `assets/`, the old `index.html`, `sw.js`, and the old `.github` folder. For each folder: open it → **…** (top right) → **Delete directory** → **Commit changes**.

4b. Upload everything, including the hidden folder

1. Unzip **qentro-bizops-upload.zip**. On a Mac, open the folder in Finder and press **Cmd + Shift + .** (period). That shows the hidden `.github` folder and the `.nojekyll` file.
2. On GitHub: **Add file → Upload files**. Select **everything** in the folder, files and folders together, and drag it onto the page. Dragging folders keeps them intact.
3. Click **Commit changes**. Check that `index.html` is at the top level and that `.github/workflows/deploy.yml` is listed.
   If `.github` didn't upload: Add file → Create new file, type `.github/workflows/deploy.yml` as the name, paste in that file's contents, and commit.

4c. Pages and Variables

1. **Settings → Pages → Build and deployment → Source: GitHub Actions**.
2. **Settings → Secrets and variables → Actions → Variables** tab → **New repository variable**:

Name	Value
`VITE_GOOGLE_CLIENT_ID`	Your client ID. **If you already have this variable, keep it.**
`VITE_ALLOWED_EMAILS`	The account(s) allowed to use the app, separated by commas, e.g. `you@gmail.com`
`VITE_SIGNIN_LOG_URL`	Optional. The web-app URL from section 5.
`VITE_SIGNIN_LOG_TOKEN`	Optional. The same TOKEN you put in the script (section 5).

3. Open the **Actions** tab. Click **Deploy to GitHub Pages** → **Run workflow**. This is only needed the first time; every upload runs it automatically. Wait for the green ✓ (about a minute).
4. Back in **Settings → Pages**, check that the custom domain shows **bizops.qentrotech.com**, then tick **Enforce HTTPS**. If the box is greyed out, wait an hour for the certificate and try again.

> To change a setting later, edit the Variable, then go to **Actions → Deploy to GitHub Pages → Run workflow**. You never need to rebuild anything.

5. Sign-in tracker (Google Sheet)

Optional, but recommended. Every time someone signs in, allowed or blocked, a row is added to a Google Sheet in **your** Drive.

5a. Create the Sheet and the script

1. In Google Drive click **New → Google Sheets**. Name the sheet **Qentro BizOps Sign-in Log**.
2. In the Sheet, open **Extensions → Apps Script**. A code editor opens.
3. Delete the sample code. Open `signin-log.gs` from the zip in TextEdit or Notepad, copy all of it and paste it in.
4. On the first line, replace `CHANGE-ME-to-a-long-random-string` with your own secret: 30 or more random letters and digits, inside the quotes. Write it down; this is your **token**. Click 💾 **Save**.
5. In the toolbar, choose the function **setup** and click ▶ **Run**.
6. Google asks for permission: **Review permissions** → choose your account. You'll see *"Google hasn't verified this app"*. This is normal, because the script is yours. Click **Advanced** → **Go to … (unsafe)** → **Allow**. A bold header row appears in the Sheet.

5b. Publish the script as a web app

1. **Deploy → New deployment** → click the ⚙ next to "Select type" → **Web app**.
2. Description: `sign-in log`. **Execute as: Me**. **Who has access: Anyone**. Click **Deploy** (authorize again if asked).
3. Copy the **Web app URL**. It looks like `https://script.google.com/macros/s/…/exec`.
4. On GitHub (Settings → Secrets and variables → Actions → Variables), set `VITE_SIGNIN_LOG_URL` to that URL and `VITE_SIGNIN_LOG_TOKEN` to your token.
5. **Actions → Deploy to GitHub Pages → Run workflow**. Wait for the green ✓.
6. Open https://bizops.qentrotech.com and sign in. Within a few seconds a new row appears in the Sheet.

> "Anyone" only means the app can send rows to the script. Nobody can read your Sheet, and rows without your token are rejected.

5c. What each column means

Column	Meaning
Timestamp (America/Denver)	When the sign-in happened, in Mountain Time
Email / Name	The Google account that signed in
Result	**allowed** = on your list; **blocked** = not on the list. They were signed out and saw "This app is private".
Device / browser	For example "iPhone · Safari" or "Mac · Chrome"
App version	The version of Qentro BizOps they used
Site	Which address they used (normally bizops.qentrotech.com)

One row is added per sign-in session, not for every click. If the tracker is ever down, sign-in still works; the row is simply skipped.

5d. Download as Excel

Open the Sheet → **File → Download → Microsoft Excel (.xlsx)**.


5e. If you edit the script later

1. Make your change in the Apps Script editor and click 💾 Save.
2. **Deploy → Manage deployments** → select your web app → ✎ **Edit** → Version: **New version** → **Deploy**.
3. The URL stays the same, so there's nothing to change on GitHub. If you changed the **TOKEN**, update `VITE_SIGNIN_LOG_TOKEN` and run the workflow again.

> Don't use "New deployment" for updates. That creates a **new URL**, and the app keeps sending rows to the old one.


6. First sign-in check

1. Open **https://bizops.qentrotech.com** and click **Sign in with Google** (top right). Approve the screens. The pill at the top turns green: **Synced**.
2. Go to **Settings & data**. Under **Drive folder** it should say **Qentro BizOps**. Your old "Qentro Relationships" folder is renamed automatically. It's the same folder with the same files, so nothing is lost.




Settings → Google account: the Drive folder is now "Qentro BizOps".

3. Scroll to **Google Calendar** and click **Connect Google Calendar**. Google asks once for calendar permission. The app only touches events it creates.




Calendar is connected only when you ask for it.

4. **iPhone:** open https://bizops.qentrotech.com in **Safari** → tap the **Share** button (square with an arrow) → **Add to Home Screen** → **Add**.
5. Open **BizOps** from the home screen and sign in once. On iPhone, Google's sign-in opens as a full page and then returns to the app.
6. Pull down on a list to refresh. Changes you make offline upload automatically when you're back online.
7. Optional test: sign in with an account that is **not** on your list. It should see the "This app is private" screen, and the Sheet should get a **blocked** row.



BizOps on an iPhone-sized screen.



What a non-allowed account sees. It's signed out right away and its Drive is never touched.

7. Google verification (summary)

You only need this if you want to remove the "unverified app" warning for a **published** app. In Testing mode you can skip it. All the details are in `GOOGLE-VERIFICATION.md` in the zip.

1. **Verify the domain:** go to search.google.com/search-console → Add property → **Domain** → `qentrotech.com`. Copy the TXT value and add it in Namecheap Advanced DNS (Type **TXT**, Host `@`). Then click Verify. Use the same Google account that owns the Cloud project.
2. **Branding and scopes:** fill these in exactly as in section 3c/3d.
3. **Publish:** Audience → **Publish app**.
4. **Verification Center → Prepare for verification:** paste the `calendar.events` justification from GOOGLE-VERIFICATION.md.
5. **Record the demo video** (2–3 minutes, unlisted YouTube) following the **demo video script in section 7 of GOOGLE-VERIFICATION.md**. It shows sign-in, the consent screen, the Drive folder, and a Calendar event created and removed. Paste the link and submit.
6. Answer any reviewer emails sent to contact@qentrotech.com.

> **Narrower option:** Google also offers `calendar.events.owned`, which only covers calendars you own. It fits how this app uses your primary calendar. GOOGLE-VERIFICATION.md explains it.

8. Troubleshooting

What you see	What to do
"This app is private" for *your own* account	Your email isn't in `VITE_ALLOWED_EMAILS`, or it's spelled differently. Fix the Variable (separate several emails with commas), then Actions → Run workflow. Reload the site.
Error 400: redirect_uri_mismatch (usually on iPhone)	In Google Cloud → Clients, add `https://bizops.qentrotech.com/` **with** the final slash under Authorized redirect URIs. Changes can take 5 minutes.
origin_mismatch / "not a valid origin"	Add `https://bizops.qentrotech.com` (**no** slash) under Authorized JavaScript origins. Make sure you're opening the https:// address.
Actions red ×: "Google client ID must look like..."	The `VITE_GOOGLE_CLIENT_ID` Variable has a typo or extra characters. Paste it again from Google Cloud.
Red ×: "Not an email address in VITE_ALLOWED_EMAILS"	Check for stray characters. Use only commas between addresses.
Red ×: "VITE_SIGNIN_LOG_URL must be .../exec"	Copy the **Web app URL** (ending in `/exec`), not the editor URL.
Red ×: "... missing — upload every file from the zip"	A file didn't upload. Upload the zip's contents again.
Actions doesn't run at all	`.github/workflows/deploy.yml` isn't in the repo (see 4b), or Pages Source isn't set to **GitHub Actions**.
Yellow warning "No Google client ID set"	The site works, but only in local mode. Add `VITE_GOOGLE_CLIENT_ID`.
No rows in the sign-in Sheet	Check that the URL and token Variables match the script exactly, then **run the workflow again**. The web app must be "Execute as: Me" and "Anyone". After editing the script, make a **New version** under Manage deployments. Open the /exec URL in a browser: it should say "...sign-in log is running."
"Google hasn't verified this app"	When authorizing *your own script*, or in the app while it isn't verified yet: click **Advanced → Go to ... (unsafe)**. That's safe for your own app. To remove the warning for everyone, complete section 7.
Site not found / certificate warning	Wait for DNS (section 2). Check that Settings → Pages shows the custom domain, then tick Enforce HTTPS.

Questions: contact@qentrotech.com · Qentro AI Consulting