

Utilizing Unity3D for Spatial Navigation Research at the BeMoBI Lab

Expose - Master Thesis

Markus Fleck, B.Sc. : 337265

April 7, 2015

Introduction

The Berlin Mobil Brain/Body Imaging lab (*BeMoBIL*) investigates human brain dynamics on spatial navigation and orientation tasks. Gramann et.al. affirm that "our cognitive processes and supporting brain dynamics are inherently coupled both to our environment and to our physical structure and actions." To further prove this assumption, experiments need to be designed in a way that allow subjects actually perform real body movements while navigating through and interacting with their environments. Such an approach implies rather complex setups due to following challenges:

- More complex technological setups necessary for orientation and navigation tasks beyond conventional approaches of subjects looking to a screen while lacking the opportunity of movement.
- The possibility of actual movement and orientation behaviour demands on physical environments which are flexible and easy to modify within an running experiment.
- The acquisition and statistical analysis of biophysiological (e.g. EEG, EMG) data becomes more complicated and less reliable when they are done in real world environments. Also the implementation of different types of physical events, forcing measureable changes in subjects behaviour, might emerge in a lot of effort on design and implementation.

Head-mounted virtual environments in combination with real-time motion capture systems might be able to overcome the most restrictions real world experiments might have.[Bohil et al., 2011] Nevertheless, building virtual environments even on a simple level requires a lot of knowledge (Fundamentals of 3D graphics) and skills (3D modelling, environment/level design, rigging and

animate avatars) in addition to the cross-disciplinary skill set necessary for neuroscientific spatial cognition research. So, some kind of abstraction is necessary to provide the advantage of virtual environments by making their creation less complicated. Especially if different levels of graphical fidelity are essential. The industry for creative gaming and interactive media has authored a broad range of tools providing these abstractions. A convergence of such tools into researchers toolbox might bring a significant support for the research community. This leads to the research question described below. A modern integrated game engine called Unity3D (Version 5, Unity Technologies Inc.) provides such an abstraction. Regarding the fact that there are a lot of comparable tools available on the market, Unity3D was chosen based on the assumption that it's the most easy software to learn currently available to the market. Further verification is needed, since there is no objective research available to that assumption.

Research questions

The thesis should contribute to the following questions through implementing a proof of concept for the BeMoBIL research approach.

(1) Is the usage of tools made for the design and implementation of video games also useful for the creation of experimental paradigms? (2) Especially, if they are using head-mounted virtual reality displays and real-time motion capture data? (3) Are the abstractions provided by Unity3D supportive for researchers?

Considering the complexity of these questions, the thesis will not be able to answer these questions entirely, instead it aims to provide a qualitative investigation of a prototype resulting in an example which could be used for comparison with other approaches and technologies.

Methods & Procedures

To approach an answer to the given questions, Unity3D will be used to implement one experimental paradigm as example. The paradigm itself will not be designed within the thesis, it will be contributed by the BeMoBI team. However, a set of requirements targeting technological functionalities needs to be carried together. Based on these, a set of basic software components needs to be developed providing the functionality for the example paradigm and experimental paradigms considering virtual environments in general. Finally, the quality of the approach has to be examined, by running a pilot experiment. The usability of the components and the game design environment itself will be investigated via an explorative usability study.

Requirement Analysis

To create an outline of a framework which enables the easy creation of virtual environments for spatial navigation experiments the thesis will use qualitative unstructured interviews with members of the BeMoBI research team. Additionally, a deductive analysis of prior experiments found in the literature should supplement and validate the requirements collected through the interviews. In summary, the outcome leads to the second part of the thesis.

Technical Integration and framework design

The thesis focuses primarily on converging available technologies and concepts rather than reinventing the wheel. The chosen game development environment already provides most parts of the necessary features to build virtual environments. While Unity3D is intended to be used by game developers, in the case of that usage scenario neuroscientists are those who will have to work it. In respect of that, usability needs to be considered. Thus, Unity3D components need to be extended in a semantic and functional way that provides an easy start and supportive workflow for neuroscientist. These components are grouped together in a framework which could be investigated regarding usability issues later on. The following list provides an overview on the main tasks.

- Integrate the different hard- and software components to provide easy access to all the necessary data like MotionCapturing-Markers and sensor data of the head-mounted display.
- Implement interfaces for submitting the output data (e.g. event marker) to the data acquisition

and analytics framework in charge, called Lab-StreamingLayer.

- Provide components producing data on orientation and navigation of the subjects

Empirical work

The final part of the thesis consists of two different topics. First the validation of the core functionality provided by the framework using a pilot experiment. Second, evaluating the quality of the described approach focusing on the usability of Unity3D and the framework components.

A pilot experiment, implementing a spatial navigation task, will be conducted to test the general functionality and the reliability of the framework. Therefore, only a few subjects will be tested on the paradigm implemented with the framework. The interpretation of the data regarding to potential neuroscientific findings will not be part of the thesis. It might be done by the BeMoBI Team.

To approach a verification of the assumptions targeting the usability of Unity3D and the framework a group usability study will be conducted. The method is qualified to rapidly collect major usability issues and functional deficits of a system in a short amount of time.[Downey, 2007] Therefore, a one-day workshop with the BeMoBI Team will be held. Regarding the complexity of the topic, the appropriate task might be the modification of the prior described paradigm of the pilot experiment with reduced demand on programming.

Schedule

April - Mai Iterative requirement analysis and rapid prototyping for the framework components necessary for the pilot experiment.

June Data collection of the pilot experiment coupled with further development of the framework components. Additionally to that, the usability study will be prepared. Description of the whole framework in the thesis, and conducting the workshop. Evaluation of the workshop results.

July Finalizing the thesis.

References

[Bohil et al., 2011] Bohil, C. J., Alicea, B., and Biocca, F. A. (2011). Virtual reality in neuroscience re-

search and therapy. *Nature reviews neuroscience*, 12(12):752–762.

[Downey, 2007] Downey, L. L. (2007). Group usability testing: Evolution in usability techniques. *Journal of Usability Studies*, 2(3):133–144.

[Gramann et al., 2014] Gramann, K., Ferris, D. P., Gwin, J., and Makeig, S. (2014). Imaging natural cognition in action. *International Journal of Psychophysiology*, 91(1):22–29.