

## TEST ON SEMICONDUCTORS

1. Intrinsic semiconductor material is characterized by a valence shell of how many electrons?

- [A.](#) 1
  - [B.](#) 2
  - [C.](#) 4
  - [D.](#) 6
- 

2. What is an energy gap?

- [A.](#) the space between two orbital shells
  - [B.](#) the energy equal to the energy acquired by an electron passing a 1 V electric field
  - [C.](#) the energy band in which electrons can move freely
  - [D.](#) an energy level at which an electron can exist
- 

3. Silicon atoms combine into an orderly pattern called a:

- [A.](#) covalent bond
  - [B.](#) crystal
  - [C.](#) semiconductor
  - [D.](#) valence orbit
- 

4. In "n" type material, majority carriers would be:

- [A.](#) holes
  - [B.](#) dopants
  - [C.](#) slower
  - [D.](#) electrons
- 

5. Elements with 1, 2, or 3 valence electrons usually make excellent:

- [A.](#) conductors
  - [B.](#) semiconductors
  - [C.](#) insulators
  - [D.](#) neutral
- 

6. A commonly used pentavalent material is:

- [A.](#) arsenic
  - [B.](#) boron
  - [C.](#) gallium
  - [D.](#) neon
- 

7. Which material may also be considered a semiconductor element?

- [A.](#) carbon
  - [B.](#) ceramic
  - [C.](#) mica
  - [D.](#) argon
- 

8. In "p" type material, minority carriers would be:

- [A.](#) holes
  - [B.](#) dopants
  - [C.](#) slower
  - [D.](#) electrons
- 

9. Electron pair bonding occurs when atoms:

- [A.](#) lack electrons
  - [B.](#) share holes
  - [C.](#) lack holes
  - [D.](#) share electrons
- 

10. When an electron jumps from the valence shell to the conduction band, it leaves a gap. What is this gap called?

- [A.](#) energy gap
  - [B.](#) hole
  - [C.](#) electron-hole pair
  - [D.](#) recombination
- 

11. Which of the following cannot actually move?

- [A.](#) majority carriers
- [B.](#) ions
- [C.](#) holes
- [D.](#) free electrons

Complete the scheme with the necessary information:

