
other
Abox
n=4
Abox
OG31
Abox is OG31 (OG31)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Barhl
n=16
Barhl
OG15
Barhl is OG15 (OG15)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Bari
n=4
Bari
OG8
Bari is OG8 (OG8)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Barx
n=10
Barx
OG3
Barx is OG3 (OG3)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Bsx
n=9
Bsx
OG2
Bsx is OG2 (OG2)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Cdx
n=19
Cdx
OG64
Cdx is OG64 (OG64)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


Dbx
n=15
other
Dbx
OG0
refOG
Dbx is OG0 (OG0)
Precision = 0.62 | Recall = 1.00 | F−score = 0.77
Possvm


other
Dlx
n=35
Dlx
OG23
refOG
Dlx is OG23 (OG23)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
Possvm


other
Emx
n=18
Emx
OG21
Emx is OG21 (OG21)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
En
n=17
En
OG51
refOG
En is OG51 (OG51)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
Possvm


other
Evx
n=15
Evx
OG32
refOG
Evx is OG32 (OG32)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
Possvm


other
Gbx
n=14
Gbx
OG24
Gbx is OG24 (OG24)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Gsx
n=14
Gsx
OG55
Gsx is OG55 (OG55)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Hhex
n=8
Hhex
OG6
refOG
Hhex is OG6 (OG6)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
Possvm


Hlx
n=9
other
Hlx
OG0
refOG
Hlx is OG0 (OG0)
Precision = 0.38 | Recall = 1.00 | F−score = 0.55
Possvm


other
Hox1
n=18
Hox1
OG52
Hox1 is OG52 (OG52)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Hox2
n=14
Hox2
OG45
Hox2 is OG45 (OG45)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm



Hox3 is OG59 (OG59,OG88)
Precision = 1.00 | Recall = 0.96 | F−score = 0.98


other
Hox4
n=23
Hox4
OG71
Hox4 is OG71 (OG71)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm



Hox5 is OG65 (OG65,OG70,OG75,OG78,OG89,OG90,OG91,OG92)
Precision = 1.00 | Recall = 0.29 | F−score = 0.44



Hox6−8 is OG67 (OG61,OG62,OG67,OG76,OG77)
Precision = 1.00 | Recall = 0.53 | F−score = 0.69


other
Hox9−13(15)
n=93
Hox9−13(15)
OG69
Hox9−13(15) is OG69 (OG69)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Lbx
n=15
Lbx
OG5
refOG
Lbx is OG5 (OG5)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
Possvm


other
Meox
n=14
Meox
OG37
Meox is OG37 (OG37)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Mnx
n=14
Mnx
OG36
Mnx is OG36 (OG36)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Msx
n=20
Msx
OG35
Msx is OG35 (OG35)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Msxlx
n=3
Msxlx
OG34
Msxlx is OG34 (OG34)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


Nanog
n=3
other
Nanog
OG11
Nanog is OG11 (OG11)
Precision = 0.25 | Recall = 1.00 | F−score = 0.40
refOG
Possvm


other
Nedx
n=4
Nedx
OG30
Nedx is OG30 (OG30)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Nk1
n=13
Nk1
OG18
Nk1 is OG18 (OG18)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Nk2.1
n=14
Nk2.1
OG38
Nk2.1 is OG38 (OG38)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Nk2.2
n=13
Nk2.2
OG39
Nk2.2 is OG39 (OG39)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm



Nk3 is OG13 (OG12,OG13)
Precision = 1.00 | Recall = 0.71 | F−score = 0.83


other
Nk4
n=19
OG81
Nk4
OG33
Nk4 is OG33 (OG33,OG81)
Precision = 1.00 | Recall = 0.95 | F−score = 0.97
refOG
Possvm


other
Nk5/Hmx
n=20
Nk5/Hmx
OG49
Nk5/Hmx is OG49 (OG49)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Nk6
n=19
Nk6
OG44
Nk6 is OG44 (OG44)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Nk7
n=3
Nk7
OG42
Nk7 is OG42 (OG42)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Noto
n=10
Noto
OG57
OG56
OG41
Noto is OG57 (OG41,OG56,OG57)
Precision = 1.00 | Recall = 0.50 | F−score = 0.67
refOG
Possvm


Pdx
n=6
Pdx
OG60
other
refOG
Pdx is OG60 (OG60)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
Possvm


Ro
n=4
Ro
OG50
refOG
Ro is OG50 (OG50)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
Possvm


Tlx
n=20
Tlx
OG43
refOG
Possvm
Tlx is OG43 (OG43)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00


Vax
n=10
Vax
OG20
refOG
Possvm
Vax is OG20 (OG20)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00


Ventx
n=9
Ventx
other
OG11
Ventx is OG11 (OG11)
Precision = 0.75 | Recall = 1.00 | F−score = 0.86
refOG
Possvm