
other
Abox
n=4
Abox
OG26
Abox is OG26 (OG26,OG26)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Barhl
n=16
Barhl
OG20
Barhl is OG20 (OG20,OG20)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Bari
n=4
Bari
OG14
refOG
Bari is OG14 (OG14,OG14)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
Possvm


other
Barx
n=10
Barx
OG29
Barx is OG29 (OG29,OG29)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Bsx
n=9
Bsx
OG21
refOG
Bsx is OG21 (OG21,OG21)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
Possvm


other
Cdx
n=19
Cdx
OG66
refOG
Cdx is OG66 (OG66,OG66)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
Possvm


Dbx
n=15
other
Dbx
OG31
Dbx is OG31 (OG31,OG31)
Precision = 0.62 | Recall = 1.00 | F−score = 0.77
refOG
Possvm


other
Dlx
n=35
Dlx
OG17
refOG
Dlx is OG17 (OG17,OG17)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
Possvm


other
Emx
n=18
Emx
OG8
Emx is OG8 (OG8,OG8)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
En
n=17
En
OG50
refOG
En is OG50 (OG50,OG50)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
Possvm


other
Evx
n=15
Evx
OG27
refOG
Evx is OG27 (OG27,OG27)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
Possvm


other
Gbx
n=14
Gbx
OG18
refOG
Gbx is OG18 (OG18,OG18)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
Possvm


other
Gsx
n=14
Gsx
OG56
refOG
Gsx is OG56 (OG56,OG56)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
Possvm


other
Hhex
n=8
Hhex
OG24
Hhex is OG24 (OG24,OG24)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


Hlx
n=9
other
Hlx
OG31
Hlx is OG31 (OG31)
Precision = 0.38 | Recall = 1.00 | F−score = 0.55
refOG
Possvm


other
Hox1
n=18
Hox1
OG51
Hox1 is OG51 (OG51,OG51)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Hox2
n=14
Hox2
OG45
Hox2 is OG45 (OG45,OG45)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm



Hox3 is OG61 (OG61,OG61,OG90)
Precision = 1.00 | Recall = 0.96 | F−score = 0.98


other
Hox4
n=23
Hox4
OG73
Hox4 is OG73 (OG73,OG73)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm



Hox5 is OG67 (OG67,OG67,OG72,OG77,OG80,OG91,OG92,OG93,OG94)
Precision = 1.00 | Recall = 0.58 | F−score = 0.74



Hox6−8 is OG69 (OG69,OG63,OG64,OG69,OG78,OG79)
Precision = 1.00 | Recall = 0.68 | F−score = 0.81


other
Hox9−13(15)
n=93
Hox9−13(15)
OG71
Hox9−13(15) is OG71 (OG71,OG71)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Lbx
n=15
Lbx
OG23
Lbx is OG23 (OG23,OG23)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Meox
n=14
Meox
OG36
refOG
Meox is OG36 (OG36,OG36)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
Possvm


other
Mnx
n=14
Mnx
OG35
refOG
Mnx is OG35 (OG35,OG35)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
Possvm


other
Msx
n=20
Msx
OG34
Msx is OG34 (OG34,OG34)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Msxlx
n=3
Msxlx
OG33
Msxlx is OG33 (OG33,OG33)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


Nanog
n=3
other
Nanog
OG39
refOG
Nanog is OG39 (OG39)
Precision = 0.25 | Recall = 1.00 | F−score = 0.40
Possvm


other
Nedx
n=4
Nedx
OG25
Nedx is OG25 (OG25,OG25)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Nk1
n=13
Nk1
OG28
Nk1 is OG28 (OG28,OG28)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Nk2.1
n=14
Nk2.1
OG58
Nk2.1 is OG58 (OG58,OG58)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Nk2.2
n=13
Nk2.2
OG59
Nk2.2 is OG59 (OG59,OG59)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Nk3
n=14
Nk3
OG41
OG40
refOG
Nk3 is OG41 (OG41,OG40,OG41)
Precision = 1.00 | Recall = 0.78 | F−score = 0.88
Possvm


other
Nk4
n=19
OG86
Nk4
OG57
refOG
Nk4 is OG57 (OG57,OG57,OG86)
Precision = 1.00 | Recall = 0.95 | F−score = 0.97
Possvm


other
Nk5/Hmx
n=20
Nk5/Hmx
OG48
Nk5/Hmx is OG48 (OG48,OG48)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Nk6
n=19
Nk6
OG44
refOG
Nk6 is OG44 (OG44,OG44)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
Possvm


other
Nk7
n=3
Nk7
OG42
refOG
Nk7 is OG42 (OG42,OG42)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
Possvm



Noto is OG10 (OG10,OG10,OG2,OG9)
Precision = 1.00 | Recall = 0.67 | F−score = 0.80

refOG

Possvm


Pdx
n=6
Pdx
OG62
refOG
Possvm
Pdx is OG62 (OG62,OG62)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00


Ro
n=4
Ro
OG49
refOG
Possvm
Ro is OG49 (OG49,OG49)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00


Tlx
n=20
Tlx
OG43
refOG
Possvm
Tlx is OG43 (OG43,OG43)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00


Vax
n=10
Vax
OG12
refOG
Possvm
Vax is OG12 (OG12,OG12)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00


Ventx
n=9
Ventx
OG39
other
refOG
Ventx is OG39 (OG39,OG39)
Precision = 0.75 | Recall = 1.00 | F−score = 0.86
Possvm