
other
Abox
n=3
Abox
OG31
Abox is OG31 (OG31)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Barhl
n=4
Barhl
OG15
Barhl is OG15 (OG15)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Bari
n=3
Bari
OG8
Bari is OG8 (OG8)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Bsx
n=3
Bsx
OG2
Bsx is OG2 (OG2)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Cdx
n=3
Cdx
OG64
refOG
Cdx is OG64 (OG64)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
Possvm


Dbx
n=3
other
Dbx
OG0
refOG
Dbx is OG0 (OG0)
Precision = 0.50 | Recall = 1.00 | F−score = 0.67
Possvm


other
Dlx
n=3
Dlx
OG23
Dlx is OG23 (OG23)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Emx
n=4
Emx
OG21
Emx is OG21 (OG21)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
En
n=6
En
OG51
refOG
En is OG51 (OG51)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
Possvm


other
Evx
n=2
Evx
OG32
refOG
Evx is OG32 (OG32)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
Possvm


other
Gbx
n=3
Gbx
OG24
Gbx is OG24 (OG24)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Gsx
n=3
Gsx
OG55
refOG
Gsx is OG55 (OG55)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
Possvm


other
Hhex
n=2
Hhex
OG6
refOG
Hhex is OG6 (OG6)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
Possvm


Hlx
n=3
other
Hlx
OG0
refOG
Hlx is OG0 (OG0)
Precision = 0.50 | Recall = 1.00 | F−score = 0.67
Possvm


other
Hox1
n=3
Hox1
OG52
Hox1 is OG52 (OG52)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Hox2
n=3
Hox2
OG45
Hox2 is OG45 (OG45)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm



Hox3 is OG59 (OG59,OG88)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00


other
Hox4
n=3
Hox4
OG71
Hox4 is OG71 (OG71)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Hox5
n=3
Hox5
OG70
Hox5 is OG70 (OG70)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm



Hox6−8 is OG61 (OG61,OG67,OG76,OG77)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00


other
Hox9−13(15)
n=3
Hox9−13(15)
OG69
Hox9−13(15) is OG69 (OG69)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Lbx
n=4
Lbx
OG5
Lbx is OG5 (OG5)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Meox
n=3
Meox
OG37
Meox is OG37 (OG37)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Mnx
n=3
Mnx
OG36
Mnx is OG36 (OG36)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Msx
n=5
Msx
OG35
Msx is OG35 (OG35)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Msxlx
n=2
Msxlx
OG34
Msxlx is OG34 (OG34)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Nedx
n=3
Nedx
OG30
Nedx is OG30 (OG30)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Nk1
n=3
Nk1
OG18
Nk1 is OG18 (OG18)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Nk2.1
n=3
Nk2.1
OG38
Nk2.1 is OG38 (OG38)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Nk2.2
n=3
Nk2.2
OG39
Nk2.2 is OG39 (OG39)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Nk3
n=3
Nk3
OG13
Nk3 is OG13 (OG13)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Nk4
n=3
OG81
Nk4
OG33
refOG
Nk4 is OG33 (OG33,OG81)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
Possvm


other
Nk5/Hmx
n=2
Nk5/Hmx
OG49
Nk5/Hmx is OG49 (OG49)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Nk6
n=3
Nk6
OG44
Nk6 is OG44 (OG44)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Nk7
n=2
Nk7
OG42
Nk7 is OG42 (OG42)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Noto
n=3
Noto
OG57
OG56
refOG
Noto is OG57 (OG56,OG57)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
Possvm


Ro
n=3
Ro
OG50
refOG
Possvm
Ro is OG50 (OG50)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00


Tlx
n=3
Tlx
OG43
refOG
Possvm
Tlx is OG43 (OG43)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00