
other
Abox
n=4
Abox
OG35
Abox is OG35 (OG35)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Barhl
n=16
OG18
Barhl
OG17
Barhl is OG17 (OG17,OG18)
Precision = 1.00 | Recall = 0.69 | F−score = 0.81
refOG
Possvm


other
Bari
n=4
Bari
OG9
Bari is OG9 (OG9)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Barx
n=10
Barx
OG4
refOG
Barx is OG4 (OG4)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
Possvm


other
Bsx
n=9
Bsx
OG3
Bsx is OG3 (OG3)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Cdx
n=19
Cdx
OG72
Cdx is OG72 (OG72)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
chr02.1
chr02.1
n=10
OG119
OG118
OG106
OG103
OG102
chr02.1 is OG106 (OG102,OG103,OG106,OG118,OG119)
Precision = 1.00 | Recall = 0.60 | F−score = 0.75
refOG
Possvm


chr03.1
n=4
other
chr03.1
OG0
chr03.1 is OG0 (OG0)
Precision = 0.17 | Recall = 1.00 | F−score = 0.29
refOG
Possvm


Dbx
n=15
other
Dbx
OG0
refOG
Dbx is OG0 (OG0)
Precision = 0.62 | Recall = 1.00 | F−score = 0.77
Possvm


other
Dlx
n=35
Dlx
OG26
refOG
Dlx is OG26 (OG26)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
Possvm


other
Emx
n=18
Emx
OG24
Emx is OG24 (OG24)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
En
n=17
En
OG56
refOG
En is OG56 (OG56)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
Possvm


other
Evx
n=15
Evx
OG36
Evx is OG36 (OG36)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm

other
Gbx
n=14
Gbx
OG27
Gbx is OG27 (OG27)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Gsx
n=14
Gsx
OG61
refOG
Gsx is OG61 (OG61)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
Possvm


other
Hhex
n=8
Hhex
OG7
Hhex is OG7 (OG7)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


Hlx
n=5
other
Hlx
OG0
Hlx is OG0 (OG0)
Precision = 0.21 | Recall = 1.00 | F−score = 0.34
refOG
Possvm


other
Hox1
n=18
Hox1
OG57
Hox1 is OG57 (OG57)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Hox2
n=14
Hox2
OG50
Hox2 is OG50 (OG50)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Hox3
Hox3
n=23
OG65
OG116
Hox3 is OG65 (OG116,OG65)
Precision = 1.00 | Recall = 0.96 | F−score = 0.98
refOG
Possvm


other
Hox4
n=23
Hox4
OG97
Hox4 is OG97 (OG97)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Hox5
Hox5
n=11
OG96
OG73
OG120
OG117
refOG
Hox5 is OG73 (OG117,OG120,OG73,OG96)
Precision = 1.00 | Recall = 0.55 | F−score = 0.71
Possvm


other
Hox6−8
Hox6−8
n=53
OG76
OG70
OG69
OG68
OG67
OG105
OG104
refOG
Hox6−8 is OG76 (OG104,OG105,OG67,OG68,OG69,OG70,OG76)
Precision = 1.00 | Recall = 0.53 | F−score = 0.69
Possvm


other
Hox9−13(15)
n=93
Hox9−13(15)
OG95
OG91
OG89
OG88
OG86
OG85
OG84
OG83
OG82
OG81
OG78
Hox9−13(15) is OG78 (OG78,OG81,OG82,OG83,OG84,OG85,OG86,OG88,OG89,OG91,OG95)
Precision = 1.00 | Recall = 0.44 | F−score = 0.61
refOG
Possvm


other
Lbx
n=15
Lbx
OG6
Lbx is OG6 (OG6)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Meox
n=14
Meox
OG41
Meox is OG41 (OG41)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Mnx
n=14
Mnx
OG40
Mnx is OG40 (OG40)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Msx
n=20
Msx
OG39
Msx is OG39 (OG39)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Msxlx
n=3
Msxlx
OG38
Msxlx is OG38 (OG38)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


Nanog
n=3
other
Nanog
OG12
Nanog is OG12 (OG12)
Precision = 0.25 | Recall = 1.00 | F−score = 0.40
refOG
Possvm


other
Nedx
n=4
Nedx
OG34
Nedx is OG34 (OG34)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Nk1
n=13
Nk1
OG21
Nk1 is OG21 (OG21)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Nk2.1
n=14
Nk2.1
OG42
Nk2.1 is OG42 (OG42)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Nk2.2
n=13
Nk2.2
OG43
Nk2.2 is OG43 (OG43)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Nk3
n=14
Nk3
OG14
OG13
Nk3 is OG14 (OG13,OG14)
Precision = 1.00 | Recall = 0.71 | F−score = 0.83
refOG
Possvm


other
Nk4
n=19
Nk4
OG37
OG109
refOG
Nk4 is OG37 (OG109,OG37)
Precision = 1.00 | Recall = 0.95 | F−score = 0.97
Possvm


other
Nk5/Hmx
n=20
Nk5/Hmx
OG54
Nk5/Hmx is OG54 (OG54)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Nk6
n=19
Nk6
OG49
Nk6 is OG49 (OG49)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Nk7
n=3
Nk7
OG47
Nk7 is OG47 (OG47)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Noto
n=10
Noto
OG63
OG62
OG46
refOG
Noto is OG63 (OG46,OG62,OG63)
Precision = 1.00 | Recall = 0.50 | F−score = 0.67
Possvm


Pdx
n=6
Pdx
OG66
refOG
Pdx is OG66 (OG66)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
Possvm


Ro
n=4
Ro
OG55
refOG
Ro is OG55 (OG55)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
Possvm


Tlx
n=20
Tlx
OG48
refOG
Possvm
Tlx is OG48 (OG48)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00


Vax
n=10
Vax
OG23
refOG
Vax is OG23 (OG23)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
Possvm


Ventx
n=9
Ventx
other
OG12
Ventx is OG12 (OG12)
Precision = 0.75 | Recall = 1.00 | F−score = 0.86
refOG
Possvm