
other
Abox
n=4
Abox
OG77
Abox is OG77 (OG77)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Barhl
n=16
Barhl
OG3
Barhl is OG3 (OG3)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Bari
n=4
Bari
OG74
Bari is OG74 (OG74)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Barx
n=10
Barx
OG48
Barx is OG48 (OG48)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Bsx
n=9
Bsx
OG18
Bsx is OG18 (OG18)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Cdx
n=19
Cdx
OG21
refOG
Cdx is OG21 (OG21)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
Possvm



chr02.1 is OG17 (OG0,OG17,OG22,OG23)
Precision = 1.00 | Recall = 0.60 | F−score = 0.75


chr03.1
n=4
other
chr03.1
OG37
chr03.1 is OG37 (OG37)
Precision = 0.17 | Recall = 1.00 | F−score = 0.29
refOG
Possvm


Dbx
n=15
other
Dbx
OG37
Dbx is OG37 (OG37)
Precision = 0.62 | Recall = 1.00 | F−score = 0.77
refOG
Possvm


other
Dlx
n=35
Dlx
OG59
refOG
Dlx is OG59 (OG59)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
Possvm


other
Emx
n=18
Emx
OG41
Emx is OG41 (OG41)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
En
n=17
En
OG83
refOG
En is OG83 (OG83)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
Possvm

other
Evx
n=15
Evx
OG67
Evx is OG67 (OG67)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Gbx
n=14
Gbx
OG81
Gbx is OG81 (OG81)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Gsx
n=14
Gsx
OG20
refOG
Gsx is OG20 (OG20)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
Possvm


other
Hhex
n=8
Hhex
OG89
refOG
Hhex is OG89 (OG89)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
Possvm


Hlx
n=5
other
Hlx
OG37
Hlx is OG37 (OG37)
Precision = 0.21 | Recall = 1.00 | F−score = 0.34
refOG
Possvm


other
Hox1
n=18
Hox1
OG80
Hox1 is OG80 (OG80)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Hox2
n=14
Hox2
OG29
refOG
Hox2 is OG29 (OG29)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
Possvm


other
Hox3
Hox3
n=23
OG50
OG16
refOG
Hox3 is OG50 (OG16,OG50)
Precision = 1.00 | Recall = 0.96 | F−score = 0.98
Possvm


other
Hox4
n=23
Hox4
OG68
Hox4 is OG68 (OG68)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm



Hox5 is OG31 (OG31,OG55,OG61,OG85)
Precision = 1.00 | Recall = 0.55 | F−score = 0.71



Hox6−8 is OG46 (OG11,OG30,OG46,OG57,OG93)
Precision = 1.00 | Recall = 0.53 | F−score = 0.69


other
Hox9−13(15)
n=93
Hox9−13(15)
OG66
Hox9−13(15) is OG66 (OG66)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Lbx
n=15
Lbx
OG60
Lbx is OG60 (OG60)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Meox
n=14
Meox
OG82
Meox is OG82 (OG82)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Mnx
n=14
Mnx
OG88
Mnx is OG88 (OG88)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Msx
n=20
Msx
OG51
Msx is OG51 (OG51)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Msxlx
n=3
Msxlx
OG19
Msxlx is OG19 (OG19)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


Nanog
n=3
other
Nanog
OG52
refOG
Nanog is OG52 (OG52)
Precision = 0.25 | Recall = 1.00 | F−score = 0.40
Possvm


other
Nedx
n=4
Nedx
OG45
Nedx is OG45 (OG45)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Nk1
n=13
Nk1
OG4
Nk1 is OG4 (OG4)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Nk2.1
n=14
Nk2.1
OG65
Nk2.1 is OG65 (OG65)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Nk2.2
n=13
Nk2.2
OG38
Nk2.2 is OG38 (OG38)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Nk3
n=14
OG86
Nk3
OG58
Nk3 is OG58 (OG58,OG86)
Precision = 1.00 | Recall = 0.71 | F−score = 0.83
refOG
Possvm


other
Nk4
n=19
OG56
Nk4
OG34
refOG
Nk4 is OG34 (OG34,OG56)
Precision = 1.00 | Recall = 0.95 | F−score = 0.97
Possvm


other
Nk5/Hmx
n=20
Nk5/Hmx
OG35
Nk5/Hmx is OG35 (OG35)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Nk6
n=19
Nk6
OG73
Nk6 is OG73 (OG73)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Nk7
n=3
Nk7
OG32
Nk7 is OG32 (OG32)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm



Noto is OG62 (OG1,OG62,OG84)
Precision = 1.00 | Recall = 0.50 | F−score = 0.67


Pdx
n=6
Pdx
OG10
other
refOG
Pdx is OG10 (OG10)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
Possvm


Ro
n=4
Ro
OG79
refOG
Possvm
Ro is OG79 (OG79)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00


Tlx
n=20
Tlx
OG91
refOG
Possvm
Tlx is OG91 (OG91)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00


Vax
n=10
Vax
OG92
refOG
Possvm
Vax is OG92 (OG92)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00


Ventx
n=9
Ventx
OG52
other
Ventx is OG52 (OG52)
Precision = 0.75 | Recall = 1.00 | F−score = 0.86
refOG
Possvm