
other
Abox
n=4
Abox
OG.18
Abox is OG.18 (OG.18)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


Barhl
n=16
other
Barhl
OG.7
Barhl is OG.7 (OG.7)
Precision = 0.48 | Recall = 1.00 | F−score = 0.65
refOG
Possvm


Bari
n=4
other
Bari
OG.7
Bari is OG.7 (OG.7)
Precision = 0.12 | Recall = 1.00 | F−score = 0.22
refOG
Possvm


Barx
n=10
other
Barx
OG.19
refOG
Barx is OG.19 (OG.19)
Precision = 0.53 | Recall = 1.00 | F−score = 0.69
Possvm


Bsx
n=9
other
Bsx
OG.19
Bsx is OG.19 (OG.19)
Precision = 0.47 | Recall = 1.00 | F−score = 0.64
refOG
Possvm


Cdx
n=19
other
Cdx
OG.2
Cdx is OG.2 (OG.2)
Precision = 0.17 | Recall = 1.00 | F−score = 0.29
refOG
Possvm


chr02.1
n=10
other
chr02.1
OG.4
chr02.1 is OG.4 (OG.4)
Precision = 0.10 | Recall = 1.00 | F−score = 0.19
refOG
Possvm


chr03.1
n=4
other
chr03.1
OG.11
chr03.1 is OG.11 (OG.11)
Precision = 0.17 | Recall = 1.00 | F−score = 0.29
refOG
Possvm


Dbx
n=15
other
Dbx
OG.11
Dbx is OG.11 (OG.11)
Precision = 0.62 | Recall = 1.00 | F−score = 0.77
refOG
Possvm


other
Dlx
n=35
Dlx
OG.22
Dlx is OG.22 (OG.22)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Emx
n=18
Emx
OG.15
Emx is OG.15 (OG.15)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
En
En
n=17
OG.25
refOG
En is OG.25 (OG.25)
Precision = 0.77 | Recall = 1.00 | F−score = 0.87
Possvm


other
Evx
n=15
Evx
OG.21
Evx is OG.21 (OG.21)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Gbx
n=14
Gbx
OG.29
Gbx is OG.29 (OG.29)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


Gsx
n=14
other
Gsx
OG.10
refOG
Gsx is OG.10 (OG.10)
Precision = 0.27 | Recall = 1.00 | F−score = 0.42
Possvm


other
Hhex
n=8
Hhex
OG.28
Hhex is OG.28 (OG.28)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


Hlx
n=5
other
Hlx
OG.11
Hlx is OG.11 (OG.11)
Precision = 0.21 | Recall = 1.00 | F−score = 0.34
refOG
Possvm


Hox1
n=18
other
Hox1
OG.10
refOG
Possvm
Hox1 is OG.10 (OG.10)
Precision = 0.35 | Recall = 1.00 | F−score = 0.51


Hox2
n=14
other
Hox2
OG.10
refOG
Hox2 is OG.10 (OG.10)
Precision = 0.27 | Recall = 1.00 | F−score = 0.42
Possvm


Hox3
n=23
other
Hox3
OG.6
OG.25
Hox3 is OG.6 (OG.25,OG.6)
Precision = 0.52 | Recall = 1.00 | F−score = 0.69
refOG
Possvm


Hox4
n=23
other
Hox4
OG.4
Hox4 is OG.4 (OG.4)
Precision = 0.24 | Recall = 1.00 | F−score = 0.38
refOG
Possvm


Hox5
n=11
other
Hox5
OG.4
refOG
Hox5 is OG.4 (OG.4)
Precision = 0.11 | Recall = 1.00 | F−score = 0.20
Possvm


Hox6−8
n=53
other
Hox6−8
OG.4
Hox6−8 is OG.4 (OG.4)
Precision = 0.55 | Recall = 1.00 | F−score = 0.71
refOG
Possvm


other
Hox9−13(15)
n=93
Hox9−13(15)
OG.2
Hox9−13(15) is OG.2 (OG.2)
Precision = 0.83 | Recall = 1.00 | F−score = 0.91
refOG
Possvm


other
Lbx
n=15
Lbx
OG.23
Lbx is OG.23 (OG.23)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Meox
n=14
Meox
OG.12
Meox is OG.12 (OG.12)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Mnx
n=14
Mnx
OG.27
Mnx is OG.27 (OG.27)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Msx
n=20
Msx
OG.20
Msx is OG.20 (OG.20)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Msxlx
n=3
Msxlx
OG.24
Msxlx is OG.24 (OG.24)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


Nanog
n=3
other
Nanog
OG.17
Nanog is OG.17 (OG.17)
Precision = 0.23 | Recall = 1.00 | F−score = 0.38
refOG
Possvm


other
Nedx
n=4
Nedx
OG.30
Nedx is OG.30 (OG.30)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


Nk1
n=13
other
Nk1
OG.7
Nk1 is OG.7 (OG.7)
Precision = 0.39 | Recall = 1.00 | F−score = 0.57
refOG
Possvm


Nk2.1
n=14
other
Nk2.1
OG.3
Nk2.1 is OG.3 (OG.3)
Precision = 0.42 | Recall = 1.00 | F−score = 0.60
refOG
Possvm


other
Nk2.2
n=13
Nk2.2
OG.1
Nk2.2 is OG.1 (OG.1)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Nk3
n=14
Nk3
OG.13
refOG
Nk3 is OG.13 (OG.13)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
Possvm


Nk4
n=19
other
Nk4
OG.3
refOG
Nk4 is OG.3 (OG.3)
Precision = 0.58 | Recall = 1.00 | F−score = 0.73
Possvm


other
Nk5/Hmx
n=20
Nk5/Hmx
OG.16
refOG
Nk5/Hmx is OG.16 (OG.16)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
Possvm


other
Nk6
n=19
Nk6
OG.9
Nk6 is OG.9 (OG.9)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Nk7
n=3
Nk7
OG.14
Nk7 is OG.14 (OG.14)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


other
Noto
n=10
Noto
OG.5
Noto is OG.5 (OG.5)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00
refOG
Possvm


Pdx
other
Pdx
n=6
OG.10
refOG
Pdx is OG.10 (OG.10)
Precision = 0.12 | Recall = 1.00 | F−score = 0.21
Possvm


Ro
other
Ro
n=4
OG.25
refOG
Ro is OG.25 (OG.25)
Precision = 0.18 | Recall = 1.00 | F−score = 0.31
Possvm


Tlx
n=20
Tlx
OG.26
refOG
Possvm
Tlx is OG.26 (OG.26)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00


Vax
n=10
Vax
OG.31
refOG
Possvm
Vax is OG.31 (OG.31)
Precision = 1.00 | Recall = 1.00 | F−score = 1.00


Ventx
n=9
Ventx
other
OG.17
Ventx is OG.17 (OG.17)
Precision = 0.69 | Recall = 1.00 | F−score = 0.82
refOG
Possvm