

TABLE OF CONTENTS

INTRODUCTION

Why Sacred Fruits?	4
How to Read This Guide	5
Quality & Sourcing Principles	6

THE FRUITS

■ Schisandra Berry	8
■ Soursop (Graviola)	11
■ Amla (Indian Gooseberry)	14
■ Sea Buckthorn	17
■ Camu Camu	20
■ Black Elderberry	23
■ Moringa	26
■ Acai Berry	29

REFERENCE

Condition Index	32
Preparation Methods Guide	33
Dosage & Safety Chart	34
Synergistic Combinations	35

"Let food be thy medicine, and medicine be thy food." — Hippocrates, 400 BC

Why Sacred Fruits?

Before pharmaceutical labs synthesised compounds in sterile environments, every culture on earth had developed sophisticated knowledge of healing plants and fruits. The ancient Chinese documented schisandra berry for over 2,000 years — used by royalty for longevity, liver protection, and cognitive clarity. Ayurvedic physicians built entire therapeutic systems around amla, calling it the most complete tonic in nature. Amazonian tribes used soursop leaves as a primary medicine for millennia.

This was not superstition. These civilisations were empirical — they observed, documented, and refined their protocols over generations. What they had was the equivalent of a very large, very long clinical trial: thousands of years of human experience with specific plants, in specific preparations, for specific conditions.

Modern science is now confirming what they already knew. The compounds in sacred fruits interact with human biology at the molecular level — modulating signalling pathways, inhibiting inflammatory enzymes, supporting cellular repair, and nourishing systems that synthetic compounds attempt to imitate. The difference is that these fruits have been co-evolving with human biology for millions of years. Our cells recognise them.

This guide is not about wellness trends or marketing. It is a documentation of what works, why it works, and how to use it — drawing on both ancient tradition and modern research.

HOW TO READ THIS GUIDE

How to Read This Guide

Each fruit entry contains: the origin and traditional use, the key active compounds and their mechanisms of action, specific application and preparation protocols, dosage guidance, sourcing criteria, and relevant safety notes. Where clinical evidence exists, it is noted. The goal is not to simply list benefits — it is to explain the mechanism so you understand *why* the fruit works and how to maximise its effect.

■ A NOTE ON PREPARATION

Unlike oils which can simply be applied or consumed, many sacred fruits require specific preparation methods to unlock their full therapeutic potential. Ancient traditions knew this — and modern phytochemistry confirms it. Each entry in this guide specifies the optimal preparation method and why it matters.

QUALITY & SOURCING

Quality, Sourcing & Preparation

The therapeutic value of a sacred fruit is entirely dependent on how it is grown, harvested, processed, and stored. A low-quality supplement bearing the name of a powerful fruit delivers almost nothing. A correctly sourced, properly

prepared version can be transformative.

Form matters	Freeze-dried powder typically preserves the most bioactive compounds. Extracts concentrate specific constituents but may lose others. Whole fruit is ideal but rarely practical. Each entry specifies the optimal form.
Origin matters	Schisandra from Northern China has a different phytochemical profile than schisandra grown elsewhere. Amla from traditional Indian cultivation contains more active compounds than mass-produced varieties. Source matters.
Processing matters	Heat, oxidation, and certain chemical processes destroy active compounds. Look for low-temperature drying, minimal processing, and verified compound content where possible.

FRUIT GUIDE

Schisandra Berry

Origin: Northern China & Russia

Liver · Adrenals · Cognitive Clarity

OVERVIEW

Schisandra chinensis — the five-flavour fruit — is one of the most revered tonics in Traditional Chinese Medicine. Used by Chinese royalty for over 2,000 years, it earned its name by containing all five flavours recognised in TCM (sour, bitter, sweet, pungent, salty), each associated with a different organ system. Modern research has confirmed that schisandra simultaneously supports the liver, adrenal glands, and central nervous system in ways that no single pharmaceutical compound can replicate. It is classified as an adaptogen — a substance that non-specifically increases the body's resistance to physical, chemical, and biological stressors.

ACTIVE COMPOUNDS & MECHANISMS

Schisandrins (A, B, C)

The primary active lignans. Schisandrin B is the most studied — it crosses the blood-brain barrier, protects neurons from oxidative damage, and has demonstrated neuroprotective effects comparable to some pharmaceutical agents. Also directly hepatoprotective, supporting liver enzyme normalisation.

Gomisin A & N

Regulate cortisol signalling via the HPA axis, explaining schisandra's well-documented anti-fatigue effects. Clinical trials show reduced cortisol response to physical and cognitive stress, with sustained energy output without stimulant dependency.

Schisandrol (Wuweizisu)

Potent antioxidant that scavenges reactive oxygen species in liver tissue. Supports Phase I and Phase II liver detoxification — the two-stage process by which the liver processes and eliminates toxins.

APPLICATION PROTOCOLS

Powder / Tea	Traditional preparation: 3-6g dried berry powder in hot water, simmered 15 minutes. The sour flavour indicates high schisandrin content. Consume morning or early afternoon.
Tincture	2-4ml of 1:3 tincture in water, twice daily. More bioavailable than powder for acute applications. Use for 8-12 week cycles with 2-week breaks.
Adaptogen Protocol	Combine with ashwagandha and rhodiola for comprehensive HPA axis support. Take with food to reduce potential digestive sensitivity.
Liver Support	For liver health: 500mg standardised extract (9% schisandrins) twice daily with meals. Clinical trials used 8-week minimum protocol.

DOSAGE	SOURCING	■ SAFETY
3-6g dried berries or 500mg standardised extract (min. 9% schisandrins) twice daily. Begin with lower dose for first 2 weeks.	Source from Northern China (Liaoning province) or Russian Far East. Ensure standardised schisandrin content stated on label. Avoid cheap Indian substitutes.	Generally well tolerated. May cause heartburn in some. Avoid in early pregnancy. May potentiate CNS sedatives. Discontinue 2 weeks before surgery.

FRUIT GUIDE



Soursop (Graviola)

Origin: Amazon Rainforest & Caribbean
Immune Support · Nervous System · Anti-inflammatory

OVERVIEW

Annona muricata — soursop or graviola — is one of the Amazon's most documented medicinal plants. Indigenous tribes across South America, the Caribbean, and West Africa have used every part of the plant: the fruit for nutrition, the leaves as a tea for fever and nervous conditions, and the bark for inflammatory pain. Its compounds have attracted more scientific attention than almost any other tropical fruit — particularly its annonaceous acetogenins, which have been the subject of hundreds of peer-reviewed studies.

ACTIVE COMPOUNDS & MECHANISMS

Annonaceous Acetogenins

Over 100 unique acetogenins have been identified in soursop — including annonacin, bullatacin, and squamocin. These long-chain fatty acid derivatives selectively disrupt ATP production in target cells by inhibiting Complex I of the mitochondrial electron transport chain. Their selectivity mechanism is the subject of ongoing research worldwide.

Alkaloids (Reticuline, Coreximine)

Provide the sedative and anxiolytic properties. Act on dopamine and serotonin receptors, explaining traditional use for anxiety, insomnia, and nervous tension. Coreximine has demonstrated antidepressant activity in animal models.

Flavonoids & Tannins

Kaempferol, quercetin, and rutin contribute significant anti-inflammatory and antioxidant activity. Tannins provide antimicrobial properties that support gut health and mucosal integrity.

APPLICATION PROTOCOLS

Leaf Tea	2-3 dried leaves per cup, steeped 10 minutes (not boiled — heat degrades acetogenins). Drink 1-2 cups daily. Traditional preparation across all indigenous cultures.
Fruit	Consume fresh fruit directly. Rich in vitamin C, B vitamins, and potassium. The pulp contains lower acetogenin concentration than leaves but provides synergistic nutritional support.
Leaf Extract	500mg standardised leaf extract, twice daily with food. Ensure acetogenin content is standardised and stated on label.
Nervous System Support	For anxiety and sleep: leaf tea consumed 45-60 minutes before bed. Combine with magnesium for enhanced effect on GABA pathways.

DOSAGE	SOURCING	■ SAFETY
--------	----------	----------

2-3 leaf tea cups daily, or 500mg leaf extract twice daily. Do not exceed recommended doses — high doses of acetogenins are not well studied long-term.

Peruvian, Jamaican, or Nigerian origin for highest potency. Dried leaves from certified organic sources. Freeze-dried leaf powder preserves acetogenins best.

Avoid during pregnancy. Do not use with Parkinson's medication — may worsen symptoms. Not for long-term continuous use (cycle with breaks). Avoid large internal doses of seeds.

FRUIT GUIDE



Amla (Indian Gooseberry)

Origin: India & Southeast Asia

Complete Tonic · Vitamin C · Rejuvenation

OVERVIEW

Phyllanthus emblica — amla or amalaki — is the cornerstone of Ayurvedic medicine. Used for over 5,000 years and referenced in virtually every major Ayurvedic text, it is classified as a "Rasayana" — a category of substances believed to promote longevity, enhance vitality, and restore youthful function. It is the central ingredient in Chyawanprash, an ancient formulation consumed by over 1 billion people annually. Amla contains more bioavailable vitamin C than almost any fruit on earth — but that is just the beginning of its therapeutic profile.

ACTIVE COMPOUNDS & MECHANISMS

Vitamin C Complex (Ascorbic Acid + Bioflavonoids)

Amla contains 20x more vitamin C than an orange by weight, but critically, it is bound in a bioflavonoid complex that dramatically improves bioavailability and stability. Unlike synthetic ascorbic acid, amla's vitamin C does not degrade on heating — an unusual and therapeutically significant property.

Emblicanin A & B (Tannoids)

Unique hydrolysable tannins that are potent antioxidants — with ORAC values significantly higher than blueberry. They regenerate other antioxidants including vitamins C and E after they have neutralised free radicals, creating a self-renewing antioxidant cycle that is not replicated by any synthetic supplement.

Gallic Acid & Ellagic Acid

Polyphenols that inhibit inflammatory pathways (NF-kB and COX-2), support liver detoxification, and demonstrate anti-mutagenic activity in multiple cell line studies. Ellagic acid is converted to urolithins by gut bacteria — potent mitochondrial protectors.

APPLICATION PROTOCOLS

Fresh / Dried	Consume 1-3 fresh amla fruits daily, or 1 tsp dried amla powder in warm water morning on empty stomach. The traditional Ayurvedic morning protocol.
Amla Juice	20-30ml fresh amla juice diluted in water, morning. Add honey to balance the intense sourness. Contains the most bioavailable vitamin C complex.
Hair Protocol	Mix amla powder with coconut or sesame oil, apply to scalp and hair. Leave 30-60 minutes before washing. Reverses premature greying and reduces hair fall with consistent 3-month use.
Rasayana Tonic	500mg amla extract combined with ashwagandha and turmeric — the traditional Ayurvedic rejuvenation trinity. Take at night for recovery and repair.

DOSAGE	SOURCING	■ SAFETY
1-3 fresh fruits daily, or 500-1000mg dried extract. No known toxicity at these doses. High doses may cause digestive sensitivity initially.	Indian origin (Uttar Pradesh, Himachal Pradesh). Look for standardised tannoid content (minimum 45% emblicanins). Whole berry powder preferred over isolated extracts.	Very safe. May increase bleeding risk at high doses with anticoagulants. Can temporarily darken stool. Avoid very high doses in kidney disease due to oxalate content.

FRUIT GUIDE



Sea Buckthorn

Origin: Himalayas, Siberia & Tibet
Omega-7 · Skin · Cellular Repair

OVERVIEW

Hippophae rhamnoides is one of the most nutrient-dense plants on earth. Used by Tibetan monks for centuries, employed by Russian cosmonauts for radiation protection, and revered in Traditional Chinese Medicine as a tonic for the circulatory and digestive systems. Its small orange berry contains over 190 bioactive compounds — more than almost any other single fruit studied. What makes sea buckthorn extraordinary is its combination of rare nutrients that simply do not exist together in any other natural food source.

ACTIVE COMPOUNDS & MECHANISMS

Omega-7 (Palmitoleic Acid)

Sea buckthorn is one of the only plant sources of omega-7 fatty acids. Palmitoleic acid maintains mucosal membrane integrity throughout the body — from the gut lining to vaginal tissue to the cornea. It is a cell membrane component that declines significantly with age, making sea buckthorn uniquely effective for dry eye, vaginal atrophy, and gut permeability.

Carotenoids (Beta-Carotene, Zeaxanthin, Lycopene)

Concentration 10-15x higher than carrots. The intense orange colour reflects extraordinary carotenoid content. These compounds provide UV protection, support immune function, protect against oxidative damage to DNA, and support eye health and night vision.

Tocopherols & Tocotrienols (Vitamin E Complex)

Contains all eight forms of vitamin E — extremely rare in any single food source. This complete vitamin E complex provides superior antioxidant protection to any isolated tocopherol supplement. Particularly protective for cardiovascular tissue and skin.

APPLICATION PROTOCOLS

Berry Juice	20-30ml pure sea buckthorn berry juice daily. Dilute with water or other juice due to intensity. Provides full spectrum of bioactive compounds in most bioavailable form.
Seed Oil (Internal)	1 tsp cold-pressed seed oil daily in food or drink. For mucosal support, gut health, and omega-7 supplementation. Store refrigerated, use within 3 months of opening.
Berry Oil (Topical)	Dilute 10-20% berry oil in carrier oil for skin application. Pure berry oil is intensely pigmented and will temporarily stain skin — dilution is essential.
Dry Eye / Mucosa Protocol	1g omega-7 from sea buckthorn oil, twice daily. Clinical trials for dry eye syndrome used this protocol for 90 days minimum.

DOSAGE	SOURCING	■ SAFETY
20-30ml berry juice or 1 tsp seed oil daily. For therapeutic purposes 1-3g omega-7 daily from berry oil capsules.	Tibetan, Mongolian, or Siberian origin for highest bioactive compound density. Cold-pressed seed oil — never steam-distilled. Avoid synthetic sea buckthorn flavourings.	Generally very safe. May slow blood clotting — discontinue 2 weeks pre-surgery. Berry oil is intensely pigmented — avoid getting on clothing or undiluted skin application.

FRUIT GUIDE

Camu Camu

Origin: Amazon Basin, Peru & Brazil

Vitamin C · Immune System · Antioxidant



OVERVIEW

Myrciaria dubia — camu camu — is the world's richest plant source of vitamin C by weight. Growing wild along Amazonian riverbanks in Peru and Brazil, it has been harvested by indigenous peoples for generations as a primary food and medicine. What makes camu camu scientifically remarkable is not merely the quantity of vitamin C it contains — at up to 3,000mg per 100g of pulp — but the form in which it delivers it. Unlike synthetic ascorbic acid, camu camu's vitamin C exists in a complex with bioflavonoids, amino acids, and phytochemicals that dramatically enhance bioavailability and sustained immune activation.

ACTIVE COMPOUNDS & MECHANISMS

Vitamin C Bioflavonoid Complex

Camu camu contains 20-50x more vitamin C than oranges, but the critical distinction is the delivery complex. The vitamin C is bound with quercetin, rutin, hesperidin, and other bioflavonoids that inhibit its oxidation, enable active transport into cells, and amplify its antioxidant effect. The result is measurably superior immune activation compared to equivalent doses of synthetic ascorbic acid.

Valine, Leucine, Serine (Amino Acids)

Unlike most fruits, camu camu contains significant amino acid content. These amino acids work synergistically with vitamin C to support collagen synthesis, tissue repair, and neurotransmitter production.

Anthocyanins & Delphinidin

Provide the berry's deep purple-red skin colour. Potent anti-inflammatory compounds that inhibit NF-kB signalling and reduce inflammatory cytokine production — with emerging research suggesting benefits for metabolic syndrome and inflammatory bowel conditions.

APPLICATION PROTOCOLS

Freeze-Dried Powder	1/2 tsp freeze-dried camu camu powder in water or smoothie, once daily. Freeze-drying preserves the full bioflavonoid complex. This is the optimal form.
Immune Protocol	During acute illness: 1000-2000mg vitamin C equivalent from camu camu powder, every 4-6 hours. The bioflavonoid complex provides faster cellular uptake than synthetic vitamin C at equivalent doses.
Skin & Collagen	1 tsp powder daily in morning beverage. Provides vitamin C complex needed for collagen synthesis and UV protection. Results visible in skin tone within 6-8 weeks of consistent use.

Antioxidant Stack	Combine with amla and rosehip for comprehensive natural vitamin C and antioxidant protocol. All three provide different bioflavonoid profiles for broader spectrum protection.
--------------------------	--

DOSAGE	SOURCING	■ SAFETY
1/2-1 tsp freeze-dried powder daily (approx. 500-1000mg vitamin C equivalent). During illness, increase to 1000-2000mg vitamin C equivalent every 4-6 hours.	Peruvian or Brazilian origin. Freeze-dried powder only — other processing destroys bioflavonoid complex. Verify vitamin C content stated on label (minimum 12% ascorbic acid).	Extremely safe. Excess vitamin C from whole food sources is excreted. At very high therapeutic doses, loose stools may occur — reduce dose if this happens. Avoid if history of kidney oxalate stones.

FRUIT GUIDE



Black Elderberry

Origin: Europe & North America

Antiviral · Immune Activation · Respiratory

OVERVIEW

Sambucus nigra — black elderberry — is one of the most extensively documented medicinal plants in European tradition. Hippocrates called the elder tree his "medicine chest." Every part has therapeutic applications: flowers for fever and respiratory conditions, bark as a purgative, and the dark berries for immune activation and antiviral support. Modern research has confirmed what Hippocrates knew: elderberry contains anthocyanins that directly interact with viral replication mechanisms in ways that pharmaceutical antivirals attempt to mimic — but with a significantly different mechanism that makes resistance development unlikely.

ACTIVE COMPOUNDS & MECHANISMS

Cyanidin-3-Glucoside & Cyanidin-3-Sambubioside

The primary anthocyanins at concentrations significantly higher than most other berries. These compounds bind directly to and destabilise viral envelope proteins, inhibiting viral entry into host cells. Multiple clinical trials confirm reduced duration and severity of influenza and rhinovirus infections by 2-4 days on average.

Quercetin & Rutin

Flavonoids that independently inhibit viral neuraminidase — the enzyme influenza viruses use to escape from infected cells and spread. This dual mechanism (blocking entry AND spread) is why elderberry outperforms single-target antivirals in comparative trials.

Dihydromyricetin & Kaempferol

Provide significant anti-inflammatory activity via inhibition of COX-2 and 5-LOX. Reduce the inflammatory "cytokine storm" response that causes most of the severity in acute viral illness.

APPLICATION PROTOCOLS

Traditional Syrup	Simmer 1 cup dried berries in 3 cups water for 45 minutes. Strain, cool, add 1 cup raw honey. Store refrigerated. 1 tbsp daily preventively; 1 tbsp every 3-4 hours during acute illness. This preparation is 4x more potent than commercial syrups.
Tincture / Extract	600-900mg standardised extract during active illness, reducing to 300mg daily for prevention during cold/flu season.
Children's Protocol	Properly prepared elderberry syrup (seeds and unripe berries removed) is safe for children over 1. Half adult dose for children under 10.
Prevention Protocol	300mg standardised extract daily from October through March, combined with vitamin D3 and zinc for comprehensive winter immune support.

DOSAGE	SOURCING	■ SAFETY
600-900mg standardised extract (min. 17% anthocyanins) during acute illness. 300mg daily for prevention. Traditional syrup: 1 tbsp daily preventive, 1 tbsp 4x daily during illness.	European Sambucus nigra — not American elder (different species, different profile). Standardised to minimum 17% anthocyanins. Never consume raw berries — must be cooked.	Raw, unripe berries and seeds contain sambunigrin — mildly toxic, causes nausea. Always cook berries or use standardised extract. Avoid with immunosuppressant medications. Use caution in autoimmune conditions.

Condition Index

Use this index to identify which sacred fruits address specific health conditions.

Anxiety & Stress	Schisandra Berry, Soursop leaf tea
Brain Fog & Cognitive Decline	Schisandra Berry, Amla
Chronic Fatigue	Schisandra Berry, Sea Buckthorn, Amla
Digestive Issues & Gut Health	Soursop, Sea Buckthorn (seed oil), Elderberry
Dry Eyes & Mucous Membranes	Sea Buckthorn (omega-7)
Hair Loss & Premature Greying	Amla, Sea Buckthorn
Immune Deficiency	Elderberry, Camu Camu, Amla
Inflammation (Systemic)	Schisandra, Elderberry, Soursop
Liver Health & Detox	Schisandra Berry (schisandrins), Amla
Respiratory Infections	Elderberry, Camu Camu
Skin Ageing & Damage	Sea Buckthorn, Camu Camu, Amla, Rosehip
Sleep Issues	Soursop leaf, Schisandra
Vitamin C Deficiency	Camu Camu, Amla
Wound Healing	Sea Buckthorn, Amla, Elderberry

Preparation Methods Guide

Traditional Tea / Decoction	Simmer dried plant material (not boil) for 10-20 minutes. Covers soursop leaf, elderberry, schisandra berry. Boiling destroys some heat-sensitive compounds.
Freeze-Dried Powder	Optimal preservation of water-soluble vitamins (C, B complex) and bioflavonoids. Best form for camu camu, amla, acai. Add to water, smoothies, or food.
Cold-Pressed Oil	For sea buckthorn seed and berry oil. Preserves fatty acids, carotenoids, and fat-soluble vitamins. Never heat these oils — apply to food after cooking.
Standardised Extract	Concentrated and standardised to specific active compound content. Most reliable dosing. Essential for elderberry (anthocyanins), schisandra (schisandrins), amla (tannoids).
Tincture (Alcohol Extract)	Alcohol extracts fat-soluble and some water-soluble compounds. More bioavailable than dried powder for many compounds. Typically 1:3 or 1:5 herb:alcohol ratio.

Synergistic Combinations

Sacred fruits work more powerfully in combination. These pairings have traditional and scientific backing.

The Antioxidant Trinity

Amla + Camu Camu + Sea Buckthorn

Three distinct vitamin C and carotenoid profiles providing comprehensive antioxidant coverage. Take morning with food.

The Immune Stack

Elderberry + Camu Camu + Schisandra

Antiviral activity (elderberry) + vitamin C amplification (camu camu) + HPA axis regulation (schisandra). Use preventively through winter.

The Longevity Protocol

Amla + Schisandra + Sea Buckthorn

The classic Ayurvedic and TCM longevity combination. Liver support, adaptogenic function, and cellular repair. Take daily for minimum 90 days.

The Nervous System Stack

Soursop + Schisandra + Amla

Calming (soursop alkaloids) + cortisol regulation (schisandra) + neuroprotection (amla). Take in evening.

*"The body knows how to heal itself. It has always known.
We just stopped listening to nature — and started listening to noise."*

— Healvana

healvana.co.uk · support@healvana.com