

CHANDLER PARK ACADEMY

Classroom Observation Guide

Grade 6 Mathematics — Day Five: “Area Is Multiplication”

Professor Xavier Honablue, M.Ed.

Prepared for visiting guests, administrators, and instructional observers.

Purpose of This Guide

Thank you for observing our Grade 6 mathematics classroom today. Days One through Four built the routines: graph-paper construction, the class data wall, skits and votes, and the Engage/Explore/Enrich station model. Today is the first day of grade-level content. The district curriculum, i-Ready Classroom Mathematics, opens Grade 6 with Unit 1, Lesson 1: Find the Area of a Parallelogram. This guide explains how that lesson has been adapted for this class, the Common Core and Michigan standards it addresses, and the research behind the instructional choices you will see.

The Design Decision: Teach Area, Repair Multiplication Inside It

Diagnostic work during Days One through Four showed that most students cannot yet multiply two-digit numbers, and roughly half are not fluent with single-digit multiplication facts. The published i-Ready session assumes rectangle area is automatic and moves straight to parallelograms. The instructional question was whether to pause for a multiplication unit or proceed with area.

The decision was to do both at once. On grid paper, the area of a rectangle is the array model of multiplication, and the “box method” for two-digit multiplication is simply a rectangle cut into tens and ones. Students therefore spend today on rectangles, split each side at ten, find four small pieces using only single-digit facts, and add. They learn two-digit multiplication as a by-product of doing grade-level geometry, rather than being pulled off grade-level work to remediate.

$$14 \times 23 = 200 + 30 + 80 + 12 = 322 \text{ square units}$$




Figure 1. The teacher's model rectangle. Every piece uses a single-digit fact and a ten.

Lesson at a Glance (55 Minutes)

Time	Segment	What's Happening
0-3 min	Welcome Back	Students sign in on the lesson app (name, shape avatar, learning mode) and hear the goal: by the end of class you will multiply 14×23 by drawing.
3-8 min	Facts Sprint	Ten single-digit facts answered in journals and checked on the app. Students stand behind their score on the Human Bar Graph line. This becomes a standing 5-minute daily routine.
8-13 min	Try It (Engage)	A 6×8 rectangle on a grid. Students find the number of squares a slow way and a fast way, then name the idea: area = rows $\times$ columns. $A = b \times h$ is written on the board.
13-28 min	Explore: Target Dimensions	Teams throw two Nerf darts at the scoring board; dart 1 is the base, dart 2 the height (bullseye = 25). Teams draw the rectangle on grid paper, split each side at 10, find four pieces, and add. Goal: three rectangles per team.
28-38 min	Discuss It / Connect It	Two teams present under the document camera. The class locates each number of the expression on the picture. The teacher writes $(10 + 4)(20 + 3)$ as four partial products and substitutes into $A = b \times h$. A short skit ("Counter vs. Splitter") ends in a class vote.
38-48 min	Engage / Explore / Enrich	Three boards, assigned by what the teacher observed during Explore. Engage builds arrays with the teacher; Explore works the four-piece split independently; Enrich cuts a parallelogram and slides it into a rectangle (the actual i-Ready session content) as a preview of Day Six. Each board ends on an aligned IXL skill.
48-53 min	Apply It: Exit Ticket	Three problems, silent, on paper and app: 7×9 ; 24×13 with the split; area

96 and base 8, find the height. Enrich adds a parallelogram problem.

53-55 min **Journal and Keep-or-Rid**

Journal: draw a rectangle that shows 12×15 and mark where you would cut it. Class votes whether to keep the dart board for Day Six; the tally is recorded on the data wall.

Why a Nerf Dart Board?

A standard dart board scores 1 through 20 with a 25-point bullseye. That range means every throw produces a side length small enough to draw on grid paper and split at ten, and large enough to require two-digit multiplication. The board is a random dimension generator with a reason to care about the result: the team owns the rectangle it threw. Darts move only teacher-to-thrower-to-teacher; a miss earns one re-throw, then the team draws a number card. If the protocol breaks, the card deck replaces the board for the rest of the period.

The Engage / Explore / Enrich Boards

Board	Who	Task	IXL skill
Engage (with teacher)	Could not point to 10×3 on the picture, or sprint under 6/10	Build 3×7 , 4×6 , 6×8 as arrays, counting rows aloud; then 12×6 split at ten only. Names go on the week's 1-on-1 tutoring list.	CQZ – Tile a rectangle and find the area
Explore (independent)	Got the split with support; facts mostly there	Three rectangles from the card deck with the four-piece split; one backwards problem (area 96, base 8).	8PN – Area of rectangles and squares
Enrich (independent)	Fluent on the split, finished early	Cut a 6×4 parallelogram, slice a right triangle from one end and slide it to the other; write the rule. This is i-Ready Session 1 as published.	ND5 – Identify parallelograms; QMU – Understanding area of a parallelogram

IXL codes are from IXL's published alignment to i-Ready Classroom Mathematics (2024), Grade 6, Unit 1, Lesson 1.

Common Core & Michigan Standards Addressed

Michigan's K-12 Standards for Mathematics adopt the Common Core State Standards; the codes below are identical in both documents.

Grade-Level Standards (Grade 6)

- **6.G.A.1:** Find the area of right triangles, other triangles, special quadrilaterals, and polygons by composing into rectangles or decomposing into triangles and other shapes; apply these techniques to real-world problems. The four-piece split is decomposition; the Enrich board does the parallelogram.
- **6.EE.A.2c:** Evaluate expressions at specific values of their variables, including formulas used in real-world problems. Connect It substitutes into $A = b \times h$; exit ticket problem 3 solves for a missing dimension.

Foundational Standards Being Repaired

- **4.NBT.B.5:** Multiply two two-digit numbers using strategies based on place value, illustrated by rectangular arrays and area models. This is the repair standard; Target Dimensions and exit ticket problem 2 assess it.
- **3.MD.C.7:** Relate area to multiplication and addition; use tiling to show that the area of a rectangle with side lengths a and $b + c$ is the sum of $a \times b$ and $a \times c$. The split is 3.MD.C.7c made visible.
- **3.OA.C.7:** Fluently multiply within 100. The daily Facts Sprint and the Engage board.

Standards for Mathematical Practice

- **MP3:** Construct viable arguments and critique the reasoning of others: Discuss It, and the Counter-vs-Splitter skit and vote.
- **MP4:** Model with mathematics: dart throw to rectangle to expression to number.
- **MP7:** Look for and make use of structure: splitting at ten on purpose because it makes the pieces easy.

Pedagogical & Cognitive Research Foundations

Concrete-Representational-Abstract (CRA)

Students build the rectangle on grid paper (concrete), color and label the four pieces (representational), and only then write the expression and the formula (abstract). Witzel, Riccomini, and Schneider (2008) found this sequence particularly effective for secondary students with gaps in prior mathematics, which describes much of this class.

Area Models for Multi-Digit Multiplication

The Common Core progressions documents describe the area model as the bridge between single-digit facts and the standard algorithm, precisely because the model makes place value visible. Fuson and Beckmann (2012) argue that students who can draw and explain the partial-products rectangle understand the algorithm rather than memorize it. Today's lesson introduces no algorithm; the drawing is the method until it is automatic.

Just-in-Time Remediation Over Pull-Out Remediation

Rather than delaying grade-level content to reteach earlier standards, the prerequisite skill is taught inside the grade-level task. TNTP's The Opportunity Myth (2018) found that students who spend their time on grade-appropriate assignments make markedly more progress than peers assigned remedial work, particularly students who start behind.

Retrieval Practice and Distributed Fluency

The Facts Sprint is short, daily, and self-scored. Roediger and Karpicke (2006) showed that brief, repeated retrieval produces more durable learning than longer, less frequent review, which is why fact fluency is handled as a five-minute routine rather than a unit.

Formative Assessment Driving Grouping

Board assignments are made from what the teacher observes during Explore, using a single diagnostic question ("Show me where 10×3 is on your picture"), consistent with Black and Wiliam's (1998) finding that assessment used to adjust instruction in the moment is among the highest-leverage practices available.

What to Look For as an Observer

- Students using the words “area” and “square units,” not “the answer.”
- When asked, a student can touch the part of the drawing that matches one factor pair in the expression.
- Splits happening at 10 or 20, not at arbitrary lines.
- At the Engage board, students counting rows aloud rather than single squares.
- Darts moving only teacher-to-thrower-to-teacher.
- Exit ticket problem 2 (24×13) completed with a drawing by at least two-thirds of the room. This one result decides whether Day Six runs the parallelogram session as published.

Appendix: Day Five in the CPA Grade 6 Math Lesson Plan Template

Template Field	Day Five Content
Standard(s) & Taxonomy Level	6.G.A.1, 6.EE.A.2c (grade level); 4.NBT.B.5, 3.MD.C.7, 3.OA.C.7 (foundational); MP3, MP4, MP7 A/An
Learning Target(s) (SWBAT)	SWBAT find the area of a rectangle by decomposing it into pieces and adding; multiply two two-digit numbers using an area model; and substitute values into $A = b \times h$.
Success Criteria (I Can)	I can find the area of a rectangle by splitting it and adding the pieces. I can multiply two two-digit numbers with a drawing. I can substitute into $A = b \times h$. I can explain where each number in an expression lives on the picture.
Daily Marzano Strategies	Identifying Critical Content; Helping Students Practice Skills, Strategies, and Processes; Helping Students Examine Their Reasoning
Do-Now (5 min)	Facts Sprint: ten single-digit facts, self-scored, plotted on the Human Bar Graph.
Instructional Plan	Try It on a 6×8 grid to establish $\text{area} = \text{rows} \times \text{columns}$. Target Dimensions: teams generate rectangles with the dart board, draw them, split at ten, and add four partial products. Discuss It / Connect It connects the picture to $(10 + 4)(20 + 3)$ and to $A = b \times h$. Engage/Explore/Enrich rotation ends on aligned IXL skills.
Critical Content Debrief (5 min)	Can students locate each partial product on the drawing, and can they complete 24×13 with the split?
Daily Formative [Ungraded] / Summative [Graded] Assessments	Formative: sprint score, teacher observation during Explore (the 10×3 question), journal. Summative: none today; the exit ticket is diagnostic and sets Day Six grouping.

Planning to Close the Achievement Gap Using Data

Tier 1 Supports	Tier 2 Supports	Tier 3 Supports
Whole-class model round on the document camera before teams throw; grid paper for every problem; numbers kept under 25 by design.	Engage board with the teacher: arrays counted by rows, single-split rectangles, IXL CQZ; sentence frames for Discuss It (“This piece is $___ \times ___$ because $___$ ”).	Names from the Engage board go to this week’s 1-on-1 tutoring list for skip-counting and arrays; pre-gridded rectangles with the tens line already drawn.

Data Source: Days One-Four formative observations; Facts Sprint; Day Five exit ticket.

Explore More: Resources for Observers

For guests who would like to look deeper into the curriculum and standards behind today's lesson.

About Today's Curriculum

IXL Alignment to i-Ready Classroom Mathematics, Grade 6

The published skill-by-skill alignment used to choose today's IXL board tasks (Unit 1, Lesson 1).

[View the skill plan](#)

Michigan K-12 Math Standards

The Michigan Department of Education's full K-12 Standards for Mathematics document.

[View Michigan DOE PDF](#)

For Deeper Research & Standards

Standards for Mathematical Practice

The official Common Core description of MP3, MP4, MP7, and the other five practices.

[View on corestandards.org](#)

Inside the Black Box (Summary)

A widely cited summary of Black and Wiliam's formative-assessment research, the basis for today's in-the-moment grouping.

[Read the summary](#)

References

- Black, P., & Wiliam, D. (1998). Inside the black box: Raising standards through classroom assessment. *Phi Delta Kappan*, 80(2), 139-148.
- Curriculum Associates. (2024). i-Ready Classroom Mathematics, Grade 6. Unit 1, Lesson 1: Find the Area of a Parallelogram.
- Fuson, K. C., & Beckmann, S. (2012). Standard algorithms in the Common Core State Standards. *NCSM Journal of Mathematics Education Leadership*, 14(2), 14-30.
- Michigan Department of Education. (2010). Michigan K-12 Standards for Mathematics.
- National Governors Association Center for Best Practices & Council of Chief State School Officers. (2010). Common Core State Standards for Mathematics.
- Roediger, H. L., & Karpicke, J. D. (2006). Test-enhanced learning: Taking memory tests improves long-term retention. *Psychological Science*, 17(3), 249-255.
- TNTP. (2018). The Opportunity Myth: What students can show us about how school is letting them down, and how to fix it.
- Witzel, B. S., Riccomini, P. J., & Schneider, E. (2008). Implementing CRA with secondary students with learning disabilities in mathematics. *Intervention in School and Clinic*, 43(5), 270-276.