

CHANDLER PARK ACADEMY

Classroom Observation Guide

Grade 6 Mathematics — Day Eight: "Area of a Parallelogram"

Professor Xavier Honabue, M.Ed.

Prepared for visiting guests, administrators, and instructional observers.

Purpose of This Guide

Thank you for observing our Grade 6 mathematics classroom today. Day Seven asked students to hold two named strategies in mind and choose between them on a compound rectangle — a genuinely high-level task, and a good number of students rose to it. For another group, the breakdown was not about decomposing a shape correctly; once a shape was split or enclosed, the multiplication and division needed to finish the problem was not yet reliable. That group began a dedicated multiplication-and-division support block this week, described on page 6, run alongside — not instead of — grade-6 content. Day Eight moves the whole class forward together to a new shape family, parallelograms, and this guide explains how today's lesson was built, the standards it addresses, and how it continues the support decision made after Day Seven.

The Design Decision: Everyone Moves Forward Together

Day Seven's finding was specific: the gap it surfaced was in multiplication and division fact fluency, not in spatial reasoning about shapes. That distinction matters directly for how Day Eight is built. Cutting a triangle off a parallelogram and sliding it into a rectangle is a spatial, structural skill — closer to what 3.MD.C.7d already asks students to do with rectilinear figures — and does not require the same fact fluency that tripped up part of the class on Day Seven's independent problems. Rather than holding any student back from today's content, Day Eight is designed so every student does the full parallelogram lesson together, while the multiplication and division support block started after Day Seven continues in parallel this week. The two tracks address two different skills, and neither is a substitute for the other.

From a Rectangle in Disguise to a Trickier Shape

Day Seven trained students to look at an unfamiliar shape and ask "what rectangles is this really made of?" — first by splitting a compound figure into pieces, then by enclosing it in one big rectangle and subtracting. Day Eight asks the same underlying question about a new shape: a parallelogram looks like it needs a new formula, but a single cut-and-slide move — cut a triangle off one end, slide it to the other — turns it into an ordinary rectangle with the identical base and height. Explore: A Rectangle in Disguise opens the lesson by performing that move live, explicitly naming it as the same "what is this shape really made of?" question Day Seven practiced on L-shapes and T-shapes, before Model It, Two Ways formalizes the move into the base $\times$ height formula.

Lesson at a Glance (55 Minutes)

Time	Segment	What's Happening
0–3 min	Welcome Back	Students sign in on the lesson app. Day Seven's observer note is read aloud: today's whole class does the full parallelogram lesson together, while the multiplication/division support block runs alongside it.
3–8 min	Warm-Up Recitation	Six cards, read one at a time — base-times-height statements plus two deliberate "trap cards" that name a slanted side and ask whether it is the height (it is not).
8–16 min	Explore: A Rectangle in Disguise	A leaning parallelogram is cut and slid live into a rectangle with the identical base and height — the same area, viewed two ways. Explicitly connected back to Day Seven's decompose-and-enclose moves.
16–26 min	Model It, Two Ways	Sliders build one parallelogram; Way 1 shows the cut-and-slide picture, Way 2 shows the direct base $\times$ height multiplication — side by side, so students confirm both land on the same number.
26–34 min	Try It: Build Your Own	Students set their own base, height, and lean with sliders, then compute and check the area — the first graded attempt at the formula on a shape they built themselves.
34–40 min	Discuss It & Connect It	The class names the height-vs-slant misconception directly and revisits the Day Seven connection: both days ask "what rectangle is really hiding inside this shape?"
40–46 min	Practice: Mixed Parallelograms	Randomized parallelograms, each with a slant-side distractor labeled on the diagram, solved independently with redo help after a second miss.
46–51 min	Engage / Explore / Enrich	Three boards, grouped by what the teacher observed during Model It and Practice. Enrich previews a parallelogram split along its diagonal — the bridge into Area of Triangles.
51–55 min	Apply It: Exit Ticket & Journal	Three required problems plus an Enrich-only fourth problem (a parallelogram split by a diagonal; find the area of one triangle). Students record "I Can" statements naming today's skills.

Why Cut-and-Slide, Not Just a Formula?

Handing students "Area = base $\times$ height" as a rule to memorize would let today's lesson pass quietly for most students, but it would hide exactly the reasoning Day Seven built: that an unfamiliar shape can be understood by asking what rectangle it is secretly made of. Showing the cut-and-slide transformation first — and proving, not asserting, that it preserves area and produces a rectangle with the same base and height — lets students derive the formula from a structural move they already trust, rather than receive it as a new unrelated fact. This is the heart of MP.7, and it is also the surest way to defeat the height-vs-slant misconception: a student who has watched the cut-and-slide has a concrete reason the slanted side plays no role in the formula.

Today's Classwork Worksheet: "One Cut Turns Any Parallelogram Into a Rectangle"

R E _ R R _ N G E → REARRANGE

Each student receives a one-page classwork worksheet (CCSS 6.G.A.1, 3.MD.C.7d, MP.6, MP.7). Section A, Guess the Word, has students fill in two missing letters to spell REARRANGE, the same word-then-model design used for DECOMPOSE on Day Seven. Section B, Meet the Parallelogram Family, uses a word bank (parallelogram, base, height, rearrange) to define the shape and its parts in the exact terms the app uses, with explicit emphasis that height is measured straight up, never along the slant. Section C, Try It, walks students through a worked cut-and-slide example (base 9, height 4, $A = 36$ sq units, with a labeled slant distractor) and then asks them to solve their own parallelogram problem — base 12 ft, height 6 ft, with a 7.2 ft slanted side as a deliberate distractor. A closing Explore/Summary panel previews next: cutting a parallelogram in half along a diagonal produces two triangles, each with exactly half the area — the on-ramp into the unit's next topic, Area of Triangles.

The Engage / Explore / Enrich Boards

Board	Who	Task	IXL Skill
Engage (with teacher)	Still confusing the slanted side with the height, or unsure why cut-and-slide works	Physically cut a paper parallelogram and slide the triangle by hand to rebuild it as a rectangle; measure the height with a set square against the base to see it is perpendicular, never along the slant	In-class only — no IXL assignment; a physical, teacher-guided repair of the height-vs-slant misconception.
Explore (independent)	Comfortable with the cut-and-slide idea, ready for fluent practice	Independent practice finding the area of parallelograms from base and height, with a slant-side distractor labeled on every figure	GG.4 – Area of parallelograms
Enrich (independent, previews triangles)	Fluent with the formula, finished early	A parallelogram is split along one diagonal into two triangles; find the area of one triangle, and explain why it must be exactly half the parallelogram's area	GG.5 – Understanding area of a triangle

IXL codes are from IXL's published Grade 6 skill list under Perimeter and Area (GG).

Common Core & Michigan Standards Addressed

Michigan's K–12 Standards for Mathematics adopt the Common Core State Standards; the codes below are identical in both documents.

Grade-Level Standard (Grade 6)

6.G.A.1: Find the area of right triangles, other triangles, special quadrilaterals, and polygons by composing into rectangles or decomposing into triangles and other shapes; apply these techniques to real-world problems. Today's cut-and-slide transformation, and the base $\times$ height formula it produces, is this standard taught for the parallelogram case specifically.

Foundational Standard Being Extended

3.MD.C.7d: Recognize area as additive; find the area of rectilinear figures by decomposing them into non-overlapping rectangles and adding the areas of the non-overlapping parts, applying this technique to solve real-world problems. Day Eight extends this third-grade decomposition idea from rectilinear figures to a shape with a slanted side, using the same "cut into pieces and reassemble" logic Day Seven practiced.

ELA/Literacy Standard Addressed

L.6.4: Determine or clarify the meaning of unknown and multiple-meaning words and phrases, choosing flexibly from a range of strategies. Section A of the classwork worksheet has students infer REARRANGE from its letter pattern and context before applying it to today's task.

Standards for Mathematical Practice

MP.6: Attend to precision — specifically, distinguishing the perpendicular height from the slanted side of a parallelogram, and using precise language ("height," never "side length") when describing the formula. Every diagram in today's app and worksheet labels the slant explicitly as a distractor, not a hidden trick, so precision is practiced directly rather than tested unexpectedly.

MP.7: Look for and make use of structure — recognizing that a parallelogram is a rectangle in disguise, and that the cut-and-slide move reveals the same base and height a rectangle formula already uses.

Pedagogical & Cognitive Research Foundations

Concrete–Representational–Abstract (CRA)

Students physically cut and slide a paper parallelogram (concrete), draw and label the same transformation on screen (representational), and only then write $A = \text{base} \times \text{height}$ as a general rule (abstract). Witzel, Riccomini, and Schneider (2008) found this sequence particularly effective for students with gaps in prior mathematics — the same rationale that shaped Day Seven's worksheet design and continues here.

The Height-vs-Slant Misconception Is a Spatial Reasoning Issue

Battista (2007) documents that students commonly rely on a shape's visually salient boundary — here, the long slanted side — rather than a geometrically defined measurement like perpendicular height, especially before they have had repeated, explicit practice distinguishing the two. This is precisely the confusion today's lesson is built to prevent: every practice item labels the slant as a distractor, and the Engage station's set-square activity gives struggling students a physical, checkable way to see that height is measured straight up, not along the leaning edge.

Comparing Solution Methods Builds Flexibility

Model It, Two Ways deliberately puts the cut-and-slide picture and the direct $\text{base} \times \text{height}$ multiplication side by side on one identical shape. Rittle-Johnson and Star (2007) found that having students directly compare multiple correct solution methods on the same problem produces stronger conceptual and procedural understanding than studying either method in isolation — the same principle Day Seven's Model It, Two Ways applied to compound figures.

Retrieval Practice Through Choral Recitation

The Warm-Up Recitation is brief, spoken, and repeated daily in some form. Roediger and Karpicke (2006) showed that brief, repeated retrieval produces more durable learning than longer, less frequent review — the reasoning behind including two spoken "trap cards" that rehearse the height-vs-slant distinction before any diagram appears on screen.

What to Look For as an Observer

- Students using the words "base," "height," and "rearrange" — not just "the long side" or "the slanted part" — when describing the shape.
- During Explore and Model It, students pointing to *where* the height is measured, rather than tracing along the slanted side.
- At the "trap card" warm-up items, students catching themselves — or a peer — reaching for the slant instead of the height, and self-correcting out loud.
- During Practice: Mixed Parallelograms, which students still need the slant distractor pointed out versus which students identify it independently — this is the clearest signal for tonight's Engage/Explore/Enrich grouping.
- Whether students who attended the multiplication/division support block this week are keeping pace with today's grade-6 content, confirming the two tracks are complementary rather than one substituting for the other.
- Exit ticket problems that correctly separate the slant from the height, and Enrich responses that correctly reason about a triangle as half of a parallelogram — this result sets how Day Nine opens.

Appendix: Day Eight in the CPA Grade 6 Math Lesson Plan Template

Template Field	Day Eight Content
Standard(s) & Taxonomy Level	6.G.A.1 (grade level); 3.MD.C.7d (foundational); L.6.4 (ELA/literacy, classwork worksheet); MP.6, MP.7 Understand / Apply (deriving and using the parallelogram area formula)
Learning Target(s) (SWBAT)	SWBAT explain why a parallelogram's area equals base $\times$ height using a cut-and-slide transformation into a rectangle; SWBAT correctly identify the height as the perpendicular distance, not the slanted side.
Success Criteria (I Can)	I can show that cutting and sliding a triangle turns a parallelogram into a rectangle with the same area. I can identify the base and the true height of a parallelogram, even with a slanted side shown. I can find the area of a parallelogram using $A = \text{base} \times \text{height}$. I can explain why a triangle is half of a parallelogram.
Daily Marzano Strategies	Identifying Critical Content; Examining Reasoning (cut-and-slide proof); Practicing Skills, Strategies, and Processes; Nonlinguistic Representations (the transformation diagrams)
Do-Now (5 min)	Warm-Up Recitation — base $\times$ height statements plus two spoken "trap cards" naming a slant and asking whether it is the height.
Instructional Plan	Explore (cut-and-slide demo) $\rightarrow$ Model It, Two Ways (cut-and-slide vs. direct multiplication compared) $\rightarrow$ Try It (student-built parallelogram) $\rightarrow$ Discuss It (name the misconception directly) $\rightarrow$ Practice: Mixed Parallelograms $\rightarrow$ Engage/Explore/Enrich rotation ends on aligned IXL skills.
Critical Content Debrief (5 min)	Can students explain, in their own words, why the slanted side is not used in the area formula? Can they state what stays the same and what changes when a triangle is cut and slid?
Daily Formative [Ungraded] / Summative [Graded] Assessments	Formative: teacher observation during Model It and Practice, classwork worksheet. Summative: none today; the exit ticket is diagnostic and sets Day Nine's opening focus.

Planning to Close the Achievement Gap Using Data

Tier 1 Supports	Tier 2 Supports	Tier 3 Supports
Whole-class Model It, Two Ways walkthrough on the document camera before independent work; every diagram labels the slant as a distractor; both the cut-and-slide picture and the formula posted side by side; letter-boxed word bank on the classwork worksheet for every student.	Engage board with the teacher: physically cut and slide a paper parallelogram; measure height with a set square against the base; sentence frames naming base, height, and slant before attempting independent practice.	Support Room: Multiplication & Division Fluency (continued from Day Seven). Students identified after Day Seven's Model It, Practice, and Exit Ticket results continue a dedicated support-room block for direct multiplication/division fact and procedure instruction (3.OA.B.6, 3.OA.C.7), run alongside — not instead of — today's full grade-6 parallelogram lesson. Placement is revisited weekly against new formative data; see the Day Seven Observation Guide for the original recommendation and its research basis.

Data Source: Day Seven Model It, Practice, and Exit Ticket results; Day Seven Observation Guide recommendation; Day Eight Model It, Practice, and Exit Ticket results.

Continuity Note

This guide does not repeat a new classroom observation of its own; it carries forward the recommendation made after observing Day Seven and applies it to today's planning. Day Eight's own formative results — Model It, Practice: Mixed Parallelograms, and the Exit Ticket — will in turn shape the observer note that opens Day Nine.

Explore More: Resources for Observers

For guests who would like to look deeper into the curriculum and standards behind today's lesson.

About Today's Curriculum

IXL Skill Alignment, Grade 6

The published Grade 6 skill list under Perimeter and Area (GG), used to choose today's Engage/Explore/Enrich board tasks.

[ixl.com/math/grade-6](https://www.ixl.com/math/grade-6)

Michigan K–12 Math Standards

The Michigan Department of Education's full K–12 Standards for Mathematics document.

[View Michigan DOE standards](#)

Today's Classwork Worksheet — Area of a Parallelogram

The Guess the Word / Meet the Parallelogram Family worksheet referenced throughout this guide.

[View the worksheet](#)

Standards for Mathematical Practice

The official Common Core description of MP.6, MP.7, and the other six practices.

[View on corestandards.org](http://www.corestandards.org)

References

Battista, M. T. (2007). The development of geometric and spatial thinking. In F. K. Lester Jr. (Ed.), *Second handbook of research on mathematics teaching and learning* (pp. 843–908). Information Age Publishing.

National Governors Association Center for Best Practices & Council of Chief State School Officers. (2010). *Common Core State Standards for Mathematics*.

Rittle-Johnson, B., & Star, J. R. (2007). Does comparing solution methods facilitate conceptual and procedural knowledge? An experimental study on learning to solve equations. *Journal of Educational Psychology*, 99(3), 561–574.

Roediger, H. L., & Karpicke, J. D. (2006). Test-enhanced learning: Taking memory tests improves long-term retention. *Psychological Science*, 17(3), 249–255.

Witzel, B. S., Riccomini, P. J., & Schneider, E. (2008). Implementing CRA with secondary students with learning disabilities in mathematics. *Intervention in School and Clinic*, 43(5), 270–276.

For the response-to-intervention research base supporting the continued multiplication/division support-room block (Fuchs & Fuchs, 2006; Gersten et al., 2009; National Mathematics Advisory Panel, 2008), see the References section of the Day Seven Observation Guide.