

Angler Travel and Targeting Report 2021: Santa Rosa County

A data report for the Santa Rosa County Government and Tourist Development Council
prepared by:

Ed Camp, Assistant Professor of Fisheries and Aquaculture Governance, University of
Florida, edvcamp@ufl.edu

Chris Verlinde, Florida Sea Grant Extension Agent Santa Rosa County, chrismv@ufl.edu

Table of Contents

Abbreviations and Definitions

NMFS: National Marine Fisheries Service.

MRIP: Marine Recreational Information Program, which is operated by NMFS to survey coastal anglers.

APAIS: Access Point Angler Intercept Survey, the survey implemented by MRIP to collect information about angling.

NW Panhandle region: refers to the areas of and marine waters adjacent to Escambia, Santa Rosa, Okaloosa and Walton counties.

Overview Summary

Why this report might be important

Recreational fishing is one of the dominant recreational uses of marine ecosystems globally, and marine recreational fisheries (recreational fisheries occurring in saltwater) are particularly important to Florida. Florida has more saltwater anglers than any other state—2.4 million (USFWS 2011), with over a million saltwater fishing licenses sold annually. The total economic output (market activity) of saltwater fishing in Florida was estimated at around \$8b annually (NOAA 2017), making fishing a vital part of Florida's overall economy, and especially critical for coastal counties. Because of their importance, marine recreational fisheries in Florida are carefully managed by state (Florida Fish and Wildlife Conservation Commission; FWC) and by federal (NOAA's National Marine Fisheries Service, NMFS) agencies. These two agencies partner to collect information about recreational fishing that is freely available to the public in the form of large databases. Extracting and visualizing these data can be challenging. We have queried these databases and summarized information we think may be helpful to the Santa Rosa County Government and Tourist Development Council. **Specifically this information can be used to inform advertisements of fishing-related tourism in Santa Rosa County.**

What this report can be used for

This report is designed to provide information about marine recreational fishing dynamics in Santa Rosa County. Fishing dynamics include information about what species of fish recreational fishers (commonly called “anglers”) are most often trying to catch and where anglers come from when they fish marine waters from Santa Rosa County. Angler targeting and travel information may have several uses. Understanding what fish species are commonly targeted may help inform:

- Which species are most popular with local or non-local anglers.
- How to best advertise fishing in this area—e.g. what fish species should be pictured in advertisements.
- Which rule changes local anglers will care the most about.
- How changes in fish populations (like from a habitat change or fish kill) may affect fishing effort, angler travel, and eventually, local economies.

Information on where anglers come from when they fish local waters has multiple potential uses as well, and we think it can inform:

- Locations to place advertisements for local fishing. For example, does it make more sense to advertise Santa Rosa County recreational fishing in New York, or in Georgia?
- Which people might want to be involved in local fisheries decision-making. For example, if many Santa Rosa County anglers reside in other counties, these anglers should perhaps be surveyed prior to any rule changes.

Together, this information is intended to help local governance entities, like the Santa Rosa County Government and Tourist Development Council, access and use data that can help

them better serve their constituents and sustain or improve the economic effects of marine recreational fishing in Santa Rosa County.

Where the information from this report comes from

All of the data in this report come from the NOAA's National Marine Fisheries Program (NMFS) Marine Recreational Information Program (MRIP). These data are publicly available for download at <https://www.fisheries.noaa.gov/recreational-fishing-data/data-downloads>. The MRIP program contains information voluntarily provided by anglers at fishing locations surveyed according to a scientifically designed sampling program. Data are continuously collected, but data in this report are for years 2009-2019. Future reports will show updated data as they are available.

NMFS MRIP background

What is MRIP?

While commercial fishers have a separate reporting system with specific requirements for commercial fishers to report fishing locations and catches to state and federal agencies, no such requirements exist for recreational fishers. The MRIP is NMFS's way of gathering information needed to sustainably manage recreational fisheries. The MRIP allows state and federal researchers and managers to understand things like:

- How many recreational fishing trips are being taken in a region and time period?
- How many of these trips target a certain species?
- What are angling catch rates and how are they changing?
- What are the sizes of fish that are harvested?

These things can be important for developing stock assessments that inform fisheries management decisions. The MRIP system includes two main surveys. One is an “access point” or “intercept” survey designed to understand aspects of fishing trips like length of trip, origin, target species, etc. The other, which this report does not use, is designed to understand what proportion of the human population in an area is engaging in these types of fishing trips. Information from the two surveys is combined to allow researchers to estimate some of the information described in the bullet points above, as well as important things like the total amount of a certain fish species that recreational fishers harvest or remove in a region and time.

What MRIP information does this report use?

It is important to understand that this report does not use the estimates from MRIP. This report only uses the actual data provided by the angler intercept survey. This means all the data here are exactly what anglers are telling surveyors when they are interviewed. This distinction is important for a couple reasons. The data used here are simply descriptive. We do not show “error” or “uncertainty” around them, because we are reporting the metrics from the database, and not extrapolating the data by any factors or subjecting them to statistical estimation processes. What this means, is that the data here will be correct as long as anglers are correctly reporting to surveyors what they did when they went fishing.

Additional information about MRIP

A lot of additional information is available about the NMFS MRIP data and how these data are used. We have described the parts of this information that are important to know to understand and best use the data provided in this report. Additional information directly through NOAA Fisheries at <https://www.fisheries.noaa.gov/topic/recreational-fishing-data>, as well as through the Marine Resource Education Program, MREP (different from MRIP), for which more information is available at: <https://www.gmri.org/our-work/fisheries-convening/mrep-southeast>. Finally, many Florida Sea Grant agents and county faculty, FWC personnel, and University of Florida researchers know about MRIP and may be able to answer additional questions.

Fishing Trip Origins: Where do your anglers come from?

Background on data used

Every recreational fishing trip made has an origin and a destination. In the MRIP data system, the origin is described as the angler's residence, and the destination is defined as where the angler was intercepted (e.g., boat ramp, fishing pier, etc.). For this report, the residence is considered to be the population centroid of the angler's county-of-residence. The population centroid is the spatial location in a county that "balances" the county's population. This means the centroid isn't the geographical center of the county, but it is the most likely "average" location for a person to come from, given we know they live in a certain county. The fishing site destinations that are surveyed include those in the MRIP Access Point Angler Intercept Survey (APAIS). What is important is that these destination sites are selected as part of a statistically designed survey. Further information about APAIS and the specific destinations is available at:

<https://www.fisheries.noaa.gov/recreational-fishing-data/public-access-fishing-site-register>

Fishing Trip Origins: Background on methods used

For the recreational fishing trip origin information, we use data available in the MRIP "trips" databases that describe the results of the MRIP APAIS survey—this is the information that anglers tell surveyors when they are interviewed about their trips. We designed queries that let us look at the anglers that were interviewed in specifically Santa Rosa County—i.e. the trips where anglers' fishing destination was in marine waters adjacent to Santa Rosa County, regardless of where the origin was. Once we have isolated the trips occurring in Santa Rosa County, we can analyze where most of these trips came from. Specifically, we can look at things like:

- The proportion of trips sampled in Santa Rosa County that come from out-of-state origins.
- The proportion of trips sampled in Santa Rosa County with in-state origins.
- Both the above, but for trips in a multi-county region that includes Santa Rosa County.

One thing that is important to note is that we report the proportion of the sampled trips. This is not the same as reporting the total number of trips. Enumerating the total number of trips would require estimation tools that are not described here. However, because of the statistical design that the MRIP APAIS survey is implemented, the proportions we use (of sampled trips) should correspond to the total numbers of trips. What this means is that the information in this report can be very useful for things like understanding where people, on average, are coming from when they fish Santa Rosa County. Additional information on angler trip analyses is provided in (Camp et al. 2018).

We provide two types of information about angler origins:

- Tables describing where anglers come from.
- Figures of maps graphically illustrating anglers travel.

Fishing Trip Origins Results: Tables

We provide two tables summarizing where anglers come from when they fish various parts of Florida and specifically the NW Panhandle region and Santa Rosa County.

Table 1 compares the states that out-of-state anglers come from when they fish either anywhere in Florida, the NW Panhandle region, or specifically Santa Rosa County.

Table 2 shows the county-origins of trips made by Florida residents. It compares the proportion of sampled trips coming from counties by anglers (*i*) living outside of the NW Panhandle region, (*ii*) living outside of Santa Rosa County, and (*iii*) living anywhere in Florida, including Santa Rosa County.

We anticipate these tables may be useful in several ways, including:

- Understanding where anglers fishing in Santa Rosa County come from, which may inform placement of fishing and tourism advertisements.
- Understanding how angler origins may differ between Santa Rosa County and surrounding areas. This can potentially be used to further fine tune efficient advertisement placement by identifying locations where Santa Rosa County may compete more or less with nearby counties for angling visitors.
- Understanding what proportion of anglers fishing Santa Rosa County are local vs. visitors, which may be useful for deciding where to have meetings about Santa Rosa County fishing.

Table 1

Out-of-state angler origins comparison

Orig.(FL)	Prop.	Orig.(NW Panhandle)	Prop.	Orig.(Santa Rosa)	Prop.
Georgia	0.157	Alabama	0.184	Alabama	0.176
Alabama	0.075	Georgia	0.149	Georgia	0.143
Not Available	0.074	Tennessee	0.105	Texas	0.118
Tennessee	0.053	Texas	0.105	Tennessee	0.074
Texas	0.053	Louisiana	0.059	Louisiana	0.062
Illinois	0.046	Mississippi	0.047	Oklahoma	0.059
Ohio	0.044	Missouri	0.042	Mississippi	0.044
New York	0.043	Kentucky	0.039	Kentucky	0.037
Michigan	0.042	Arkansas	0.034	Missouri	0.037
Pennsylvania	0.032	Illinois	0.028	Illinois	0.034

Table 1. State origins of anglers fishing Florida, the NW Panhandle region, and Santa Rosa County, for 2009-2019.

This table compares which states out-of-state anglers come from when they fish either Florida as a whole, the NW Panhandle region (here defined as including Escambia, Santa Rosa, Okaloosa and Walton counties), or Santa Rosa County.

- Columns 1 & 2 show the state origins of non-Florida residents when they fish in Florida.
- Columns 3 & 4 show the state origins of non-Florida residents when they fish the NW Panhandle region.
- Columns 5 & 6 show the state origins of non-Florida residents when they fish Santa Rosa County.

This comparison allows understanding where (i) out of state anglers fishing Santa Rosa County come from, and (ii) how that compares to the local region and broader state of Florida. This may be helpful for understanding if Santa Rosa County is attracting anglers from specific origins differently than the surrounding region of the NW Panhandle, or Florida as a whole.

The “Not Available” is returned either when anglers refuse to give state of origin, or do not reside in the US-i.e. international visitors.

Table 2

In-state angler origin comparison

Out-of-region Orig.	Prop.	Out-of-county Orig.	Prop.	Any Orig.	Prop.
Leon	0.158	Escambia	0.718	Santa Rosa	0.696
Bay	0.095	Okaloosa	0.194	Escambia	0.218
Duval	0.066	Walton	0.017	Okaloosa	0.059
Hillsborough	0.055	Duval	0.016	Duval	0.005
Alachua	0.046	Hernando	0.008	Walton	0.005
Orange	0.031	Leon	0.005	Hernando	0.002
Pinellas	0.031	Bay	0.003	Bay	0.001
Holmes	0.026	Calhoun	0.003	Calhoun	0.001
Seminole	0.026	Gilchrist	0.003	Gilchrist	0.001
Clay	0.023	Hillsborough	0.003	Hillsborough	0.001

Table 2. County origins of Florida anglers fishing the NW Panhandle region and Santa Rosa county, for 2009-2019.

This table compares which counties Florida resident anglers come from when they fish the NW Panhandle region (Escambia, Santa Rosa, Okaloosa and Walton counties) or specifically Santa Rosa County.

- Columns 1 & 2 show origins of Florida residents fishing the NW Panhandle region who live outside of the NW Panhandle region.
- Columns 3 & 4 show origins of Florida residents fishing Santa Rosa County but living outside of Santa Rosa County.
- Columns 5 & 6 show origins of Florida residents fishing Santa Rosa County, regardless of where in Florida they live.

This comparison allows understanding (*i*) where Florida resident anglers fishing the NW Panhandle region and Santa Rosa County come from, and (*ii*) the Florida counties from which the greatest proportion of out-of-county trips come from.

Fishing Trip Origin Results: Maps

We provide several maps to graphically illustrate where sampled anglers come from when they fish the NW Panhandle region and Santa Rosa County. The maps show the “direct line” paths between the population centroids of anglers’ county of residence and the location where they were sampled by the MRIP APAIS survey-i.e. their fishing destinations. For all maps, thicker and warmer colored lines indicate more trips from a given county to a given destination, and thinner and cooler colors suggests fewer trips. Here, different maps are created for different species, including the top five species targeted in the NW Panhandle region.

Figure 1 maps trips to Santa Rosa County regardless of species targeted.

Figure 2 maps trips to the NW Panhandle region when anglers targeted Red snapper.

Figure 3 maps trips to the NW Panhandle region when anglers targeted Red drum.

Figure 4 maps trips to the NW Panhandle region when anglers targeted King mackerel.


Figure 5 maps trips to the NW Panhandle region when anglers targeted Greater amberjack.

Figure 6 maps trips to the NW Panhandle region when anglers targeted Spanish mackerel.

The primary purpose of these figures is to serve as a visual aid to augment the use of the previous tables.

Figure 1.

Trips to Santa Rosa County, all species




Source: NMFS MRIP Trips data

Figure 1. Map showing where trips fishing Santa Rosa County originated in, regardless of species targeted, for 2009-2019. Thicker and warmer colored lines show relatively more trips taken, and thinner, cooler colored lines show that relatively fewer trips were taken.

Figure 2.

Trips to NW Panhandle, Red snapper




Source: NMFS MRIP Trips data

Figure 2. Map showing where trips fishing the NW Panhandle region originated in, when targeted Red snapper, for 2009-2019. Thicker and warmer colored lines show relatively more trips taken, and thinner, cooler colored lines show that relatively fewer trips were taken.

Figure 3.

Trips to NW Panhandle, Red drum




Source: NMFS MRIP Trips data

Figure 3. Map showing where trips fishing the NW Panhandle region originated in, when targeted Red drum, for 2009-2019. Thicker and warmer colored lines show relatively more trips taken, and thinner, cooler colored lines show that relatively fewer trips were taken.

Figure 4.

Trips to NW Panhandle, King mackerel




Source: NMFS MRIP Trips data

Figure 4. Map showing where trips fishing the NW Panhandle region originated in, when targeted King mackerel, for 2009-2019. Thicker and warmer colored lines show relatively more trips taken, and thinner, cooler colored lines show that relatively fewer trips were taken.

Figure 5.

Trips to NW Panhandle, Greater amberjack




Source: NMFS MRIP Trips data

Figure 5. Map showing where trips fishing the NW Panhandle region originated in, when targeted Greater amberjack, for 2009-2019. Thicker and warmer colored lines show relatively more trips taken, and thinner, cooler colored lines show that relatively fewer trips were taken.

Figure 6.

Trips to NW Panhandle, Spanish mackerel



Source: NMFS MRIP Trips data

Figure 6. Map showing where trips fishing the NW Panhandle region originated in, when targeted Spanish mackerel, for 2009-2019. Thicker and warmer colored lines show relatively more trips taken, and thinner, cooler colored lines show that relatively fewer trips were taken.

Species targeted: What do your anglers fish for?

Background on data used

The MRIP APIAS includes questions about the species that interviewed anglers were targeting on their recently completed fishing trips. Specifically, anglers are asked what their “primary” and “secondary” targeted species were. Not all anglers provide a specific species. Statewide, nearly 50% of trips do not have a listed target, though certain regions have much greater proportions trips targeting specific fish. The species targeted information is used by MRIP to estimate fishing effort, but can be used here to understand what species are most commonly fished for. Further information about APAIS and the specific destinations is available at: <https://www.fisheries.noaa.gov/recreational-fishing-data/public-access-fishing-site-register>.

Species targeted: Background on methods used

To understand what fish species anglers most commonly fished for, we use data available in the MRIP “trips” databases that describe the results of the MRIP APAIS survey. The “trips” database contains the information that anglers tell surveyors when they are interviewed about their recreational fishing trips. We designed a series of queries to calculate the proportions of trips targeting specific fish species. Queries represented different scenarios regarding where anglers were intercepted (their destinations) and where they listed their home residence (their origin). This information was summarized by pooling trips over time—i.e. looking at the last 10 years (2009-2019) together. To assess potential changes in the fish that anglers target, we also analyzed time series for some of the most commonly targeted species. Time series were constructed by assessing the proportions of trips intercepted in the NW Panhandle region that targeted a specific species for each of the last 10 years.

Species targeted: Information provided

Two types of information products were developed:

- Tables describing the proportions of trips targeting different fish species at various combinations of fishing locations and residences.
- Figures showing the time series of proportion of trips taken in the NW Panhandle region targeting the most popular fish species.

One thing that is important to note is that we report the proportion of the sampled trips targeting a certain species. This is not the same as reporting the total number of trips. Enumerating the total number of trips would require estimation tools that are not described here. However, because of the statistical design used to implement the MRIP APAIS survey, the proportions we use (of sampled trips) should correspond to the total numbers of trips. What this means is that the information in this report can be very useful for things like understanding where people, on average, are coming from when they fish Santa Rosa County.

Species Targeted Results: Tables

Tables describing the proportions of trips targeting different fish species at various combinations of fishing locations and residences, including:

- Trips in all of Florida, regardless of origin.
- Trips in Florida's 7 coast, regardless of origin.
- Trips in the NW Panhandle region, regardless of origin.
- Trips taken in Santa Rosa County, regardless of origin.
- Trips taken in Santa Rosa County by Santa Rosa County residents.
- Trips taken in Santa Rosa County by non-residents of Santa Rosa County.
- Trips taken in Santa Rosa County by out-of-state anglers.

These results are summarized in two separate tables that promote comparison of Santa Rosa County to surrounding areas. All results represent data pooled over the last 10 years (2009-2019).

We anticipate these tables may be useful in several ways, including:

- Understanding what species anglers are targeting when they fish in Santa Rosa County, which may help inform local government interest in state and regional fisheries management issues.
- Understanding what species visiting (non Santa Rosa-County residents) anglers target, which may inform the media outlets and visuals (e.g., fish photos) of future advertisements).

*Table 3**Proportion of species targeted, comparing county to state*

FL trips	Prop.	FL 7 trips	Prop.	NW Panhandle trips	Prop.	Santa Rosa trips	Prop.
No Target	0.491	No Target	0.481	No Target	0.575	No Target	0.455
Red drum	0.098	Red drum	0.099	Red snapper	0.100	Red drum	0.099
Spotted seatrout	0.076	Spotted seatrout	0.096	Red drum	0.057	Red snapper	0.083
Dolphin	0.035	Common snook	0.031	King mackerel	0.049	King mackerel	0.080
Common snook	0.031	Spanish mackerel	0.031	Greater amberjack	0.028	Spotted seatrout	0.056
King mackerel	0.026	Red snapper	0.028	Spanish mackerel	0.026	Spanish mackerel	0.047
Spanish mackerel	0.024	King mackerel	0.025	Spotted seatrout	0.024	Cobia	0.022
Red snapper	0.021	Gag	0.023	Sheepshead	0.020	Sheepshead	0.022
Sheepshead	0.018	Gray snapper	0.020	Cobia	0.016	Striped mullet	0.013
Gag	0.016	Atlantic tarpon	0.019	Florida pompano	0.012	Greater amberjack	0.012

Table 3. Comparison of species targeted in Santa Rosa county to other regions of Florida, for 2009-2019.

- Columns 1 & 2 show species targeted for trips made throughout Florida.
- Columns 3 & 4 show species targeted for trips made to the 7 coast of Florida.
- Columns 5 & 6 show species targeted for trips made in the NW Panhandle region.
- Columns 7 & 8 show species targeted for trips made in Santa Rosa County.

*Table 4**Proportion of species targeted, comparing county to state*

All Santa Rosa trips	Prop.	In county trips	Prop.	Out of county trips	Prop.	Out of state trips	Prop.
No Target	0.455	No Target	0.419	No Target	0.497	No Target	0.582
Red drum	0.099	Red drum	0.108	Red drum	0.088	Red snapper	0.086
Red snapper	0.083	King mackerel	0.098	Red snapper	0.072	Red drum	0.064
King mackerel	0.080	Red snapper	0.093	Spotted seatrout	0.069	Spanish mackerel	0.059
Spotted seatrout	0.056	Spanish mackerel	0.046	King mackerel	0.059	King mackerel	0.055
Spanish mackerel	0.047	Spotted seatrout	0.044	Spanish mackerel	0.047	Spotted seatrout	0.055
Cobia	0.022	Cobia	0.032	Striped mullet	0.020	Sand seatrout	0.010
Sheepshead	0.022	Sheepshead	0.025	Sheepshead	0.019	Gray snapper	0.008
Striped mullet	0.013	Greater amberjack	0.014	Lefteye flounder family	0.012	Vermilion snapper	0.008
Greater amberjack	0.012	Lefteye flounder family	0.011	Cobia	0.011	Cobia	0.007

Table 4. Proportions of species targeted by fishing trips made in Santa Rosa county by anglers from various origins, for 2009-2019.

- Columns 1 & 2 show the species targeted by all trips made in Santa Rosa County.
- Columns 3 & 4 show the species targeted in Santa Rosa County by Santa Rosa residents.
- Columns 5 & 6 show the species targeted in Santa Rosa County by Florida residents not living in Santa Rosa County.
- Columns 7 & 8 shows the species targeted in Santa Rosa County by non-residents of Florida.

Species Targeted Results: Time series figures

We provide time series of the proportion of intercepted trips that targeted each of the top nine species fished for in the NW Panhandle region. Data are available for each year from 2009-2019, and represent the raw proportions of surveyed trips, which means that no uncertainty estimates (e.g. “error” bars) are relevant to these data.

The multi-panel figure below should primarily be useful for understanding how the species of fish anglers target when they fish has changed in recent years. These changes may be related to changes in angler’s preferences, but can have other causes as well, such as:

- Changes in costs of fishing (e.g., fuel), since some species require larger boats or longer travel times to target.
- Changes in fishing regulations for specific species.
- Changes in knowledge of how to successfully target specific species.
- Changes in fish populations, which can be the result of changing fishing, fisheries management, or habitat, as well as perturbations like red tide or cold kills.




Figure 6. Time series of the proportion of intercepted trips targeting each of the top 9 fish species targets in the NW Panhandle region, for 2009-2019.

Each panel describes the time series for one of the top-targeted fish species (including no species targeted, “No Target”). Proportion of total trips targeting each species over the entire span of years (2009-2019) shown is provided in parentheses following each species’ name.

References

Camp, E. V., Ahrens R. N. M., C. Crandall, and K. Lorenzen. 2018. "Angler travel distances: Implications for spatial approaches to marine recreational fisheries governance." *Marine Policy* 87: 263–74.

NOAA, National Marine Fisheries Service. 2017. "Fisheries Economics of the United States, 2015." NOAA Tech. Memo. NMFS-F/SPO-170. U.S. Depart. of Commerce.

USFWS, U. S. Fish Wildlife Service. 2011. "National Survey of Fishing, Hunting, and Wildlife-Associated Recreation." U.S. Depart. of Commerce.