

1 point

1.

(True/False) Skipping data points (i.e., skipping rows of the data) that have missing features only works when the learning algorithm we are using is decision tree learning.

☐

True

☒

False

1 point

2.

What are potential downsides of skipping features with missing values (i.e., skipping columns of the data) to handle missing data?

☒

So many features are skipped that accuracy can degrade

☐

The learning algorithm will have to be modified

☐

You will have fewer data points (i.e., rows) in the dataset

☒

If an input at prediction time has a feature missing that was always present during training, this approach is not applicable.

1 point

3.

(True/False) It's always better to remove missing data points (i.e., rows) as opposed to removing missing features (i.e., columns).

☐

True

☒

False

1 point

4.

Consider a dataset with N training points. After imputing missing values, the number of data points in the data set is

☐

2 * N

☒

N

☐

5 * N

1 point

5.

Consider a dataset with D features. After imputing missing values, the number of features in the data set is

☐

2 * D

☒

D

☐

0.5 * D

1 point

6.

Which of the following are always true when imputing missing data? Select all that apply.

☒

Imputed values can be used in any classification algorithm

☒

Imputed values can be used when there is missing data at prediction time

☐

Using imputed values results in higher accuracies than skipping data points or skipping features

1 point

7.

Consider data that has binary features (i.e. the feature values are 0 or 1) with some feature values of some data points missing. When learning the best feature split at a node, how would we best modify the decision tree learning algorithm to handle data points with missing values for a feature?

☒

We choose to assign missing values to the branch of the tree (either the one with feature value equal to 0 or with feature value equal to 1) that minimizes classification error.

☐

We assume missing data always has value 0.

☐

We ignore all data points with missing values.