



# EM

## EM

VAEDiffusion Model

EM

KL

EM

Q

EM

Jeason

$$\log\{P(Y,Z|\theta)\} | Y, \theta^{(i)} \} \} \text{Q} + \underbrace{\sum_Z \{P(Z|Y, \theta^{(i)}) \log\{P(Z|Y, \theta^{(i)})\}\}}_{\text{}} \end{aligned} \quad$$

$$\begin{aligned} \text{E} \quad q(Z) = P(Z|Y, \theta) \quad \mathcal{L}(q, \theta^{(i+1)}) \geq \mathcal{L}(q, \theta^{(i)}) \quad \log\{P(Y, Z|\theta^i)\} = \mathcal{L} \\ (q, \theta^{(i)}) \quad \mathcal{L}(q, \theta^{(i+1)}) \geq \mathcal{L}(q, \theta^{(i+1)}) \quad \log\{P(Y, Z|\theta^{i+1})\} \geq \mathcal{L}(q, \theta^{(i+1)}) \quad \log\{P(Y, Z|\theta^{i+1})\} \geq \mathcal{L}(q, \theta^{(i+1)}) \end{aligned}$$

$$\phi(y|\theta_k) = \frac{1}{\sqrt{2\pi}\sigma_k} \exp(-\frac{(x-\mu_k)^2}{2\sigma_k^2})$$

$$\begin{aligned} &P(y|\theta) = \sum_{k=1}^K \alpha_k \phi(y|\theta_k) \\ &\text{s.t. } \alpha_k \geq 0 \quad (k=1, \dots, K), \quad \sum_{k=1}^K \alpha_k = 1 \end{aligned}$$

$$Q(\theta, \theta^{(i)}) = \mathbb{E}_{\gamma} [\log\{P(y, \gamma|\theta)\} | y, \theta^{(i)}]$$

$$\theta = (\alpha_k, \mu_k, \sigma_k^2)$$

$$\gamma_{jk} = \begin{cases} 1 & \text{if } k \text{ is the active component} \\ 0 & \text{otherwise} \end{cases}$$

$$\begin{aligned} P(y, \gamma|\theta) &= \prod_{j=1}^N \{p(y_j, \gamma_{j1}, \gamma_{j2}, \dots, \gamma_{jk}|\theta)\} \\ &= \prod_{j=1}^N \{ \prod_{k=1}^K [\alpha_k \phi(y_j|\theta_k)]^{\gamma_{jk}} \} \end{aligned}$$

$$n_k = \sum_{j=1}^N \gamma_{jk}$$

$$\begin{aligned} &\prod_{j=1}^N \{ \prod_{k=1}^K [\alpha_k \phi(y_j|\theta_k)]^{\gamma_{jk}} \} = \prod_{k=1}^K \{ \alpha_k^{n_k} \prod_{j=1}^N [\phi(y_j|\theta_k)]^{\gamma_{jk}} \} \\ &= \prod_{k=1}^K \{ \alpha_k^{n_k} \prod_{j=1}^N [\phi(y_j|\theta_k)]^{\gamma_{jk}} \} \end{aligned}$$

$$\begin{aligned} Q(\theta, \theta^{(i)}) &= \mathbb{E}_{\gamma} \{ \sum_{k=1}^N n_k \log\{\alpha_k\} + \sum_{j=1}^N \gamma_{jk} [\log\{\phi(y_j|\theta_k)\}] \} \\ &= \mathbb{E}_{\gamma} \{ \sum_{k=1}^N n_k \log\{\alpha_k\} + \sum_{j=1}^N \gamma_{jk} [ \log\{\frac{1}{\sqrt{2\pi}}\} - \log\{\sigma_k\} - \frac{(y_j - \mu_k)^2}{2\sigma_k^2} ] ] \} \end{aligned}$$

$$\begin{aligned} &\mathbb{E}_{\gamma} \{ \sum_{k=1}^N n_k \log\{\alpha_k\} + \sum_{j=1}^N \gamma_{jk} [\log\{\phi(y_j|\theta_k)\}] \} \\ &= \frac{P(\gamma_{jk} = 1 | y, \theta^{(i)})}{P(\gamma_{jk} = 1 | \theta^{(i)}) P(y_j | \gamma_{jk} = 1, \theta^{(i)})} P(y_j | \theta^{(i)}) \\ &= \frac{\alpha_k \phi(y_j|\theta_k)}{\sum_{k=1}^K \alpha_k \phi(y_j|\theta_k)} \end{aligned}$$

$$\begin{aligned} n_k &= \sum_{j=1}^N \gamma_{jk} \\ &= \sum_{j=1}^N \mathbb{E}_{\gamma} [\gamma_{jk} | y, \theta^{(i)}] = \sum_{j=1}^N \hat{\gamma}_{jk} \end{aligned}$$

$$Q(\theta, \theta^{(i)}) = \sum_{k=1}^N \left\{ \sum_{j=1}^N \left( \mathbb{E}[\gamma_{jk}] \right) \log \alpha_k + \sum_{j=1}^N \left( \mathbb{E}[\gamma_{jk}] \right) \left[ \log \frac{1}{\sqrt{2\pi}} - \log \sigma_k - \frac{(y_j - \mu_k)^2}{2\sigma_k^2} \right] \right\} | y, \theta^{(i)}$$

$$= \sum_{k=1}^N \left\{ \sum_{j=1}^N \left( \hat{\gamma}_{jk} \right) \left[ \log \frac{1}{\sqrt{2\pi}} - \log \sigma_k - \frac{(y_j - \mu_k)^2}{2\sigma_k^2} \right] \right\} | y, \theta^{(i)}$$

$$Q(\theta, \theta^{(i)}) = \sum_{k=1}^N \left\{ \sum_{j=1}^N \left( \mathbb{E}[\gamma_{jk}] \right) \log \alpha_k + \sum_{j=1}^N \left( \mathbb{E}[\gamma_{jk}] \right) \left[ \log \frac{1}{\sqrt{2\pi}} - \log \sigma_k - \frac{(y_j - \mu_k)^2}{2\sigma_k^2} \right] \right\} | y, \theta^{(i)}$$

- $\mathbb{E}[\gamma_{jk}] | y, \theta^{(i)}$ 
 $P(\gamma_{jk} = 1 | y, \theta^{(i)})$ 

$$1 - \frac{1}{N} \sum_{j=1}^N \mathbb{E}[\gamma_{jk}]$$
- $\hat{\gamma}_{jk}$ 
 $y_j$ 
 $k$
- $P(y | \theta^{(i)})$ 
 $\theta^{(i)}$ 
 $y$
- $P(\gamma_{jk} = 1 | \theta^{(i)})$ 
 $\theta^{(i)}$ 
 $k$ 
 $\alpha_k$

$$\alpha, \mu, \sigma$$

$$\hat{\alpha}_k = \frac{n_k}{N}$$

$$\hat{\mu}_k = \frac{\sum_{j=1}^N \hat{\gamma}_{jk} y_j}{\sum_{j=1}^N \hat{\gamma}_{jk}}$$

$$\hat{\sigma}_k = \frac{\sum_{j=1}^N \hat{\gamma}_{jk} (y_j - \mu_k)^2}{\sum_{j=1}^N \hat{\gamma}_{jk}}$$