采购寻源技术与价格分析报告

报告标识

项	值
项目	访客 A 的公开演示项目
项目编号	6b2573dd-bd03-4e8c-baea-5c628164d069
寻源运行	3985d9c5-f4ab-409d-8c3c-5bd741def903
需求修订	1
决策版本	20e950c7260891fd0664f71e597064985554d73360ecc6f1df118848f19a4acc
生成时间	2026-11-03T17:59:03.327732+00:00
需求 DSL 版本	1.0
计算器版本	0.1.0

阅读须知

- 本报告只使用已经落库的候选、核对与决策，不包含任何未落库的推测。
- 技术结论分为通过、不通过、未知三值；未知表示证据不足，不能当作合格。
- 长名单不等于合格名单，只有“建议询价”一档的候选通过了硬约束核对。
- 价格按口径分别给出，不同口径之间不做比较，也不产生节支。
- 历史价格只在它所属的品项范围内成立；全表概览不作为单个产品的比价依据。

一、需求摘要

text_1:r1 | 5MP 工业网络摄像机

- 品名：5MP 工业网络摄像机
- 数量：10 套
- 计划价：100 CNY 套
- [HARD] output_resolution（视频输出分辨率）：GTE 5 MP；原文：“输出分辨率不低于 5MP”

二、候选与型号

下表是本次公开寻源发现的所有候选。长名单不是合格名单：只有技术核对通过并经过程序化闸门的候选才会进入建议询价。

供应商	型号	阶段	技术结论	建议	证据数
Bosch	NBN-80052-BA	长名单	通过	建议询价	14
Bosch Security Systems B.V.	NBN-80052-BA	长名单	通过	建议询价	14
Bosch	NBN-80052-BA	长名单	通过	建议询价	14
Bosch Security Systems B.V.	NBN-80052-BA	长名单	通过	建议询价	14
Bosch Security Systems B.V.	NBN-80052-BA	长名单	通过	建议询价	14
Bosch Security (Cctv) Systems	NBN-80052-BA	长名单	通过	建议询价	14
Bosch	NBN-80052-BA	长名单	通过	建议询价	15
boschsecurity.com	NBN-80052-BA	长名单	通过	建议询价	15
Bosch	NBN-80052-BA	长名单	通过	建议询价	15
Bosch	NBN-80052-BA	长名单	通过	建议询价	15
boschsecurity.com	NBN-80052-BA	长名单	通过	建议询价	15
boschsecurity.com	NBN-80052-BA	长名单	通过	建议询价	15
Bosch	NBN-80052-BA	长名单	通过	建议询价	15
NBN-80052-BA Fixed camera 5MP	NBN-80052-BA	长名单	通过	建议询价	15
Bosch Security Systems B.V.	NBN-80052-BA	长名单	通过	建议询价	15
www.boschsecurity.com	NBN-80052-BA	长名单	通过	建议询价	15
Bosch	NBN-80052-BA	长名单	通过	建议询价	15
Bosch	NBN-80052-BA	长名单	通过	建议询价	15
Bosch Security	NBN-80052-BA	长名单	通过	建议询价	15
Bosch	NBN-80052-BA	长名单	通过	建议询价	15
DINION IP	NBN-80052-BA	长名单	通过	建议询价	15
Bosch Security Systems	NBN-	长名单	通过	建议询价	1

B.V.	80052-BA				
Bosch	（型号未确认）	长名单	未知（证据不足）	待补充证据	1

三、关键技术判定

每条判定都由程序化计算得出：模型负责理解语义，代码负责单位换算与比较。UNKNOWN 表示证据不足，不代表合格。

NBN-80052-BA（Bosch） | 通过

需求：5MP 工业网络摄像机；结论码：VERIFIED_COMPARISON

约束	计算	结果	原因码	说明	证据
text_1:c1	5MP GTE 5MP	通过	VERIFIED_COMPARISON	output_resolution is 5 MP and the requirement asks GTE 5 MP: PASS	ev_6e2a06951e768e3245ef41ce

NBN-80052-BA（Bosch Security Systems B.V.） | 通过

需求：5MP 工业网络摄像机；结论码：VERIFIED_COMPARISON

约束	计算	结果	原因码	说明	证据
text_1:c1	5MP GTE 5MP	通过	VERIFIED_COMPARISON	output_resolution is 5 MP and the requirement asks GTE 5 MP: PASS	ev_6e2a06951e768e3245ef41ce

NBN-80052-BA（Bosch） | 通过

需求：5MP 工业网络摄像机；结论码：VERIFIED_COMPARISON

约束	计算	结果	原因码	说明	证据
text_1:c1	5MP GTE 5MP	通过	VERIFIED_COMPARISON	output_resolution is 5 MP and the requirement asks GTE 5 MP: PASS	ev_6e2a06951e768e3245ef41ce

NBN-80052-BA（Bosch Security Systems B.V.） | 通过

需求：5MP 工业网络摄像机；结论码：VERIFIED_COMPARISON

约束	计算	结果	原因码	说明	证据
text_1:c1	5MP GTE 5MP	通过	VERIFIED_COMPARISON	output_resolution is 5 MP and the requirement asks GTE 5 MP: PASS	ev_6e2a06951e768e3245ef41ce

NBN-80052-BA（Bosch Security Systems B.V.） | 通过

需求：5MP 工业网络摄像机；结论码：VERIFIED_COMPARISON

约束	计算	结果	原因码	说明	证据
text_1:c1	5MP GTE 5MP	通过	VERIFIED_COMPARISON	output_resolution is 5 MP and the requirement asks GTE 5 MP: PASS	ev_6e2a06951e768e3245ef41ce

NBN-80052-BA（Bosch Security (Cctv) Systems） | 通过

需求：5MP 工业网络摄像机；结论码：VERIFIED_COMPARISON

约束	计算	结果	原因码	说明	证据
text_1:c1	5MP GTE 5MP	通过	VERIFIED_COMPARISON	output_resolution is 5 MP and the requirement asks GTE 5 MP: PASS	ev_6e2a06951e768e3245ef41ce

NBN-80052-BA（Bosch） | 通过

需求：5MP 工业网络摄像机；结论码：VERIFIED_COMPARISON

约束	计算	结果	原因码	说明	证据
text_1:c1	5MP GTE 5MP	通过	VERIFIED_COMPARISON	output_resolution is 5 MP and the requirement asks GTE 5 MP: PASS	ev_6e2a06951e768e3245ef41ce

NBN-80052-BA（boschsecurity.com） | 通过

需求：5MP 工业网络摄像机；结论码：VERIFIED_COMPARISON

约束	计算	结果	原因码	说明	证据
text_1:c1	5MP GTE 5MP	通过	VERIFIED_COMPARISON	output_resolution is 5 MP and the requirement asks GTE 5 MP: PASS	ev_6e2a06951e768e3245ef41ce

NBN-80052-BA（Bosch） | 通过

需求：5MP 工业网络摄像机；结论码：VERIFIED_COMPARISON

约束	计算	结果	原因码	说明	证据
text_1:c1	5MP GTE 5MP	通过	VERIFIED_COMPARISON	output_resolution is 5 MP and the requirement asks GTE 5 MP: PASS	ev_6e2a06951e768e3245ef41ce

NBN-80052-BA（Bosch） | 通过

需求：5MP 工业网络摄像机；结论码：VERIFIED_COMPARISON

约束	计算	结果	原因码	说明	证据
text_1:c1	5MP GTE 5MP	通过	VERIFIED_COMPARISON	output_resolution is 5 MP and the requirement asks GTE 5 MP: PASS	ev_6e2a06951e768e3245ef41ce

NBN-80052-BA（boschsecurity.com） | 通过

需求：5MP 工业网络摄像机；结论码：VERIFIED_COMPARISON

约束	计算	结果	原因码	说明	证据
text_1:c1	5MP GTE 5MP	通过	VERIFIED_COMPARISON	output_resolution is 5 MP and the requirement asks GTE 5 MP: PASS	ev_6e2a06951e768e3245ef41ce

NBN-80052-BA（boschsecurity.com） | 通过

需求：5MP 工业网络摄像机；结论码：VERIFIED_COMPARISON

约束	计算	结果	原因码	说明	证据
text_1:c1	5MP GTE 5MP	通过	VERIFIED_COMPARISON	output_resolution is 5 MP and the requirement asks GTE 5 MP: PASS	ev_6e2a06951e768e3245ef41ce

NBN-80052-BA（Bosch） | 通过

需求：5MP 工业网络摄像机；结论码：VERIFIED_COMPARISON

约束	计算	结果	原因码	说明	证据
text_1:c1	5MP GTE 5MP	通过	VERIFIED_COMPARISON	output_resolution is 5 MP and the requirement asks GTE 5 MP: PASS	ev_6e2a06951e768e3245ef41ce

NBN-80052-BA（NBN-80052-BA Fixed camera 5MP） | 通过

需求：5MP 工业网络摄像机；结论码：VERIFIED_COMPARISON

约束	计算	结果	原因码	说明	证据
text_1:c1	5MP GTE 5MP	通过	VERIFIED_COMPARISON	output_resolution is 5 MP and the requirement asks GTE 5 MP: PASS	ev_6e2a06951e768e3245ef41ce

NBN-80052-BA（Bosch Security Systems B.V.） | 通过

需求：5MP 工业网络摄像机；结论码：VERIFIED_COMPARISON

约束	计算	结果	原因码	说明	证据
text_1:c1	5MP GTE 5MP	通过	VERIFIED_COMPARISON	output_resolution is 5 MP and the requirement asks GTE 5 MP: PASS	ev_6e2a06951e768e3245ef41ce

NBN-80052-BA（www.boschsecurity.com） | 通过

需求：5MP 工业网络摄像机；结论码：VERIFIED_COMPARISON

约束	计算	结果	原因码	说明	证据
text_1:c1	5MP GTE 5MP	通过	VERIFIED_COMPARISON	output_resolution is 5 MP and the requirement asks GTE 5 MP: PASS	ev_6e2a06951e768e3245ef41ce

NBN-80052-BA（Bosch） | 通过

需求：5MP 工业网络摄像机；结论码：VERIFIED_COMPARISON

约束	计算	结果	原因码	说明	证据
text_1:c1	5MP GTE 5MP	通过	VERIFIED_COMPARISON	output_resolution is 5 MP and the requirement asks GTE 5 MP: PASS	ev_6e2a06951e768e3245ef41ce

NBN-80052-BA（Bosch） | 通过

需求：5MP 工业网络摄像机；结论码：VERIFIED_COMPARISON

约束	计算	结果	原因码	说明	证据
text_1:c1	5MP GTE 5MP	通过	VERIFIED_COMPARISON	output_resolution is 5 MP and the requirement asks GTE 5 MP: PASS	ev_6e2a06951e768e3245ef41ce

NBN-80052-BA（Bosch Security） | 通过

需求：5MP 工业网络摄像机；结论码：VERIFIED_COMPARISON

约束	计算	结果	原因码	说明	证据
text_1:c1	5MP GTE 5MP	通过	VERIFIED_COMPARISON	output_resolution is 5 MP and the requirement asks GTE 5 MP: PASS	ev_6e2a06951e768e3245ef41ce

NBN-80052-BA（Bosch） | 通过

需求：5MP 工业网络摄像机；结论码：VERIFIED_COMPARISON

约束	计算	结果	原因码	说明	证据
text_1:c1	5MP GTE 5MP	通过	VERIFIED_COMPARISON	output_resolution is 5 MP and the requirement asks GTE 5 MP: PASS	ev_6e2a06951e768e3245ef41ce

NBN-80052-BA（DINION IP） | 通过

需求：5MP 工业网络摄像机；结论码：VERIFIED_COMPARISON

约束	计算	结果	原因码	说明	证据
text_1:c1	5MP GTE 5MP	通过	VERIFIED_COMPARISON	output_resolution is 5 MP and the requirement asks GTE 5 MP: PASS	ev_6e2a06951e768e3245ef41ce

NBN-80052-BA（Bosch Security Systems B.V.） | 通过

需求：5MP 工业网络摄像机；结论码：VERIFIED_COMPARISON

约束	计算	结果	原因码	说明	证据
text_1:c1	5MP GTE 5MP	通过	VERIFIED_COMPARISON	output_resolution is 5 MP and the requirement asks GTE 5 MP: PASS	ev_6e2a06951e768e3245ef41ce

pc_b8fc5f6f461ef4e7c0c2f0a6（Bosch） | 未知（证据不足）

需求：5MP 工业网络摄像机；结论码：MODEL_VARIANT_UNCERTAIN

约束	计算	结果	原因码	说明	证据
text_1:c1	—	未知（证据不足）	MODEL_VARIANT_UNCERTAIN	the product has no exact model code, so a model-level check is not	—

				possible	

四、价格与口径

价格先说口径，再说数字。不同口径的价格之间不做比较，历史价格只在它所属的品项范围内成立。

品项：5MP 工业网络摄像机

本需求没有产生可比较的价格结论。

本项目没有导入历史采购数据。

本项目没有导入历史采购数据，因此没有历史价格分布。

五、询价建议

建议分为三档：通过硬约束核对的建议询价；证据不足的待补充证据；其余不建议进入本轮询价。“采纳”指该条决策通过了程序化闸门并留档，不等于技术合格。

建议询价（技术核对通过）

型号	供应商	技术结论	优先级	理由	缺口
NBN-80052-BA	Bosch	通过	1	Same model NBN-80052-BA; c1 PASS by verified comparison (5 MP ≥ 5 MP). Shortlisted for competing quotes; no price data yet, ranks provisional.	No price observation for this candidate
NBN-80052-BA	Bosch Security Systems B.V.	通过	2	Same model NBN-80052-BA; c1 PASS by verified comparison (5 MP ≥ 5 MP). Shortlisted for	No price observation for this candidate

				competing quotes; no price data yet, ranks provisional.	
NBN-80052-BA	Bosch	通过	3	Same model NBN-80052-BA; c1 PASS by verified comparison (5 MP ≥ 5 MP). Shortlisted for competing quotes; no price data yet, ranks provisional.	No price observation for this candidate
NBN-80052-BA	Bosch Security Systems B.V.	通过	4	Same model NBN-80052-BA; c1 PASS by verified comparison (5 MP ≥ 5 MP). Shortlisted for competing quotes; no price data yet, ranks provisional.	No price observation for this candidate
NBN-80052-BA	Bosch Security Systems B.V.	通过	5	Same model NBN-80052-BA; c1 PASS by verified comparison (5 MP ≥ 5 MP). Shortlisted for competing quotes; no price data yet, ranks provisional.	No price observation for this candidate
NBN-80052-BA	Bosch Security (Cctv) Systems	通过	6	Same model NBN-80052-BA; c1 PASS by verified comparison	No price observation for this candidate

				(5 MP ≥ 5 MP). Shortlisted for competing quotes; no price data yet, ranks provisional.	
NBN-80052-BA	Bosch	通过	7	Same model NBN-80052-BA; c1 PASS by verified comparison (5 MP ≥ 5 MP). Shortlisted for competing quotes; no price data yet, ranks provisional.	No price observation for this candidate
NBN-80052-BA	boschsecurity.com	通过	8	Same model NBN-80052-BA; c1 PASS by verified comparison (5 MP ≥ 5 MP). Shortlisted for competing quotes; no price data yet, ranks provisional.	No price observation for this candidate
NBN-80052-BA	Bosch	通过	9	Same model NBN-80052-BA; c1 PASS by verified comparison (5 MP ≥ 5 MP). Shortlisted for competing quotes; no price data yet, ranks provisional.	No price observation for this candidate

NBN-80052-BA	Bosch	通过	10	Same model NBN-80052-BA; c1 PASS by verified comparison (5 MP ≥ 5 MP). Shortlisted for competing quotes; no price data yet, ranks provisional.	No price observation for this candidate
NBN-80052-BA	boschsecurity.com	通过	11	Same model NBN-80052-BA; c1 PASS by verified comparison (5 MP ≥ 5 MP). Shortlisted for competing quotes; no price data yet, ranks provisional.	No price observation for this candidate
NBN-80052-BA	boschsecurity.com	通过	12	Same model NBN-80052-BA; c1 PASS by verified comparison (5 MP ≥ 5 MP). Shortlisted for competing quotes; no price data yet, ranks provisional.	No price observation for this candidate
NBN-80052-BA	Bosch	通过	13	Same model NBN-80052-BA; c1 PASS by verified comparison (5 MP ≥ 5 MP). Shortlisted for competing	No price observation for this candidate

				quotes; no price data yet, ranks provisional.	
NBN-80052-BA	NBN-80052-BA Fixed camera 5MP	通过	14	Same model NBN-80052-BA; c1 PASS by verified comparison (5 MP ≥ 5 MP). Shortlisted for competing quotes; no price data yet, ranks provisional.	No price observation for this candidate
NBN-80052-BA	Bosch Security Systems B.V.	通过	15	Same model NBN-80052-BA; c1 PASS by verified comparison (5 MP ≥ 5 MP). Shortlisted for competing quotes; no price data yet, ranks provisional.	No price observation for this candidate
NBN-80052-BA	www.boschsecurity.com	通过	16	Same model NBN-80052-BA; c1 PASS by verified comparison (5 MP ≥ 5 MP). Shortlisted for competing quotes; no price data yet, ranks provisional.	No price observation for this candidate
NBN-80052-BA	Bosch	通过	17	Same model NBN-80052-BA; c1 PASS by verified comparison (5 MP ≥ 5	No price observation for this candidate

				MP). Shortlisted for competing quotes; no price data yet, ranks provisional.	
NBN-80052-BA	Bosch	通过	18	Same model NBN-80052-BA; c1 PASS by verified comparison (5 MP ≥ 5 MP). Shortlisted for competing quotes; no price data yet, ranks provisional.	No price observation for this candidate
NBN-80052-BA	Bosch Security	通过	19	Same model NBN-80052-BA; c1 PASS by verified comparison (5 MP ≥ 5 MP). Shortlisted for competing quotes; no price data yet, ranks provisional.	No price observation for this candidate
NBN-80052-BA	Bosch	通过	20	Same model NBN-80052-BA; c1 PASS by verified comparison (5 MP ≥ 5 MP). Shortlisted for competing quotes; no price data yet, ranks provisional.	No price observation for this candidate
NBN-80052-BA	DINION IP	通过	21	Same model NBN-80052-	No price observation

				BA; c1 PASS by verified comparison (5 MP ≥ 5 MP). Shortlisted for competing quotes; no price data yet, ranks provisional.	for this candidate
NBN-80052-BA	Bosch Security Systems B.V.	通过	22	Same model NBN-80052-BA; c1 PASS by verified comparison (5 MP ≥ 5 MP). Shortlisted for competing quotes; no price data yet, ranks provisional.	No price observation for this candidate

待补充证据（不进入本轮询价）

型号	供应商	技术结论	优先级	理由	缺口
	Bosch	未知（证据不足）		Variant unresolved (MODEL_VARIANT_UNCERTAIN); c1 check UNKNOWN with no evidence. One research round needed before shortlisting.	Model variant unresolved (MODEL_VARIANT_UNCERTAIN); no evidence links this candidate to the NBN-80052-BA 5 MP variant

建议排除

（无）

六、未解决问题与下一步

- Recheck source freshness and exact model applicability before any M3 assessment.
- Prior project decisions are not reused.
- Recheck source freshness and exact model applicability before any M3 assessment.
- Prior project decisions are not reused.
- Recheck source freshness and exact model applicability before any M3 assessment.
- Prior project decisions are not reused.
- Recheck source freshness and exact model applicability before any M3 assessment.
- Prior project decisions are not reused.
- Recheck source freshness and exact model applicability before any M3 assessment.
- Prior project decisions are not reused.
- Recheck source freshness and exact model applicability before any M3 assessment.
- Prior project decisions are not reused.
- Recheck source freshness and exact model applicability before any M3 assessment.
- Prior project decisions are not reused.
- Recheck source freshness and exact model applicability before any M3 assessment.
- Prior project decisions are not reused.
- Recheck source freshness and exact model applicability before any M3 assessment.
- Prior project decisions are not reused.
- Recheck source freshness and exact model applicability before any M3 assessment.
- Prior project decisions are not reused.
- Recheck source freshness and exact model applicability before any M3 assessment.
- Prior project decisions are not reused.
- Recheck source freshness and exact model applicability before any M3 assessment.
- Prior project decisions are not reused.
- Recheck source freshness and exact model applicability before any M3 assessment.
- Prior project decisions are not reused.
- Recheck source freshness and exact model applicability before any M3 assessment.
- Prior project decisions are not reused.
- Recheck source freshness and exact model applicability before any M3 assessment.
- Prior project decisions are not reused.
- Recheck source freshness and exact model applicability before any M3 assessment.
- Prior project decisions are not reused.
- Recheck source freshness and exact model applicability before any M3 assessment.
- Prior project decisions are not reused.
- Recheck source freshness and exact model applicability before any M3 assessment.
- Prior project decisions are not reused.
- Recheck source freshness and exact model applicability before any M3 assessment.
- Prior project decisions are not reused.
- Recheck source freshness and exact model applicability before any M3 assessment.
- Prior project decisions are not reused.
- Recheck source freshness and exact model applicability before any M3 assessment.
- Prior project decisions are not reused.
- Recheck source freshness and exact model applicability before any M3 assessment.
- Prior project decisions are not reused.
- Recheck source freshness and exact model applicability before any M3 assessment.
- Prior project decisions are not reused.
- Recheck source freshness and exact model applicability before any M3 assessment.
- Prior project decisions are not reused.

- Source is a third-party mirror (best-vsec.com) of the Bosch datasheet, not an official boschsecurity.com page
- Exact 'Video resolution' table rows (5MP (16:9) 2992 X 1680 / 5.5MP (4:3) 2704 X 2032) absent from fetched extract
- Supplier legal identity and manufacturer/distributor role are not independently verified.
- Product fit against all hard requirements has not been assessed in M2.
- Recheck source freshness and exact model applicability before any M3 assessment.
- Prior project decisions are not reused.
- [NBN-80052-BA] No price observation for this candidate
- [下一步] Request quote and lead time from supplier
- [NBN-80052-BA] No price observation for this candidate
- [下一步] Request quote and lead time from supplier
- [NBN-80052-BA] No price observation for this candidate
- [下一步] Request quote and lead time from supplier
- [NBN-80052-BA] No price observation for this candidate
- [下一步] Request quote and lead time from supplier
- [NBN-80052-BA] No price observation for this candidate
- [下一步] Request quote and lead time from supplier
- [NBN-80052-BA] No price observation for this candidate
- [下一步] Request quote and lead time from supplier
- [NBN-80052-BA] No price observation for this candidate
- [下一步] Request quote and lead time from supplier
- [NBN-80052-BA] No price observation for this candidate
- [下一步] Request quote and lead time from supplier
- [NBN-80052-BA] No price observation for this candidate
- [下一步] Request quote and lead time from supplier
- [NBN-80052-BA] No price observation for this candidate
- [下一步] Request quote and lead time from supplier
- [NBN-80052-BA] No price observation for this candidate
- [下一步] Request quote and lead time from supplier
- [NBN-80052-BA] No price observation for this candidate
- [下一步] Request quote and lead time from supplier
- [NBN-80052-BA] No price observation for this candidate
- [下一步] Request quote and lead time from supplier
- [NBN-80052-BA] No price observation for this candidate
- [下一步] Request quote and lead time from supplier
- [NBN-80052-BA] No price observation for this candidate
- [下一步] Request quote and lead time from supplier
- [NBN-80052-BA] No price observation for this candidate

- [下一步] Request quote and lead time from supplier
- [NBN-80052-BA] No price observation for this candidate
- [下一步] Request quote and lead time from supplier
- [NBN-80052-BA] No price observation for this candidate
- [下一步] Request quote and lead time from supplier
- [NBN-80052-BA] No price observation for this candidate
- [下一步] Request quote and lead time from supplier
- [NBN-80052-BA] No price observation for this candidate
- [下一步] Request quote and lead time from supplier
- [候选] Model variant unresolved (MODEL_VARIANT_UNCERTAIN); no evidence links this candidate to the NBN-80052-BA 5 MP variant
- [下一步] Identify the exact model variant and confirm sensor resolution from the supplier listing or datasheet

七、证据引用

每条证据都带有来源地址与内容哈希，报告中出现的结论都可以回到这些快照。

证据 ID	来源	地址	摘录	内容哈希
ev_aca175aab91647729c7bdcf4	NBN-80052-BA Fixed camera 5MP	https://best-vsec.com/documents/datasheet/DINION_IP_starlight_8000_MP_NBN_80052_Data_sheet_enUS_13616032779.pdf	for factory fitted lenses) Technical specifications Power Power Supply 12 VDC; Power-over-Ethernet 48 VDC nominal Current Consumption 750 mA (12 VDC); 200 mA (PoE 48 VDC) 4 | NBN-8	6f09c603c268861 5
ev_84d9fc51820d20a96f8a2f69	DINION IP starlight 8000 MP	https://www.a1securitycameras.com/content/product_documents/9070/bosch-DINION-IP-starlight-8000-MP-NBN-Datasheet-A1.pdf	Video | DINION IP starlight 8000 MP DINION IP starlight 8000 MP www.boschsecurity.com • Remarkable low-light performance (0.0121 lx) • 5MP (3K) high detail at fast speeds (30 fps)	1e9d1504c325e111
ev_db3c625cfcf07f7c3354f2bc	NBN-80052-BA Fix	https://best-vsec.com/documents/datasheet/DINION_IP_starlight_8000_MP_NBN_80052_Data_sheet_enUS_13616032779.pdf	for factory fitted lenses) Technical specifications Power Power Supply 12 VDC; Power-over-Ethernet 48 VDC nominal Current Consumption 750 mA (12 VDC); 200 mA (PoE 48	e0fe6f33c833f772

	ed ca me ra 5M P		VDC) 4 | NBN-8	
ev_3ec367654774 6df761eb 26d3	Bos ch NB N- 800 52- BA | DIN ION IP Sta rlig ht 800 0 Box Ca me ra, DA Y/ NIG HT, i – All Dat a Res our ce	https://www.alldataresource.com/products/bosch-nbn-80052-ba-dinion-ip-starlight-8000-box-camera-day-night-idnr-5mp-e-ptz-micro-sdxc-slot-12vdc-poe-iva	| | | --- | | Camera Signal | Network IP | | Connection Type | Wired | | Infrared Distance | Non Infrared | | Resolution | 5 Megapixel | | Lens Type | Not Included | | Mount Typ	9dac2 96f5f a4c42 9
ev_5805b 42f65625 522a54e7 9e2	NB N- 800 52- BA Fix ed ca me ra 5M P	https://best-vsec.com/documents/datasheet/DINION_IP_starlight_8000_MP_NBN_80052_Data_sheet_enUS_13616032779.pdf	for factory fitted lenses) Technical specifications Power Power Supply 12 VDC; Power-over-Ethernet 48 VDC nominal Current Consumption 750 mA (12 VDC); 200 mA (PoE 48 VDC) 4 | NBN-8	5d5e 599d 53c7f 30d
ev_dce6cf 1409245 7da6e989	Bos ch NB	https://www.a1securitycameras.com/bosch-nbn-80052-ba.html	## Additional Information | | |	bde3 da62 89b4

88c	N-80052-BA Indoor Box IP Security Camera discontinued		--- | | Alternative SKUs: | F.01U.285.362 | | Camera Style: | Box | | Compliance: | NDAA Compliant | | Environmental: | Indoor | | Lens Type: |	8abb
ev_515785722bbfc200269b18f3	DINION IP starlight 8000 MP	https://www.a1securitycameras.com/content/product_documents/9070/bosch-DINION-IP-starlight-8000-MP-NBN-Datasheet-A1.pdf	free viewing apps; cloud services; audio/motion detection Order number NBN-80052-BA Accessories Varifocal SR Megapixel Lens Varifocal SR megapixel IR corrected lens. 1/1.8” sensor;	ad49d01ba198051d
ev_2462ca1c67f3bb5463873f60	NBN-80052-BA Fixed camera 5MP	https://best-vsec.com/documents/datasheet/DINION_IP_starlight_8000_MP_NBN_80052_Data_sheet_enUS_13616032779.pdf	NBN-80052-BA Fixed camera 5MP 8 | NBN-80052-BA Fixed camera 5MP Represented by: Europe, Middle East, Africa: Germany: North America: Asia-Pacific: Bosch Security Systems B.V. [...]	36c35939c1b45862
ev_68594bf803133105ebd25a99	NBN-80052-BA Fixed camera 5MP	https://best-vsec.com/documents/datasheet/DINION_IP_starlight_8000_MP_NBN_80052_Data_sheet_enUS_13616032779.pdf	Video | NBN-80052-BA Fixed camera 5MP NBN-80052-BA Fixed camera 5MP www.boschsecurity.com u Remarkable low-light performance (0.0121 lx) u 5MP (3K) high detail at fast speeds (30 f	bf64ec6758afcff0
ev_7d4b3	DIN	https://www.a1securitycameras.	Video | DINION IP starlight	68c3b

4923a7df46457ae9562	ION IP starlight 8000 MP	com/content/product_documents/9070/bosch-DINION-IP-starlight-8000-MP-NBN-Datasheet-A1.pdf	8000 MP DINION IP starlight 8000 MP www.boschsecurity.com • Remarkable low-light performance (0.0121 lx) • 5MP (3K) high detail at fast speeds (30 fps)	6b705774c0d
ev_3025c15a3adad01f4bddbb2a	DINION IP starlight 8000 MP	https://www.a1securitycameras.com/content/product_documents/9070/bosch-DINION-IP-starlight-8000-MP-NBN-Datasheet-A1.pdf	Video | DINION IP starlight 8000 MP DINION IP starlight 8000 MP www.boschsecurity.com • Remarkable low-light performance (0.0121 lx) • 5MP (3K) high detail at fast speeds (30 fps)	11b6bcb83b71241a
ev_ea5711071f11dbae6a1f6aeb	Dinion IP Cameras - IndustrialMarket	https://industrialmarket.ru/upload/iblock/711/xv2oh23sj8wujid7cs72p6nes9qf9u7e.doc	IEC62676-2-3MarksCE, cULus, WEEE, PADS, RCM and China RoHS\ Chapters 7 and 8 (mains voltage supply requirement) are not applicable to the camera. However, if the system in which th	484c544101a5b30a
ev_fc78fe140d52e69326357b8e	NBN-80052-BA Fixed camera 5MP	https://best-vsec.com/documents/datasheet/DINION_IP_starlight_8000_MP_NBN_80052_Data_sheet_enUS_13616032779.pdf	for factory fitted lenses) Technical specifications Power Power Supply 12 VDC; Power-over-Ethernet 48 VDC nominal Current Consumption 750 mA (12 VDC); 200 mA (PoE 48 VDC) 4 | NBN-8	c615d1e869ac9ade
ev_bf016e138caadda72550c119	NBN-80052-BA Fixed camera	https://best-vsec.com/documents/datasheet/DINION_IP_starlight_8000_MP_NBN_80052_Data_sheet_enUS_13616032779.pdf	NBN-80052-BA Fixed camera 5MP 8 | NBN-80052-BA Fixed camera 5MP Represented by: Europe, Middle East, Africa: Germany: North America: Asia-Pacific: Bosch Security Systems B.V. [...]	b93bb04580f7cd5b

	5MP			
ev_a473d4326b1f3bdc885c67ed	Bosch NBN-80052-BA DINION IP Starlight 8000MP Box Camera, 5MP Resolution, PoE, Low-Light Imaging DINION IP Starlight 8000 5MP Box Camera (No	https://www.jmac.com/Bosch_Security_NBN_80052_BA_p/bosch-nbn-80052-ba.htm	For more information about the Bosch Security NBN-80052-BA, please contact us. 5MP (3K) high detail at fast speeds (30 fps) Remarkable low-light performance (0.0121 lx) Low net	41e3cb50dc70ed4d

	Lens) | JMAC Supply			
ev_f109826dd11093e8269960f9	NBN-80052-BA Fixed camera 5MP	https://best-vsec.com/documents/datasheet/DINION_IP_starlight_8000_MP_NBN_80052_Data_sheet_enUS_13616032779.pdf	NBN-80052-BA Fixed camera 5MP 8 | NBN-80052-BA Fixed camera 5MP Represented by: Europe, Middle East, Africa: Germany: North America: Asia-Pacific: Bosch Security Systems B.V. [...]	29bb97eaf833d78d
ev_64e4136e9e852c92a4e1fc08	NBN-80052-BA Fixed camera 5MP	https://best-vsec.com/documents/datasheet/DINION_IP_starlight_8000_MP_NBN_80052_Data_sheet_enUS_13616032779.pdf	to +50°C (-4°F to 122°F) Storage Temperature -30°C to +70°C (-22°F to +158°F) Operating Humidity 20% to 93% RH Storage Humidity up to 98% RH Ordering information NBN-80052-BA Fixed	223eb1f51298e627
ev_d1c003b57644d14f69802868	Bosch NBN-80052-BA Indoor Box IP Security Camera discontinued	https://www.a1securitycameras.com/bosch-nbn-80052-ba.html	## Additional Information | | | --- | | Alternative SKUs: | F.01U.285.362 | | Camera Style: | Box | | Compliance: | NDAA Compliant | | Environmental: | Indoor | | Lens Type: |	5578d6bf486ee7ec
ev_bb1da	Bos	https://www.a1securitycameras.	### Popular Search	157d

97e5b47a342d4bbc1fc	ch NBN-80052-BA Indoor Box IP Security Camera discontinued	com/bosch-nbn-80052-ba.html	Bosch Security Cameras Bosch IP Security Cameras Bosch Box Security Cameras 5MP (3K) Security Cameras Bosch NDAA Compliant NDAA Compliant Cameras Box Secu	181e6160d0d1
ev_7562f2c15d1734d80ad11e38	Bosch NBN-80052-BA | DINION IP Starlight 8000 Box Camera, DAY/NIGHT, i – All Data Resource	https://www.alldataresource.com/products/bosch-nbn-80052-ba-dinion-ip-starlight-8000-box-camera-day-night-idnr-5mp-e-ptz-micro-sdxc-slot-12vdc-poe-iva	| | | --- | | Camera Signal | Network IP | | Connection Type | Wired | | Infrared Distance | Non Infrared | | Resolution | 5 Megapixel | | Lens Type | Not Included | | Mount Typ	c822f784e3f02b7b
ev_6e2a0	Bos	https://www.alldataresource.co	| | |	90f69

6951e768e3245ef41ce	chNBN-80052-BA | DINION IP Starlight 8000 Box Camera, DAY/NIGHT, i – All Data Resource	m/products/bosch-nbn-80052-ba-dinion-ip-starlight-8000-box-camera-day-night-idnr-5mp-e-ptz-micro-sdxc-slot-12vdc-poe-iva	--- | | Camera Signal | Network IP | | Connection Type | Wired | | Infrared Distance | Non Infrared | | Resolution | 5 Megapixel | | Lens Type | Not Included | | Mount Typ	b5a8e745e18
ev_57454ecef1de0b2542e4ea35	Bosch 5MP Indoor Box Dinion IP 8000 MP Starlight Camera, H.264, WD	https://www.spymonkey.com.au/products/bosch-5mp-indoor-box-dinion-ip-8000-mp-starlight-camera-h-264-wdr-iva-no-lens-bos-nbn-80052-ba	[View catalog](/) [Search](#search) [![Spy Monkey Surveillance](//www.spymonkey.com.au/cdn/shop/files/SPY_MONKEY_LOGO_FIN4B_TRANS_b2b97937-0593-430e-a723-ec6bd2bb1aea.png?v=1685	1fc6a1bf0baa84e6

	R, I – SpyMonkey Surveillance			
ev_91131d9e72b46339e049e670	NBN-80052-BA Fixed camera 5MP	https://best-vsec.com/documents/datasheet/DINION_IP_starlight_8000_MP_NBN_80052_Data_sheet_enUS_13616032779.pdf	to +50°C (-4°F to 122°F) Storage Temperature -30°C to +70°C (-22°F to +158°F) Operating Humidity 20% to 93% RH Storage Humidity up to 98% RH Ordering information NBN-80052-BA Fixed	01f70a92d02d43dc
ev_ca18dc9e6c862f68836d43b4	Bosch NBN-80052-BA DINION IP Starlight 8000MP Box Camera, 5MP Resolution, PoE, Low-	https://www.jmac.com/Bosch_Security_NBN_80052_BA_p/bosch-nbn-80052-ba.htm	| Technical Specifications: Width: 3.1" Length: 5.5" Height: 2.6" Height (mm): 66 Connectivity Technology: Wired Video Formats: H.264, MJPEG Lens Mount Type: CS-Mount Ma	a38e765e771d950e

	Light Imaging DINION IP Starlight 8000 5MP Box Camera (No Lens) | JMAC Supply			
ev_aaf4b13c7c91454a6717abe9	Bosch NBN-80052-BA | DINION IP Starlight 8000 Box Camera, DAY/NIGHT, i – All	https://www.alldataresource.com/products/bosch-nbn-80052-ba-dinion-ip-starlight-8000-box-camera-day-night-idnr-5mp-e-ptz-micro-sdxc-slot-12vdc-poe-iva	| | | --- | | Camera Signal | Network IP | | Connection Type | Wired | | Infrared Distance | Non Infrared | | Resolution | 5 Megapixel | | Lens Type | Not Included | | Mount Typ	8d73e74245b76812

	Data Resource			
ev_fc4be92723592f0ea8936f48	DINION IP starlight 8000 MP	https://www.sourcesecurity.com/datasheets/bosch-nbn-80052-ba-ip-camera/co-289-ga/Bosch%20NBN-80052-BA-datasheet.pdf	Video | DINION IP starlight 8000 MP DINION IP starlight 8000 MP www.boschsecurity.com u Remarkable low-light performance (0.0121 lx) u 5MP (3K) high detail at fast speeds (30 fps)	2459abb6a524a5fc
ev_97dd82fa0335cfa77e3bf59f	DINION IP starlight 8000 MP	https://www.a1securitycameras.com/content/product_documents/9070/bosch-DINION-IP-starlight-8000-MP-NBN-Datasheet-A1.pdf	free viewing apps; cloud services; audio/motion detection Order number NBN-80052-BA Accessories Varifocal SR Megapixel Lens Varifocal SR megapixel IR corrected lens. 1/1.8” sensor;	c1a37cc38b56eb9c
ev_cc4816612d09e66f6e9db492	Bosch NBN-80052-BA Indoor Box IP Security Camera discontinued	https://www.a1securitycameras.com/bosch-nbn-80052-ba.html	## Additional Information | | | --- | | Alternative SKUs: | F.01U.285.362 | | Camera Style: | Box | | Compliance: | NDAA Compliant | | Environmental: | Indoor | | Lens Type: |	4117ab57c5306afe
ev_d11e6ac742f72cbacc2c7da8	NBN-80052-BA Fixed ca	https://best-vsec.com/documents/datasheet/DINION_IP_starlight_8000_MP_NBN_80052_Data_sheet_enUS_13616032779.pdf	to +50°C (-4°F to 122°F) Storage Temperature -30°C to +70°C (-22°F to +158°F) Operating Humidity 20% to 93% RH Storage Humidity up to 98% RH Ordering information NBN-80052-BA Fixed	9e6ca67585e10220

	mera 5MP			