




```
[NSURLConnection sendAsynchronousRequest:request1 queue:queue completionHandler:^(NSURLResponse * response, NSData *
   data, NSError * connectionError) {
   //下载B数据
   [NSURLConnection sendAsynchronousRequest:request2 queue:queue completionHandler:^(NSURLResponse * response,
       NSData * data, NSError * connectionError) {
       //下载C数据
       [NSURLConnection sendAsynchronousRequest:request3 queue:queue completionHandler:^(NSURLResponse * response,
           NSData * data, NSError * connectionError) {
           //下载D数据
           [NSURLConnection sendAsynchronousRequest:request4 queue:queue completionHandler:^(NSURLResponse *
               response, NSData * data, NSError * connectionError) {
```



```
// 下载A数据
[NSURLConnection promise:request1].then(^(id data){
   return [NSURLConnection promise:request2];
}).then(^(id data){
   return [NSURLConnection promise:request3];
}).then(^(id data){
   return [NSURLConnection promise:request4];
}).then(^(id data){
```





```
dispatch_async(dispatch_get_global_queue(DISPATCH_QUEUE_PRIORITY_DEFAULT, 0), ^{
   dispatch async(dispatch get main gueue(), ^{
        [UIView animateWithDuration: 0.25 animations:^{
            //TODO:XXXX
```

```
dispatch_promise(^(){
}).then(^(){
   return dispatch_promise_on(dispatch_get_main_queue(), nil);
}).then(^(){
    return [UIView promiseWithDuration:0.3 animations:nil];
```





