



## IOS7 时代的 JAVASCRIPT 与 OC 通信

## JAVASCRIPTCORE 头文件

```
#ifndef JavaScriptCore_h
   #define JavaScriptCore_h
28
29
   #include <JavaScriptCore/JavaScript.h>
   #include <JavaScriptCore/JSStringRefCF.h>
31
   #if defined(__OBJC__) && JSC_OBJC_API_ENABLED
33
   #import "JSContext.h"
   #import "JSValue.h"
   #import "JSManagedValue.h"
   #import "JSVirtualMachine.h"
   #import "JSExport.h"
39
   #endif
41
   #endif /* JavaScriptCore h */
```

## JAVASCRIPTCORE 头文件

```
#ifndef JavaScriptCore_h
   #define JavaScriptCore_h
28
29
   #include <JavaScriptCore/JavaScript.h>
   #include <JavaScriptCore/JSStringRefCF.h>
30
31
   #if defined(__OBJC__) && JSC_OBJC_API_ENABLED
32
33
   #import "JSContext.h"
   #import "JSValue.h"
   #import "JSManagedValue.h"
   #import "JSVirtualMachine.h"
   #import "JSExport.h"
39
   #endif
40
   #endif /* JavaScriptCore_h */
```

## JAVASCRIPTCORE 头文件 分析