```
cudf::io::source_info
   _files
   _type
                            cudf::data_type
   _filepaths
                          - _id
   _buffers
                          _fixed_point_scale
   _user_sources
                         + data_type()
+ source_info()
                         + ~data_type()
+ source_info()
                         + data_type()
+ source_info()
                         + data_type()
+ source_info()
                         + operator=()
+ source_info()
                         + operator=()
+ source_info()
                         + data_type()
+ source_info()
                         + data_type()
+ type()
                         + id()
+ filepaths()
                         + scale()
+ buffers()
+ files()
+ user_sources()
                -_source
                               -_timestamp_type
             cudf::io::orc_reader
                   _options
        - _columns
        - stripes
        _skip_rows
        - _num_rows
        use_index
        - _use_np_dtypes
         _decimal128_columns
        - orc_reader_options
          _builder
       + orc_reader_options()
       + get_source()
       + get_columns()
       + get_stripes()
       + get_skip_rows()
       + get_num_rows()
       + is_enabled_use_index()
       + is_enabled_use_np_dtypes()
       + get_timestamp_type()
       + get_decimal128_columns()
         8 8 8 8 ...
       + builder()
        - orc_reader_options()
                       -options
             cudf::io::orc_reader
               _options_builder
          + orc_reader_options
             _builder()
           + orc_reader_options
             _builder()
           + columns()
          + stripes()
          + skip_rows()
          + num_rows()
          + use_index()
          + use_np_dtypes()
          + timestamp_type()
          + decimal128_columns()
```

+ operator orc_reader options &&()

+ build()