

Indicators

Field Baselines

Citation Thresholds

Indicators Citation Trends



Papers by Research Field

Citation Trends		Sort By <input type="button" value="Citations"/> <input type="button" value="Downloads"/>	Customize Documents	1 - 4 of 4
Documents				
Filter Results By				
Add Filter »				
<input type="button" value="WANG, QW"/>				
Include Results For				
<input type="button" value="Highly Cited Papers"/>				
<input type="button" value="Clear"/>	<input type="button" value="Save Criteria"/>			
1	AN EXACT SOLUTION TO A QUATERNION MATRIX EQUATION WITH AN APPLICATION	By: LIU, LS; WANG, QW; CHEN, JF; et.al Source: SYMMETRY-BASEL 14 (2): - FEB 2022 Research Fields: MATHEMATICS	Times Cited: 21 	
2	THREE SYMMETRICAL SYSTEMS OF COUPLED SYLVESTER-LIKE QUATERNION MATRIX EQUATIONS	By: MEHANY, MS; WANG, QW; Source: SYMMETRY-BASEL 14 (3): - MAR 2022 Research Fields: MATHEMATICS	Times Cited: 20 	
3	THE H-ANTI-HERMITIAN SOLUTION TO A SYSTEM OF CONSTRAINED MATRIX EQUATIONS OVER THE GENERALIZED SEGRE QUATERNION ALGEBRA	By: REN, BY; WANG, QW; CHEN, XY; Source: SYMMETRY-BASEL 15 (3): - MAR 2023 Research Fields: MATHEMATICS	Times Cited: 7 	
4	THE ?-(ANTI-)HERMITIAN SOLUTION TO A CONSTRAINED SYLVESTER-TYPE GENERALIZED COMMUTATIVE QUATERNION MATRIX EQUATION	By: CHEN, XY; WANG, QW; Source: BANACH JOURNAL OF MATHEMATICAL ANALYSIS 17 (3): - JUL 2023 Research Fields: MATHEMATICS	Times Cited: 5 	

Article

The η -Anti-Hermitian Solution to a System of Constrained Matrix Equations over the Generalized Segre Quaternion Algebra

Bai-Ying Ren, Qing-Wen Wang * and Xue-Ying Chen

Department of Mathematics, Shanghai University, Shanghai 200444, China

* Correspondence: wqw@t.shu.edu.cn

Abstract: In this paper, we propose three real representations of a generalized Segre quaternion matrix. We establish necessary and sufficient conditions for the existence of the η -anti-Hermitian solution to a system of constrained matrix equations over the generalized Segre quaternion algebra. We also obtain the expression of the general η -anti-Hermitian solution to the system when it is solvable. Finally, we provide a numerical example to verify the main results of this paper.

Keywords: generalized Segre quaternion algebra; η -anti-Hermitian solution; real representation

1. Introduction

In 1843, Hamilton [1] discovered the real quaternions

$$\mathbb{H} = \{q = q_0 + q_1i + q_2j + q_3k : i^2 = j^2 = k^2 = -1, ijk = -1, q_0, q_1, q_2, q_3 \in \mathbb{R}\}$$

which is a four-dimensional non-commutative division algebra over the real number field \mathbb{R} .

The real quaternions have played an important role in many fields such as quantum physics, computer graphics and signal processing [2–4]. In these areas, the real quaternion algebra is more useful than the usual algebra. For example, Ling et al. [5] presented a new algorithm for solving the linear least squares problem over the quaternions. By means of direct quaternion arithmetics, the algorithm does not make the scale of the problem dilate exponentially, compared to the conventional real or complex representation methods. However, the multiplication of real quaternions is non-commutative; therefore, to avoid non-commutativity, the commutative quaternion algebra was introduced.

In 1892, Segre [6] defined the commutative quaternions

$$\mathbb{S} = \{a = a_0 + a_1i + a_2j + a_3k : i^2 = -1, j^2 = 1, ij = ji = k, a_0, a_1, a_2, a_3 \in \mathbb{R}\}$$

which is a four-dimensional commutative algebra that is not divisible over \mathbb{R} .

The commutative quaternions have been widely applied in various fields. For color image processing, Pei et al. [7] defined a simplified commutative quaternion polar form to represent color images, which is useful in the brightness–hue–saturation color space. After this, Pei et al. [8] developed the algorithms for calculating the eigenvalues, the eigenvectors and the singular value decompositions of commutative quaternion matrices. They employed the singular value decompositions of commutative quaternion matrices to implement a color image which reduces the computational complexity to one-fourth of the conventional. Guo et al. [9] defined the reduced canonical transform of commutative quaternions which is the generalization of reduced Fourier transform of commutative quaternions. Lin et al. [10] established a commutative quaternion valued neural network (CQVNN) and studied the asymptotic stability of CQVNN.

The commutative quaternion matrix equations have been studied extensively. In [11], Kosal et al. studied some algebraic properties of commutative quaternion matrices



Citation: Ren, B.-Y.; Wang, Q.-W.; Chen, X.-Y. The η -Anti-Hermitian Solution to a System of Constrained Matrix Equations over the Generalized Segre Quaternion Algebra. *Symmetry* **2023**, *15*, 592. <https://doi.org/10.3390/sym15030592>

Academic Editor: Alexei Kanel-Belov

Received: 31 January 2023

Revised: 17 February 2023

Accepted: 23 February 2023

Published: 24 February 2023



Copyright: © 2023 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).