Intro, UNIX, Bash, C

CS 5006, 5007: C, Algorithms and Systems

Adrienne Slaughter, Joe Buck

Northeastern University


January 9, 2019

- 1 Intro to CS 5007
- Course Overview
- Intro to Architecture
- 4 C
- 5 Input/Output (IO) in C
 - Command line IO
 - Data Hierarchy

Section 1

Intro to CS 5007

The Big Picture: What is a System?



Agenda

- Course Overview/Structure
- Introduction to C programming
- Set up programming environment: VirtualBox

CS 5006, CS 5007: Algorithms and Systems

Lecture time: Tuesdays from 9:00am — 12:00pm in 225 Terry, Room 306

- Instructors:
 - Adrienne Slaughter (a.slaughter@northeastern.edu)
 - TBD
 - By appointment
 - Joe Buck (j.buck@northeastern.edu)
 - TBD

CS 5006: Algorithms

TAs:

- Bicheng Xu
- Chenxi Liu
- Jackie Tseng
- Chi Moua
- Wes Florence
- TBD

Course material: Course website.

Algorithms Unlocked (Cormen)

Systems: A Programmer's Perspective

(O'Halloran and Bryant)

Course discussion board: Piazza

Course assignment submission: CCIS GitHub

Assignment grades: NEU Blackboard

C and Systems, with algorithms

■ Intended for students in the ALIGN MS in CS program

Course Goals

Familiarity with computer systems

C and Systems, with algorithms

■ Intended for students in the ALIGN MS in CS program

Course Goals

- Familiarity with computer systems
- 2 Proficiency with C programming

C and Systems, with algorithms

■ Intended for students in the ALIGN MS in CS program

Course Goals

- Familiarity with computer systems
- Proficiency with C programming
- Opening Practical skills with *nix systems

C and Systems, with algorithms

■ Intended for students in the ALIGN MS in CS program

Course Goals

- Familiarity with computer systems
- Proficiency with C programming
- Opening Practical skills with *nix systems
- 4 Apply algorithmic analysis to implementation

CS 5006/5007 Spring 2019: Course Outcomes

At the end of this course, you should be able to:

- Navigate, edit text files, compile and run programs on a command line
- Describe the architecture of a computer
- Write, debug and test C programs
- Describe how multiple threads, processes, and synchronization works.
- Describe client-server networking

■ Week 1: Getting Started with C programming.

- Week 1: Getting Started with C programming.
- Week 2: Arrays, memory. Searching and sorting.

- Week 1: Getting Started with C programming.
- Week 2: Arrays, memory. Searching and sorting.
- Week 3: Structs, pointers.

- Week 1: Getting Started with C programming.
- Week 2: Arrays, memory. Searching and sorting.
- Week 3: Structs, pointers.
- Week 4: Data Structures.

- Week 1: Getting Started with C programming.
- Week 2: Arrays, memory. Searching and sorting.
- Week 3: Structs, pointers.
- Week 4: Data Structures.
- Week 5: Trees and Graphs.

- Week 1: Getting Started with C programming.
- Week 2: Arrays, memory. Searching and sorting.
- Week 3: Structs, pointers.
- Week 4: Data Structures.
- Week 5: Trees and Graphs.
- Week 6: More Trees and Graphs.

- Week 1: Getting Started with C programming.
- Week 2: Arrays, memory. Searching and sorting.
- Week 3: Structs, pointers.
- Week 4: Data Structures.
- Week 5: Trees and Graphs.
- Week 6: More Trees and Graphs.
- Week 7: C libraries and advanced data structures.

- Week 1: Getting Started with C programming.
- Week 2: Arrays, memory. Searching and sorting.
- Week 3: Structs, pointers.
- Week 4: Data Structures.
- Week 5: Trees and Graphs.
- Week 6: More Trees and Graphs.
- Week 7: C libraries and advanced data structures.
- Week 8: Midterm/Final

■ Week 9: Transition to systems: Bash programming, file systems.

- Week 9: Transition to systems: Bash programming, file systems.
- Week 10: Memory hierarchy, Computer organization

- Week 9: Transition to systems: Bash programming, file systems.
- Week 10: Memory hierarchy, Computer organization
- Week 11: Multi-threading.

- Week 9: Transition to systems: Bash programming, file systems.
- Week 10: Memory hierarchy, Computer organization
- Week 11: Multi-threading.
- Week 12: Synchronization and deadlocks.

- Week 9: Transition to systems: Bash programming, file systems.
- Week 10: Memory hierarchy, Computer organization
- Week 11: Multi-threading.
- Week 12: Synchronization and deadlocks.
- Week 13: Networking.

- Week 9: Transition to systems: Bash programming, file systems.
- Week 10: Memory hierarchy, Computer organization
- Week 11: Multi-threading.
- Week 12: Synchronization and deadlocks.
- Week 13: Networking.
- Week 14: Advanced topics in Systems.

- Week 9: Transition to systems: Bash programming, file systems.
- Week 10: Memory hierarchy, Computer organization
- Week 11: Multi-threading.
- Week 12: Synchronization and deadlocks.
- Week 13: Networking.
- Week 14: Advanced topics in Systems.
- Week 15: Final Project due

■ Week 1: Getting Started with C programming.

- Week 1: Getting Started with C programming.
- Week 2: Iterating through arrays, searching and sorting.

- Week 1: Getting Started with C programming.
- Week 2: Iterating through arrays, searching and sorting.
- Week 3: Practicing with structs and pointers.

- Week 1: Getting Started with C programming.
- Week 2: Iterating through arrays, searching and sorting.
- Week 3: Practicing with structs and pointers.
- Week 4: Building basic data structures in C.

- Week 1: Getting Started with C programming.
- Week 2: Iterating through arrays, searching and sorting.
- Week 3: Practicing with structs and pointers.
- Week 4: Building basic data structures in C.
- Week 5: Building and working with graphs and trees. Possibly Huffman encoding.

- Week 1: Getting Started with C programming.
- Week 2: Iterating through arrays, searching and sorting.
- Week 3: Practicing with structs and pointers.
- Week 4: Building basic data structures in C.
- Week 5: Building and working with graphs and trees. Possibly Huffman encoding.
- Week 6: Continuation of Huffman.

- Week 1: Getting Started with C programming.
- Week 2: Iterating through arrays, searching and sorting.
- Week 3: Practicing with structs and pointers.
- Week 4: Building basic data structures in C.
- Week 5: Building and working with graphs and trees. Possibly Huffman encoding.
- Week 6: Continuation of Huffman.
- Week 7: Advanced data structures (library), testing.

- Week 1: Getting Started with C programming.
- Week 2: Iterating through arrays, searching and sorting.
- Week 3: Practicing with structs and pointers.
- Week 4: Building basic data structures in C.
- Week 5: Building and working with graphs and trees. Possibly Huffman encoding.
- Week 6: Continuation of Huffman.
- Week 7: Advanced data structures (library), testing.
- Week 8: Midterm/Final

■ Week 9: Advanced data structures (library), testing (cont)

- Week 9: Advanced data structures (library), testing (cont)
- Week 10: File system crawler/indexer.

- Week 9: Advanced data structures (library), testing (cont)
- Week 10: File system crawler/indexer.
- Week 11: Multithreaded crawler.

- Week 9: Advanced data structures (library), testing (cont)
- Week 10: File system crawler/indexer.
- Week 11: Multithreaded crawler.
- Week 12: Build query processor.

- Week 9: Advanced data structures (library), testing (cont)
- Week 10: File system crawler/indexer.
- Week 11: Multithreaded crawler.
- Week 12: Build query processor.
- Week 13: Final Project: Build webserver.

- Week 9: Advanced data structures (library), testing (cont)
- Week 10: File system crawler/indexer.
- Week 11: Multithreaded crawler.
- Week 12: Build query processor.
- Week 13: Final Project: Build webserver.
- Week 14:

- Week 9: Advanced data structures (library), testing (cont)
- Week 10: File system crawler/indexer.
- Week 11: Multithreaded crawler.
- Week 12: Build query processor.
- Week 13: Final Project: Build webserver.
- Week 14:
- Week 15: Final Project due

Course Logistic

Course will be graded based upon:

- Homework assignments: 60%
 - Exercises
 - Problems
 - Reflection
- Midterm: 15%
- Final Project: 15%

■ All assignments are due by midnight on the assigned date

- All assignments are due by midnight on the assigned date
- Late assignments get a 0

45

- All assignments are due by midnight on the assigned date
- Late assignments get a 0
- If you have a meaningful reason for delay (e.g., illness)— come and talk to me

- All assignments are due by midnight on the assigned date
- Late assignments get a 0
- If you have a meaningful reason for delay (e.g., illness)— come and talk to me
- If you have a request for an extension for some other reasonable reason, you must talk to me **in advance**.

47

Collaboration and Academic Integrity

- You can talk to others about the ideas, but all write-ups and answers must be your own.
- If in doubt, cite.
 - Make a note of who you talked to or a website you looked at.

Course Logistics: Exam

Closed book



Course Logistics: Exam

- Closed book
- Covers the entire course so far (all lectures)

Course Logistics: Exam

- Closed book
- Covers the entire course so far (all lectures)
- 1 page of notes? Maybe. (Probably)

Course Materials

Website

https://course.ccs.neu.edu/cs5007sp19-seattle

Resources:

- Algorithms Unlocked (Cormen)
- Computer Systems: A Programmer's Perspective, 3rd Edition, Bryant and O'Halloran
- Will be posted on https://course.ccs.neu.edu/cs5007sp19-seattle/resources.html as the semester progresses
- Cormen, Leiserson and Rivest is a classic algorithm text
- The Algorithm Design Manual (Skiena) is also great

Tips for Success

- Read the assigned material
- Attempt to solve additional problems
- Attend lectures
- Talk to the course staff
- Keep up
- Talk to each other

Questions

Questions?

Code for the next examples

```
#include<stdio.h>
int main()
{
printf("Hello world\n");
return 0;
}
```

Listing 1: "hello.c"

Compiling and running

```
[ahslaughter@adriennes-mbp:~]\$ gcc hello.c
2 [ahslaughter@adriennes-mbp:~]\$ ./a.out
```

Listing 2: To compile and run

```
1 [ahslaughter@adriennes=mbp:~]\$ gcc hello.c —o hello
2 [ahslaughter@adriennes=mbp:~]\$ ./hello
3
```

Listing 3: To compile and run with named outfile

Makefile

```
all: hello

hello: hello.c

gcc — o hello hello.c

run: hello

/hello

clean:
rm *.o hello *.a
```

We have 4 targets listed: all, hello, run, and clean.




Compiling and running

```
[ahslaughter@adriennes-mbp:~]\$ make run
```

Listing 4: Compiling and running with Make


Because we've set up the targets in the Makefile, running <code>make run</code> ensures that everything is compiled if it needs to be (but not if it doesn't!), and then runs the program.

59




Computer Organization

What happens when we run our program?



C programs with multiple files



Section 4

(

C Refresher

- Header files: *.h
 - Holds your function prototypes
- C files: *.c
 - Holds your C code
- make file: makefile
 - Sets up your build
 - make <target>
 - Determines if relevant files have changed or not, and rebuilds accordingly

Make

```
all: quiz4

quiz4: quiz4.h quiz4.c quiz4_test.c

gcc quiz4.c quiz4_test.c —o quiz4

.PHONY: clean
clean:
rm —f quiz4
```

Listing 5: Sample makefile

Section 5

Input/Output (IO) in C

Subsection 1

Command line IO



■ All input and output uses *streams*



- All input and output uses *streams*
- A stream is a sequence of characters organized into a line

- All input and output uses *streams*
- A stream is a sequence of characters organized into a line
- The line ends with a newline character (' \o ')

Streams

- All input and output uses *streams*
- A stream is a sequence of characters organized into a line
- The line ends with a newline character (' \0 ')
- Three streams are connected to a program automatically when it runs:
 - *standard input* by default is connected to the keyboard
 - *standard output* by default is connected to the screen (terminal)
 - standard error by default is connected to the screen. (Error messages are output the error stream)

Streams

- All input and output uses streams
- A stream is a sequence of characters organized into a line
- The line ends with a newline character (' \0 ')
- Three streams are connected to a program automatically when it runs:
 - *standard input* by default is connected to the keyboard
 - *standard output* by default is connected to the screen (terminal)
 - standard error by default is connected to the screen. (Error messages are output the error stream)
- Opening a file returns a pointer to a FILE, which includes a file descriptor, which is an index into the OS array open file table.

74

Standard Input and Output

- getchar
- putchar
- gets
- puts
- printf
- scanf

Function Prototype Function Description

Function Prototype	Function Description
int getchar(void)	Input the next character from the
	standard input and return it as an
	integer.

Function Prototype	Function Description
	Input the next character from the
<pre>int getchar(void)</pre>	standard input and return it as an
	integer.
	Print the character stored in c.
<pre>int putchar(int c)</pre>	

Function Prototype	Function Description
int getchar(void)	Input the next character from the standard input and return it as an integer. Print the character stored in c.
<pre>int putchar(int c)</pre>	
	Print the string s followed by a
<pre>int puts(const char *s)</pre>	newline

Function Prototype	Function Description
int getchar(void)	Input the next character from the standard input and return it as an integer.
<pre>int putchar(int c)</pre>	Print the character stored in c.
<pre>int puts(const char *s)</pre>	Print the string s followed by a newline Print the params formatted per the format.
<pre>void printf(char *format,)</pre>	

Function Prototype	Function Description
int getchar(void)	Input the next character from the standard input and return it as an integer.
<pre>int putchar(int c)</pre>	Print the character stored in c.
int puts(const char *s)	Print the string s followed by a newline
<pre>void printf(char *format,)</pre>	Print the params formatted per the format.
<pre>void scanf(char *format,)</pre>	Read input into the given variables

Example: getchar and puts

```
#include<stdio.h>
  int main(){
    char c, sentence[80];
    int i=0;
    puts("Enter a line of text: ");
    while ((c = getchar()) != '\n'){
      sentence[i++] = c;
10
11
12
    sentence[i] = ' \setminus 0';
    puts("\nThe line entered was: ");
    puts(sentence);
    return 0;
16
```

Listing 6: puts and getchar

```
#include<stdio.h>
void reverse(char *);
  int main(){
    char sentence[80];
    printf("Enter a line of text: \n");
    scanf("%s", sentence);
10
    printf("\nThe line printed backwards is: \n");
11
    reverse(sentence);
12
    printf("\n");
14
    return 0:
15 }
16
17 void reverse(char *s){
    if (s[0] == '\0'){
18
      return:
19
20
21
    else{
      reverse(&s[1]);
22
      putchar(s[0]);
```

We had printf & scanf.

We had printf & scanf.

We had getchar & putchar.

We had printf & scanf.

We had getchar & putchar.

But I only showed you puts , no gets .

Why??

```
We had printf & scanf.
```

We had getchar & putchar.

But I only showed you puts, no gets.

Why??

There is a gets:

char *gets(char *s): Input characters from the standard input into the array s until a newline or end-of-file character is encountered. A terminating NULL is appended to the array.

We had printf & scanf.

We had getchar & putchar.

But I only showed you puts, no gets.

Why??

There is a gets:

char *gets(char *s): Input characters from the standard input into the array s until a newline or end-of-file character is encountered. A terminating NULL is appended to the array.

■ We don't know how big the input is, and it can overflow the buffer.


C Command line I/O Summary


- Can get and put chars with getchar and putchar
- Can print and scan formatted strings with printf and scanf
- Can print strings with puts
- Can, but shouldn't, get strings with gets

Miscellaneous


- fgetc(stdin) is equivalent to getchar().
- fputc('a', stdout) is equivalent to putchar('a').


A file






Tom Orange A line/record of a file







0 a bit in the byte

- 1 Intro to CS 5007
- Course Overview
- Intro to Architecture
- 4 C
- 5 Input/Output (IO) in C
 - Command line IO
 - Data Hierarchy