# Command Line to Clipboard

**FEB 22** 

Posted by Gen2ly

(https://linuxtidbits.files.wordpress.com/2008/02/edit-paste-128.png)

**Update:** Script has been updated to add pipe support. Thanks to <u>Nathan</u> (<a href="http://madebynathan.com/2011/10/04/a-nicer-way-to-use-xclip/">http://madebynathan.com/2011/10/04/a-nicer-way-to-use-xclip/</a>) who allowed me to use his improvements.



It's really something to be learning Linux. The more I learn about Linux the more I learn it's about manipulating letters and numbers (well, this is more programming than anything but Linux is a lot about that). Bash I'm discovering is great; I'm just getting into it and now have made things a good deal easier by learning how to copy and paste text from the command line via the Xorg server clipboard. Here is a couple commands that can do it with examples, following them are a couple bash scripts that make this *easy as can beasy*.

## The Programs

Xsel and xclip are command line programs that can redirect the contents of the Xorg server clipboard. The Xorg server has two clipboards: the common **right-click** > **Copy**, and one for the middle-mouse click. For those that don't know of it yet, the middle-click clipboard allows quick copy and pasting without having to enter a menu or using **Ctrl** + **v**. Anytime you select text on the Xorg server there is a separate register that records this text, then clicking the middle-mouse button (sometimes called the mouse button three [usually done by clicking down the scroll wheel] will paste the text. The Xorg server defines the the middle-click clipboard as **primary** and the right-click clipboard as **secondary**.

## xclip

Here are the basics of using xclip. xclip, I prefer over xsel because I have found that xsel can have problems pasting to java apps.

xclip can be used in a variety of ways. First, for example, it can be piped to:

echo "hi" | xclip -selection clipboard

This will copy to the standard clipboard. For abbreviation, you can use C instead of Clipboard. You can specify primary or p here too to copy to the middle-mouse button, but isn't necessary as this is the default for xclip.

```
echo "hello" | xclip
```

To direct a **file** to **xclip** the **-in** or **-out** options are needed:

```
xclip -in -selection c <filename>
xclip -out -selection c <filename>
```

Which will respectively put a file into the clipboard, and write to a file from the clipboard contents.


To make the process quicker, I've created a couple scripts to automate the tasks called cb-in and cb-out and can be used like a standard command:

```
cb-in pack
File pack copied to the clipboard
```

### cb-in

```
1
 2
 3
 4
 5
 6
 7
 8
 9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
```

```
29 | #!/bin/bash
   # Copy file or pipe to Xorg clipboard
30
31
32
   # Required program(s)
   req_progs=(xclip)
33
   for p in ${req_progs[@]}; do
34
     hash "$p" 2>&- || \
35
     { echo >&2 " Required program \"$p\" not installed."; exit 1;
   done
   # Check user is not root (root doesn't have access to user Xorg
   if [[ "$USER" == root ]]; then
     echo " Must be regular user to copy a file to the clipboard"
     exit
   fi
   # Copy stdin to clipboard
   if ! [ -t 0 ]; then
     echo -n "$(< /dev/stdin)" | xclip -selection clipboard && \
     echo " Copied stdout to clipboard"
   # Copy file to clipboard
   else
     # Display usage if no parameters given
     if [[ -z "$@" ]]; then
       echo " ${0##*/} <filename> - copy a file to the clipboard
    command | ${0##*/} - copy stdout to the clipboard" && exit
     fi
     # Copy file to clipboard
     if [[ ! -f "$@" ]]; then
       echo "$warn File ${txtund}$filename${txtrst} doesn't exist"
     else
       xclip -in -selection clipboard "$@" && \
       echo " Copied file "$@" to the clipboard"
     fi
   fi
```




view raw cb-in hosted with ♥ by GitHub

# cb-out

1	
2 3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
•	•

```
29
  #!/bin/bash
   # Paste contents of Xorg clipboard to a file from the command 1:
30
31
32
   filename=$@
   pasteinfo="clipboard contents"
33
34
   # Display usage if no parameters given
   if [[ -z "$@" ]]; then
     echo " ${0##*/} <filename> - paste contents of context-menu cl
     exit
   fi
   # If filename matches a directory name exit
   if [ -d "$filename" ]; then
     echo " Directory already has the name ""$filename""" && exit
   fi
   # Check if file exists, prompt to append or override, else creat
   if [[ -f "$filename" ]]; then
     echo "File \""${filename##*/}"\" already exists - (e)xit, (a
     read edit
     case "$edit" in
               xclip -out -selection clipboard >> "$filename"
               echo " File \""$filename"\" appended with clipboard
               xclip -out -selection clipboard > "$filename"
       [00] )
               echo " File \""$filename"\" overwrote with clipboard
               ;;
               exit
     esac;
   else
     xclip -out -selection clipboard >> "$filename"
     echo "File \""$filename"\" created with clipboard contents"
   fi
```



view raw cb-out hosted with ♥ by GitHub

## xsel

To copy to the context-menu clipboard:

```
xsel --clipboard < /etc/fstab</pre>
```

To copy a text to the middle mouse button clipboard:

```
xsel < /etc/fstab</pre>
```

xsel can be piped too:

```
echo "a-bit-of-text" | xsel -b
cat /etc/make.conf | xsel -b
```

To output directly to the terminal:

```
xsel --clipboard
```

And to redirect and append to a file:

```
xsel --clipboard > Baada-Boom.txt
xsel --clipboard >> ~/.Baada-Boom
```

# cp2clip (xsel)

```
#!/bin/bash
# cp2clip - copy to the clipboard the contents of a file
# Program name from it's filename
prog=${0##*/}
# Text color variables
bldblu='\e[1;34m'
                          # blue
bldred='\e[1;31m'
                          # red
bldwht='e[1:37m']
                          # white
txtbld=$(tput bold)
                          # bold
txtund=$(tput sqr 0 1)
                          # underline
txtrst='\e[0m'
                          # text reset
info=${bldwht}*${txtrst}
pass=${bldblu}*${txtrst}
warn=${bldred}!${txtrst}
filename=$@
# Display usage if full argument isn't given
if [[ -z $filename ]]; then
    echo " $prog <filename> - copy a file to the clipboard"
    exit
fi
# Check that file exists
if [[ ! -f $filename ]]; then
  echo -e "$warn File ${txtund}$filename${txtrst} doesn't exist"
  exit
fi
# Check user is not root (root doesn't have access to user Xorg ser
if [[ $(whoami) == root ]]; then
  echo -e "$warn Must be regular user to copy a file to the clipboa
  exit
fi
# Copy file to clipboard, give feedback
xsel --clipboard < "$filename"</pre>
echo -e "$pass ${txtund}"${filename##*/}"${txtrst} copied to clipbo
```

## clippaste (xsel)

```
#!/bin/bash
# clippaste - Paste contents of clipboard to file in terminal.
# use 'xclip -out -selection primary' for middle click clipboard
# Program name from it's filename
proq=${0##*/}
# Text color variables
bldblu='\ell(1;34m')
                           # blue
bldred='\e[1;31m'
                           # red
bldwht='e[1;37m']
                           # white
txtbld=$(tput bold)
                           # bold
txtund=$(tput sgr 0 1)
                           # underline
txtrst='\e[0m'
                           # text reset
info=${bldwht}*${txtrst}
pass=${bldblu}*${txtrst}
warn=${bldred}!${txtrst}
filename=$@
pasteinfo="clipboard contents"
# usage if argument isn't given
if [[ -z $filename ]]; then
   echo "clippaste <filename> - paste contents of context-menu clipk
   exit
fi
# check if file exists, prompt to append or override, else create r
if [[ -f $filename ]]; then
   echo -en "$warn File ${txtund}$filename${txtrst} already exists -
   read edit
   case "$edit" in
     [aA] )
             xsel --clipboard >> $filename
             echo -e "$pass File ${txtund}$filename${txtrst} appende
             ;;
     [00]
             xsel --clipboard > $filename
             echo -e "$pass File ${txtund}$filename${txtrst} overwrc
             ;;
     * )
             exit
     esac; else
     xsel --clipboard >> $filename
     echo -e "$pass File ${txtund}"$filename"${txtrst} created with
fi
```

About these ads

# **About Gen2ly**

<3's linux

View all posts by Gen2ly »

Posted on 2008-02-22, in Command Line, Linux, Script. Bookmark the permalink. 42 Comments.

## Leave a comment

### Trackbacks 7

## Comments 35

```
Colin Zwiebel | 2009-07-17 at 9:05 pm

Great to find out about xsel! Unfortunately two of you examples are wrong: echo "a-bit-of-text" | xsel -c cat /etc/make.conf | xsel -c do not copy "a-bit-of-text" or /etc/make.conf to the clipboard. They should be written: echo "a-bit-of-text" | xsel -clipboard cat /etc/make.conf | xsel -clipboard or, as I prefer, with the -b flag (equivalent to -clipboard, 8 characters shorter) echo "a-bit-of-text" | xsel -b cat /etc/make.conf | xsel -b

The xsel -c flag does exist and is useful. It clears the clipboard. Forexample: xsel -c -b

Or, if you want to clear the X Server clipboard (middle click clipboard), simply type xsel -c

Enjoy!
```

Gen2lv | 2009-07-18 at 10:52 am

Huh, hmm that did work the last time I used it. Wonder if xsel option have changed since, looks like it does. Thanks for the tip Colin. I use xclip now so it's a good time to update post.

```
wozza xing | 2009-08-24 at 3:01 am
```

Awesome, thanks for the info

I really need this to copy between the primary and the clipboard for apps which don't know about the primary eg netbeans.

**kalu G** | 2009-09-07 at 4:17 am

Very nice Gen2ly, thanks for the idea!

#!/bin/bash

# Paste the contents of the clipboard to a file.

FILENAME=\$@

```
if [[ ! -z $FILENAME ]]; then
echo "clipb-pasted into $FILENAME ";
xsel -b > $FILENAME;
chmod 755 $FILENAME;
else
echo "no filenam declareted."
exit;
fi
```

chanux | 2009-09-12 at 7:24 am

Neat. Thanx.

*Gen2ly* | 2009-09-12 at 4:06 pm Thank you.

*jonathan* | 2009-10-07 at 10:26 am

This is awesome, thakns so much!

**AMB** | 2010-10-19 at 8:15 pm !#/really/good/blog

if
i had to say one thing it's
thank you
else
i would not speak truly
fi

**manech** | 2011-03-18 at 6:07 am

If you use xclip in conjunction with truecrypt you should be careful and use truecrypt .pass /media/pass cat /media/pass/password | xclip truecrypt -d .sec

instead of xclip -in /media/pass/password

because otherwise xclip will lock the file and you will get the following error message, when truecrypt tries to unmount the volume:

umount: /media/pass: device is busy.

**Todd Partridge (Gen2ly)** 2011-10-10 at 2:57 am

A more thoroughly thought out cp2clip:

http://madebynathan.com/2011/10/04/a-nicer-way-to-use-xclip/

*Todd Partridge (Gen2ly)* | 2012-06-07 at 7:06 am Updated post.

**kayackhella** | 2012-09-05 at 10:45 am

знакомства интим николаев знакомства в пензе секс русские секс знакомства знакомства для секса смоленск свингер знакомства знакомства для сексу знакомства для секса в щелково волгоград знакомства для секса знакомства для секса саранск http знакомства знакомства секс львов мобильные знакомства для секса подольск знакомства интим знакомства интим ташкент знакомства секс спб

знакомства для сек знакомства секс великий новгород цель знакомства секс братск секс знакомства журнал знакомства

дубна секс знакомства знакомства для секса киров знакомства яндекс г бузулук знакомства секс знакомства г уфа знакомства подольск секс идеал знакомства знакомства рязань ярмарка без регистрации интим знакомства знакомства без регистрации в белгороде

знакомства для секса киев секс знакомства в тюмени ссекс знакомства знакомства для секса саратов секс знакомства мурманск

винница секс знакомства трансексуалы знакомства знакомства для секса в крыму секс знакомства г уфа знакомства для секса саранск

*truongco* | 2012-09-28 at 2:54 am

It help me much. Thank!

*Illeltmyptomi* | 2012-11-16 at 8:41 am onemanga wallflower

### BUCCILSRISORY | 2012-12-02 at 4:24 am

Ceтeвыe online and offline systems for gaming, arcade emulator, watch videos of programmy.http://www.youtube.com/watch?v=n-fcO8eE\_5I&noredirect=1

**BUCCILSRISORY** | 2012-12-02 at 4:24 am

Network online and offline systems for gaming, watching a video of programmy.http:// http://www.voutube.com/watch?v=n-fcO8eE\_5I&noredirect=1

*Vardievalslar* | 2013-01-27 at 4:01 pm

Мы устанавливаем натяжные потолки в Серпухове не дорого, с гарантией!

#### bulikclv | 2013-04-09 at 11:43 pm

[url=http://shkatulka.net.ru/#k57x]Marlboro[/url] [url=http://psiport.ru/#eq7z]Cheap Cigarettes[/url] [url=http://news-royal.ru/vira-brezhnjeva-vzhe-znyala-obruchku/#ew7h]camel cigarettes[/url] [url=http://vegetables-fruited.ru/#kr1h]Buy Cigarettes Online[/url] [url=http://htmlshablons.ru/#d57h]Marlboro[/url] [url=http://pc-board.kiev.ua/compl/motherboards/40815.htm#eq1z]discount cigarettes[/url] [url=http://kif-belovodie.ru/#c36h]Camel Cigarettes[/url] [url=http://1mdk.ru/?p=55#bw1x]marlboro[/url]

[url=http://resortbulgaria.ru/pages/turi-v-bolgariu/mejdunarodnii-molodejnii-tentr-cocteili-club.html#br7z]menthol cigarettes[/url] [url=http://motto5.ru/?page\_id=126#eq1h] [url=http://cigbase.com/[/url]

#### **Rooncance** | 2013-04-10 at 12:15 am

[url=http://nikefreerunblackshoes.blogspot.com/]nike free run black[/url] As more and more people are turning to internet for marketing purpose, importance of article marketing cannot be overlooked It has emerged as one of the effective means of promoting any business You might have a question regarding how can article marketing can advertise any business and result into more sales There are numerous ways in which any website can benefit from article marketing The back links provided in your article helps in getting greater amount of traffic to your website

[url=http://nikefreeshoesblue.blogspot.com/]nike free shoes[/url] That company must also be able to adjust its strategy in the event that search engine rankings drop Since search engine marketing is an ongoing process, your positions must be constantly monitored If you want your search engine optimization company to do this for you, request a sample of a monthly report It is essential that this report should show rankings for the most popular search engines Don't be impressed by a report that only shows great results for a limited number of small search engines

#### http://nikefreerun3leathershoes.cabanova.com/.

[url=http://cheapnikefreesale.blogspot.com/]cheap nike free[/url] If you bury your message inside a very thick and dense text, then you can very well lose the chance of getting a passerby or any of your target clients to get your message without having to work through your words If it is too much work to get to your message, then it is probably not worth to pick them up in the first placeGenerally, here are the guidelines you need to pick up yourself if you want your brochure printing copy to pique the interest of your target clients1 Speak directly to your target audience

[url=http://nikefreesalecheap.weebly.com/]nike free sale[/url] Offloading the administrative work maximizes the organization's resourcesOffer access to expertise Organizations that outsource gain access to know-how they probably do not possess They tap into a broad network of experienced people and best practicesThere are, however, some common misconceptions about outsourcing, including the belief that it can and will in every situation:Cut costs.

### *ARokproorb* | 2013-06-12 at 4:34 pm

Свисните где драйвер motherboard sony nw e002f драйвер загрузить

И не нужно кривить свою модерскую харю xerox workcentre 3119 драйвер принтера драйвер на mini dv драйвер radeon 5800 драйвер для принтера brother dcp 7030r

#### **Знакомства Екатеринбург** | 2013-08-05 at 5:24 pm

This is the perfect site for everyone who really wants to understand this topic. You realize a whole lot its almost hard to argue with you (not that I personally would want to...HaHa).

You definitely put a brand new spin on a topic which has been written about for many years. Wonderful stuff, just great!

```
Othexiadiah | 2013-08-09 at 5:30 pm
```

Vous desirez poser une ou des questions sur votre avenir ? notre cabinet pratique une vraie voyance par mail pour soulager

vos interrogations.

Quel que soit la question ou le domaine qui vous tient a coeur, notre cabinet repondra sans blabla ni detour pour vous apporter une reponse serieuse.

http://www.expressvoyance.fr

numerologie

visit my site

tarot gratuit

c est gratuit

*Yzipadomu.Comxa.Com* | 2013-08-10 at 7:55 pm

It's genuinely very complex in this busy life to listen news on TV, thus I only use web for that purpose, and obtain the most up-to-date news.

#### **Gollumelit** | 2013-09-20 at 7:20 am

Contraction de gollum et de élite, la gollumelite est une maladie assez rare, qui continue de faire en général le sommet de certaines pyramides mal concues, torturant le malade avec une sorte de déséquilibre shcyzophreniquo-égoiste couplé d'une sorte de syndrôme de la tourette... "Mon précieux... butin passera avant tout mes principes " ou " maintenons les personnes dans l'ignorance pour leur vendre ce qui demeure gratuit " sont le genre de phrasioles dégluties par les personnes en phase terminales de la maladie. Cette maladie pousse la victime à l'illusion de la réussite quand bien même en vérité c'est vers leffroyable echec qu'elle se précipite. La gollumelite developpe l'égo surdimentionnel et orgeuilleux des gens atteintes.

*chinchvan* | 2013-10-08 at 6:10 am

Natural gas poses amazing some transportation problems and is mainly shipped through pipelines

*ray* | 2014-02-02 at 12:12 pm

Many thanks, that's nice, focused information.

**JankaTeefe** | 2014-07-21 at 3:32 am

Вот фотки, в котором он сейчас состоянии: <a href="http://www.gansi.ru">http://www.gansi.ru</a>

Видиа мак он путастая напологияться а намени и срест институт

Видно, как он пытается перевернуться с помощью своей клешни.

vovance | 2014-07-30 at 10:36 am

Hello Dear, are you truly visiting this web page daily, if so afterward you will without doubt obtain fastidious experience.

*inpughisguh* | 2014-08-27 at 11:19 pm

Бесплатный сайт знакомств для секса.

Знакомства онлайн с фото. Бесплатный видео чат.

Частные фото и видео.

http://www.bit.lv/1pm2xOi

homepage | 2014-08-29 at 3:36 am

They are all equally important, so ensure you don't miss any certainly one of them.

The American researchers discovered that the tea contains polyphenols can kill the bacteria causing smelly breath.

Experimental proof, drinking tea in vivo immune cell response to viruses is half a dozen times faster than drinking coffee.

Thus, you'll find countless homemade remedies to obtain rid of gnats, keeping your house clean and shielded from these tiny creatures. homepage

news | 2014-08-29 at 3:36 am

If you're operating over a dark road, generally there bollards will help for safety work in roadways and would make traveling safer and simpler to suit your needs. Most with the injuries happen from falls, particularly at home if elderly or disabled folks are living in there, news

estetvkaciala.com | 2014-10-22 at 3:33 am

If you are going for best contents like me, only pay a quick visit this web page everyday because it presents feature contents, thanks

*Torri* | 2014-11-09 at 7:27 am

What's up to every body, it's my first visit of this webpage; this weblog carries awesome and actually excellent data in favor of readers.

*Sivadoss Ram* | 2014-11-10 at 5:02 am

Good thread, very useful, keep it up, thanks!!

*Car Security* | 2014-12-26 at 7:18 am

whoah this weblog is wonderful i really like studying your posts. Stay up the great work! You realize, many individuals are looking round for this info, you could aid them greatly.

- 1. Pingback: Contributing to exherbo with git patch « Rofrol blog
- 2. Pingback: How to copy to clipboard using bash command?
- 3. Pingback: Acessar clipboard do X com o xclip | Daemonio's Labs
- 4. Pingback: linux command to copy text to clipboard « Shafiul Azam's Weblog
- 5. Pingback: Copiar texto desde la terminal al portapapeles a través de comandos « El Hombre que Reventó de Información
- 6. Pingback: URL Shortening Key | Blogging Attempt 2
- 7. Pingback: Delicious Bookmarks for June 25th through June 26th « Lâmôlabs

1 Follow

# Follow "Linuxtidbits"

Build a website with WordPress.com