Causality

Claire Liow

University of Tokyo

5/26/2022

Table of Contents

- Subset data
- Summarize data
- Add new variable

Load packages and data

```r
## load packages
library(tidyverse)
library(qss)

## load data
resume <- read_csv("data/resume.csv")
```

Subset data

- `select`: Return columns by name/number/etc.
- `filter`: Return rows by name/number/etc.

```r
## subset data with first name
resumeN <- select(resume, firstname)

## subset data with black names
resumeB <- filter(resume, race == "black")

## subset data with black, female-sounding names
resumeBf <- filter(resume, race == "black" & sex == "female")
```

Summarize data

```r
## callback rate for black female names
Bf_callback <- filter(resume, race == "black" & sex =="female")
  summarize(callback_rate = mean(call))

## callback rate for white female names
Wf_callback <- filter(resume, race == "white" & sex == "female")
  summarize(callback_rate = mean(call))

## difference between white and black women
Wf_callback - Bf_callback
```

Add new variable

```r
## calculate race gap in callback rate
race_gap_by_sex <- resume %>%
  group_by(race, sex) %>%
  summarize(mean(call)) %>%
  pivot_wider(names_from = race,
              values_from = callback) %>%
  mutate(race_gap = white - black)

## create
resume <- resume %>%
  mutate(type = case_when(race == "black" & sex == "female" ~
                          race == "black" & sex == "male" ~ "B
                          race == "white" & sex == "female" ~
                          race == "white" & sex == "male" ~ "W
                          TRUE ~ "Other"))

head(resume)
```