



ASM2464PD Test Condition Status



Revision 0.3

August 09, 2022

Outline

- [Updated] Preliminary Host/Hub Platform List
- Preliminary Device List
- Cables
- Preliminary Performance

Preliminary Host Platform List

Host/Hub List for ASMedia ASM2464PD

Platforms	Silicon Type	Recommended NVM FW version/OS build or newer ver.
Intel 12th-Gen Alder Lake-P		
Intel Alder Lake-P RVP	Built-in TBT4 Host	Windows 11 10.0.22000 Build 22000 or later
MSI Prestige 15 A12UD-021TW	Built-in TBT4 Host	Windows 11 10.0.22000 Build 22000 or later
Dell Alienware M15 R7	Built-in TBT4 Host	Windows 11 10.0.22000 Build 22000 or later
Dell 16-7620-R1748LTW	Built-in TBT4 Host	Windows 11 10.0.22000 Build 22000 or later
Intel 11th Gen Tiger Lake-U		
Intel Tiger Lake-U RVP	Built-in TBT4 Host	46 or later
Apple		
Apple MacBook M1	Built-in TBT4 Host	macOS 12.4 or later
Apple iMac M1	Built-in TBT4 Host	macOS 12.4 or later
Apple MacBook M1 Pro	Built-in TBT4 Host	macOS 12.4 or later
Intel Maple Ridge		
Intel Maple Ridge AIC EVB	Add-in Card Discrete TBT4 Host	32 or later
ASUS ROG MAXIMUS Z690 EXTREME	On Board Discrete TBT4 Host	32 or later
Intel Goshen Ridge		
Intel Gakext Creek Hub EVB	TBT4 Hub	Goshen Ridge 36 or later Cypress PD Rev 42 or later

Preliminary Device List

Device Vendors	Model	Type	Note
Western Digital	WD_BLACK SN850 NVMe™ SSD	PCIe Gen4 x4 M.2 NVMe	Heat Sink is Required
Samsung	980 PRO PCIe® 4.0 NVMe™ SSD	PCIe Gen4 x4 M.2 NVMe	Heat Sink is Required
Micron	Crucial P5 Plus	PCIe Gen4 x4 M.2 NVMe	Heat Sink is Required
Seagate	FireCuda 530	PCIe Gen4 x4 M.2 NVMe	Heat Sink is Required
Kingston	FURY Renegade	PCIe Gen4 x4 M.2 NVMe	Heat Sink is Required

Preliminary Cable List

Cable Vendors	Model	Note
OWC	0.7 meter Thunderbolt 4 cable	OWCCBLTB4C0.7M
Lintes	TBT4 0.5M 5A Thunderbolt4 Passive Cable	TPA050-EB2

ASM2464PD PCIe Tunneling Performance

CrystalDiskMark 8.0.4 x64 [Admin]

File Settings Profile Theme Help Language

All 5 1GiB D: 0% (0/931GiB) MB/s

	Read (MB/s)	Write (MB/s)
SEQ1M Q8T1	3836.44	3137.36
SEQ1M Q1T1	2316.00	2764.24
RND4K Q32T1	523.56	472.44
RND4K Q1T1	74.73	181.00

MSI Prestige + ASM2464PD + WD SN850 1TB (Default)

CrystalDiskMark 8.0.4 x64 [Admin]

File Settings Profile Theme Help Language

All 5 1GiB D: 0% (0/932GiB) MB/s

	Read (MB/s)	Write (MB/s)
SEQ1M Q8T1	3610.76	3003.45
SEQ1M Q1T1	2523.43	2115.81
RND4K Q32T1	506.60	401.31
RND4K Q1T1	77.07	158.51

MSI Prestige + ASM2464PD + Samsung980PRO 1TB

CrystalDiskMark 8.0.4 x64 [Admin]

File Settings Profile Theme Help Language

All 5 1GiB D: 0% (0/931GiB) MB/s

	Read (MB/s)	Write (MB/s)
SEQ1M Q8T1	3776.16	2961.11
SEQ1M Q1T1	1922.03	1916.26
RND4K Q32T1	536.55	388.31
RND4K Q1T1	45.32	183.97

MSI Prestige + ASM2464PD + SeagateFireCuda530

CrystalDiskMark 8.0.4 x64 [Admin]

File Settings Profile Theme Help Language

All 5 1GiB D: 20% (92/465GiB) MB/s

	Read (MB/s)	Write (MB/s)
SEQ1M Q8T1	3773.66	2968.21
SEQ1M Q1T1	1909.80	1907.99
RND4K Q32T1	534.48	386.98
RND4K Q1T1	48.02	185.37

MSI Prestige + ASM2464PD + Kingston Fury Renegade500

Thank you
...