

(a) Per-Source Accuracy Across Factorial Conditions

		C1	C2	C3	C4	C5	C6	C7	C8	100 90 80 70	
		ZS, t=1.0	CoT, t=1.0	ZS, t=0.2	CoT, t=0.2	ZS, t=1.0	CoT, t=1.0	ZS, t=0.2	CoT, t=0.2		
		GPT-4o-mini				GPT-4o					
CSQA		58.6	55.2	58.6	51.7	58.6	65.5	65.5	69.0		
HellaSwag		76.5	70.6	84.3	64.7	86.3	72.5	82.4	82.4		
PIQA		75.6	64.4	75.6	68.9	77.8	75.6	84.4	86.7		
SIQA		80.9	76.6	83.0	76.6	76.6	76.6	78.7	74.5		
WinoGrande		53.6	3.6	57.1	0.0	32.1	0.0	57.1	3.6		
GSM8K		31.0	83.7	29.5	85.3	51.2	94.6	56.6	87.6		
LogiQA		53.5	52.1	52.1	59.2	56.3	67.6	62.0	64.8		
Novel		32.0	44.0	34.0	46.0	72.0	62.0	74.0	62.0		
TruthfulQA		66.7	63.3	65.3	64.0	75.3	74.7	74.0	77.3		

(b) Per-Source Accuracy Across Model Families

		OpenAI S1	OpenAI S2	DeepSeek S1	DeepSeek S2	Qwen S1	Qwen S2	Llama S1	Llama S2	Accuracy
		OpenAI		DeepSeek		Qwen		Llama		
CSQA		78.6	78.6	78.6	71.4	64.3	78.6	85.7	85.7	
HellaSwag		72.0	80.0	60.0	76.0	60.0	84.0	52.0	60.0	
PIQA		76.5	70.6	70.6	64.7	82.4	70.6	58.8	58.8	
SIQA		83.3	91.7	70.8	83.3	50.0	79.2	70.8	91.7	
WinoGrande		55.0	0.0	15.0	30.0	20.0	5.0	60.0	20.0	
GSM8K		20.8	94.3	58.5	98.1	13.2	92.5	17.0	98.1	
LogiQA		42.6	57.4	57.4	63.8	40.4	57.4	34.0	55.3	
Novel		28.6	71.4	57.1	71.4	57.1	57.1	42.9	57.1	
TruthfulQA		75.3	82.8	72.0	73.1	57.0	79.6	47.3	80.6	