## Terminal commands:

```
C:\Users\Xiaoye Zuo\Desktop>git clone https://github.com/LavitaZ/cse110.git
Cloning into 'cse110'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Receiving objects: 100% (3/3), done.
C:\Users\Xiaoye Zuo\Desktop>cd cse110
C:\Users\Xiaoye Zuo\Desktop\cse110>
PS C:\Users\Xiaoye Zuo\Desktop\cse110> git checkout -b add-read-me
Switched to a new branch 'add-read-me'
     Directory: C:\Users\Xiaoye Zuo\Desktop\cse110
Mode
                        LastWriteTime
                                                Length Name
_ _ _ _
                 9/24/2021 10:31 AM
                                                      8 README.md
-a---
 PS C:\Users\Xiaoye Zuo\Desktop\cse110> atom README.md
 PS C:\Users\Xiaoye Zuo\Desktop\cse110> git init
 PS C:\Users\Xiaoye Zuo\Desktop\cse110> git add .
 PS C:\Users\Xiaoye Zuo\Desktop\cse110> git commit -m "Update readme file"
 [add-read-me 3b5c78f] Update readme file
 1 file changed, 1 insertion(+), 1 deletion(-)
 PS C:\Users\Xiaoye Zuo\Desktop\cse110> git push
 fatal: The current branch add-read-me has no upstream branch.
 To push the current branch and set the remote as upstream, use
     git push --set-upstream origin add-read-me
 PS C:\Users\Xiaoye Zuo\Desktop\cse110> git push --set-upstream origin add-read-me
 Enumerating objects: 5, done.
 Counting objects: 100% (5/5), done.
 Writing objects: 100% (3/3), 270 bytes | 270.00 KiB/s, done.
 Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
 To https://github.com/LavitaZ/cse110.git
    123096d..3b5c78f add-read-me -> add-read-me
 Branch 'add-read-me' set up to track remote branch 'add-read-me' from 'origin'.
```

## Staged commit and current branch

