

RELIABILITY

```

/VARIABLES=LSNSresult HTPresult
/SCALE(' ALL VARIABLES' ) ALL
/MODEL=ALPHA.

```

Reliability

Notes

Output Created		13-JAN-2021 19:03:58
Comments		
Input	Active Dataset	データセット1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	74
	Matrix Input	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY /VARIABLES=LSNSresult HTPresult /SCALE(' ALL VARIABLES') ALL...
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	74	100.0
	Excluded ^a	0	.0
	Total	74	100.0

^a Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.816	2

REGRESSION

```

/MISSING LISTWISE
/STATISTICS COEFF OUTS R ANOVA
/CRITERIA=PIN(.05) POUT(.10)
/NOORIGIN
/DEPENDENT HTPresult
/METHOD=ENTER LSNSresult.

```

Regression

Notes

Output Created		13-JAN-2021 19:04:40
Comments		
Input	Active Dataset	データセット1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	74
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT HTPresult /METHOD=ENTER LSNSresult.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.15
	Memory Required	2480 bytes
	Additional Memory Required for Residual Plots	0 bytes

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	LSNS result ^b	.	Enter

a. Dependent Variable: HTP result

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.690 ^a	.476	.469	.356

a. Predictors: (Constant), LSNS result

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	8.288	1	8.288	65.457	.000 ^b
	Residual	9.117	72	.127		
	Total	17.405	73			

a. Dependent Variable: HTP result

b. Predictors: (Constant), LSNS result

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.278	.059		4.684	.000
	LSNS result	.670	.083	.690	8.091	.000

a. Dependent Variable: HTP result

CROSSTABS

```

/TABLES=LSNSresult BY HTPresult
/FORMAT=AVALUE TABLES
/STATISTICS=CHISQ PHI
/CELLS=COUNT EXPECTED ROW COLUMN ASRESID
/COUNT ROUND CELL.

```

Crosstabs

Notes

Output Created		13-JAN-2021 19:09:07
Comments		
Input	Active Dataset	データセット1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	74
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=LSNSresult BY HTPresult /FORMAT=AVALUE TABLES /STATISTICS=CHISQ PHI /CELLS=COUNT EXPECTED ROW COLUMN ASRESID /COUNT ROUND CELL.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.12
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
LSNS result * HTP result	74	100.0%	0	0.0%	74	100.0%

LSNS result * HTP result Crosstabulation

			HTP result		
			0	1	Total
LSNS result	0	Count	26	10	36
		Expected Count	13.6	22.4	36.0
		% within LSNS result	72.2%	27.8%	100.0%
		% within HTP result	92.9%	21.7%	48.6%
		Adjusted Residual	5.9	-5.9	
	1	Count	2	36	38
		Expected Count	14.4	23.6	38.0
		% within LSNS result	5.3%	94.7%	100.0%
		% within HTP result	7.1%	78.3%	51.4%
		Adjusted Residual	-5.9	5.9	
Total	Count	28	46	74	
	Expected Count	28.0	46.0	74.0	
	% within LSNS result	37.8%	62.2%	100.0%	
	% within HTP result	100.0%	100.0%	100.0%	

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	35.239 ^a	1	.000		
Continuity Correction ^b	32.449	1	.000		
Likelihood Ratio	39.952	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	34.763	1	.000		
N of Valid Cases	74				

a 0 cells (0.0%) have expected count less than 5. The minimum expected count is 13.62.

b Computed only for a 2x2 table

Symmetric Measures

		Value	Approximate Significance
Nominal by Nominal	Phi	.690	.000
	Cramer's V	.690	.000
N of Valid Cases		74	

RELIABILITY

```

/VARIABLES=LSNSresult HTPresult
/SCALE(' ALL VARIABLES') ALL
/MODEL=ALPHA
/STATISTICS=DESCRIPTIVE SCALE CORR
/SUMMARY=TOTAL.

```

Reliability

Notes

Output Created		13-JAN-2021 19:15:05
Comments		
Input	Active Dataset	データセット1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	74
	Matrix Input	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY /VARIABLES=LSNSresult HTPresult /SCALE(' ALL VARIABLES') ALL /MODEL=ALPHA /STATISTICS=DESCRIPTIVE SCALE CORR...
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.02

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	74	100.0
	Excluded ^a	0	.0
	Total	74	100.0

a Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	Cronbach's Alpha Based on Standardized Items	N of Items
.816	.817	2

Item Statistics

	Mean	Std. Deviation	N
LSNS result	.51	.503	74
HTP result	.62	.488	74

Inter-Item Correlation Matrix

	LSNS result	HTP result
LSNS result	1.000	.690
HTP result	.690	1.000

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Squared Multiple Correlation	Cronbach's Alpha if Item Deleted
LSNS result	.62	.238	.690	.476	.
HTP result	.51	.253	.690	.476	.

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
1.14	.831	.911	2

CORRELATIONS

```

/VARIABLES=LSNSresult HTPresult
/PRINT=TWOTAIL NOSIG FULL
/MISSING=PAIRWISE.

```

Correlations

Notes

Output Created		13-JAN-2021 19:18:25
Comments		
Input	Active Dataset	データセット1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	74
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		CORRELATIONS /VARIABLES=LSNSresult HTPresult /PRINT=TWOTAIL NOSIG FULL...
Resources	Processor Time	00:00:00.03
	Elapsed Time	00:00:00.04

Correlations

		LSNS result	HTP result
LSNS result	Pearson Correlation	1	.690**
	Sig. (2-tailed)		.000
	N	74	74
HTP result	Pearson Correlation	.690**	1
	Sig. (2-tailed)	.000	
	N	74	74

*. Correlation is significant at the 0.01 level (2-tailed).