

練習実験報告

肖宇笑

May 18, 2024

Contents

Galvano Sepctrum

REMPI scan

- Selected peaks

- Radius and angular distributions

- Peak assignments

- Speed correction

Contents

Galvano Sepctrum

REMPI scan

- Selected peaks

- Radius and angular distributions

- Peak assignments

- Speed correction

Galvano Sepctrum



Fig. 1: Wavelen. correction

Galvano Sepctrum




Fig. 1: Wavelen. correction

Galvano Sepctrum

Correction




Fig. 2: Correction function

Contents

Galvano Sepctrum

REMPI scan

- Selected peaks

- Radius and angular distributions

- Peak assignments

- Speed correction

Contents

Galvano Sepctrum

REMPI scan


- Selected peaks

- Radius and angular distributions

- Peak assignments

- Speed correction

Selected peaks



Contents

Galvano Sepctrum

REMPI scan

- Selected peaks

- Radius and angular distributions

- Peak assignments

- Speed correction

Contents

Galvano Sepctrum

REMPI scan


Selected peaks

Radius and angular distributions


Peak assignments

Speed correction


Peak 1




Peak 1




Peak 1




Peak 2




Peak 2




Peak 2




Peak 3




Peak 3




Peak 3




Peak 4



Peak 4



Peak 4



Contents

Galvano Sepctrum

REMPI scan

Selected peaks

Radius and angular distributions

Peak assignments

Speed correction

Contents

Galvano Sepctrum

REMPI scan

Selected peaks

Radius and angular distributions

Peak assignments

Speed correction

Peak assignments

464.484nm $\approx 43058.49\text{cm}^{-1}$	464.114nm $\approx 43092.81\text{cm}^{-1}$	460.875nm $\approx 43395.69\text{cm}^{-1}$	456.659nm $\approx 43796.34\text{cm}^{-1}$
px = 258	px = 258	px = 258	px = 249
<i>rR2</i> 44.5 <i>qR12</i> 51.5 <i>qQ2</i> 51.5	<i>rR2</i> 45.5 <i>qR12</i> 51.5 <i>qQ2</i> 51.5	<i>sR21</i> 48.5	<i>sR21</i> 58.5 <i>pQ12</i> 76.5 <i>pP2</i> 76.5

Notice

Colored assignments are mismatched, and will not be used to calculate.

Contents

Galvano Sepctrum

REMPI scan

Selected peaks

Radius and angular distributions

Peak assignments

Speed correction

Contents

Galvano Sepctrum

REMPI scan

Selected peaks

Radius and angular distributions

Peak assignments

Speed correction

Speed correction

	E_{total}	$E_{\text{bond}}(\text{O}-\text{NO})^1$	$E_{\text{int.}}(\text{NO})$
Peak 1 464.484nm	43 058.49cm ⁻¹	25 128.57cm ⁻¹	$E(v = 1) + E(J = 44)$
Peak 2 464.114nm	43 092.81cm ⁻¹		$E(v = 1) + E(J = 45)$
Peak 3 460.875nm	43 395.69cm ⁻¹		$E(v = 1) + E(J = 48)$
Peak 4 456.659nm	43 796.34cm ⁻¹		$E(v = 1) + E(J = 58)$

¹Rémy Jost et al. *The Journal of Chemical Physics* **105.3** (July 1996).

Speed correction

	E_{total}	$E_{\text{bond}}(\text{O}-\text{NO})^2$	$E_{\text{int.}}(\text{NO})$
Peak 1 464.484nm	43 058.49cm ⁻¹		3525.074 362 5cm ⁻¹ + $E(J = 44)$
Peak 2 464.114nm	43 092.81cm ⁻¹		3525.074 362 5cm ⁻¹ + $E(J = 45)$
Peak 3 460.875nm	43 395.69cm ⁻¹	25 128.57cm ⁻¹	3525.074 362 5cm ⁻¹ + $E(J = 48)$
Peak 4 456.659nm	43 796.34cm ⁻¹		3525.074 362 5cm ⁻¹ + $E(J = 58)$

²Rémy Jost et al. *The Journal of Chemical Physics* **105**.3 (July 1996).

³J. Danielak et al. *Journal of Molecular Spectroscopy* **181**.2 (1997), pp. 394–402.

Speed correction

	E_{total}	$E_{\text{bond}}(\text{O}-\text{NO})^2$	$E_{\text{int.}}(\text{NO})$
Peak 1 464.484nm	43 058.49cm ⁻¹		3525.074 362 5cm ⁻¹ + $E(J = 44)$
Peak 2 464.114nm	43 092.81cm ⁻¹		3525.074 362 5cm ⁻¹ + $E(J = 45)$
Peak 3 460.875nm	43 395.69cm ⁻¹	25 128.57cm ⁻¹	3525.074 362 5cm ⁻¹ + $E(J = 48)$
Peak 4 456.659nm	43 796.34cm ⁻¹		3525.074 362 5cm ⁻¹ + $E(J = 58)$

Vib. energy level³

$$E(v) = \omega_e \left(v + \frac{1}{2}\right) - \omega_e x_e \left(v + \frac{1}{2}\right)^2 + \omega_e y_e \left(v + \frac{1}{2}\right)^3.$$

²Rémy Jost et al. *The Journal of Chemical Physics* **105.3** (July 1996).

³J. Danielak et al. *Journal of Molecular Spectroscopy* **181.2** (1997), pp. 394–402.

Speed correction

	E_{total}	$E_{\text{bond}}(\text{O}-\text{NO})^4$	$E_{\text{int.}}(\text{NO})$
Peak 1 464.484nm	43 058.49cm ⁻¹	25 128.57cm ⁻¹	6848.563 763cm ⁻¹
Peak 2 464.114nm	43 092.81cm ⁻¹		6999.631 462cm ⁻¹
Peak 3 460.875nm	43 395.69cm ⁻¹		7472.976 923cm ⁻¹
Peak 4 456.659nm	43 796.34cm ⁻¹		9269.004 023cm ⁻¹

⁴Rémy Jost et al. *The Journal of Chemical Physics* **105.3** (July 1996).

⁵J. Danielak et al. *Journal of Molecular Spectroscopy* **181.2** (1997), pp. 394–402.

Speed correction

	E_{total}	$E_{\text{bond}}(\text{O}-\text{NO})^4$	$E_{\text{int.}}(\text{NO})$
Peak 1 464.484nm	43 058.49cm ⁻¹	25 128.57cm ⁻¹	6848.563 763cm ⁻¹
Peak 2 464.114nm	43 092.81cm ⁻¹		6999.631 462cm ⁻¹
Peak 3 460.875nm	43 395.69cm ⁻¹		7472.976 923cm ⁻¹
Peak 4 456.659nm	43 796.34cm ⁻¹		9269.004 023cm ⁻¹

Rot. energy level⁵

$$E(J) = B_v (J^2 + J)$$

⁴Rémy Jost et al. *The Journal of Chemical Physics* **105.3** (July 1996).

⁵J. Danielak et al. *Journal of Molecular Spectroscopy* **181.2** (1997), pp. 394–402.

Speed correction

$E_{\text{int.}}(\text{O})^6$	$E_{\text{trans}}(\text{total}) \approx 2.88 E_{\text{trans}}(\text{NO})$ $= E_{\text{total}} - E_{\text{bond}}(\text{O}-\text{NO}) - E_{\text{int.}}(\text{O}) - E_{\text{int.}}(\text{O})$	$E_{\text{trans}}(\text{NO})$ $= \frac{1}{2} m(\text{NO}) v^2(\text{NO})$
3P_2	11081.356237cm ⁻¹	1923.84656892361cm ⁻¹
	10964.608538cm ⁻¹	1903.57787118055cm ⁻¹
	10794.143077cm ⁻¹	1873.98317309028cm ⁻¹
(0cm ⁻¹)	9398.765977cm ⁻¹	1631.73020434028cm ⁻¹
3P_1	10922.731237cm ⁻¹	1896.30750642361cm ⁻¹
	10805.983538cm ⁻¹	1876.03880868055cm ⁻¹
	10635.518077cm ⁻¹	1846.44411059028cm ⁻¹
(158.625cm ⁻¹)	9240.140977cm ⁻¹	1604.19114184028cm ⁻¹
3P_0	10854.379237cm ⁻¹	1884.44083975695cm ⁻¹
	10737.631538cm ⁻¹	1864.17214201389cm ⁻¹
	10567.166077cm ⁻¹	1834.57744392361cm ⁻¹
(226.977cm ⁻¹)	9171.788977cm ⁻¹	1592.32447517361cm ⁻¹

⁶Charlotte Emma Moore and Jean W. Gallagher. "Tables of spectra of hydrogen, carbon, nitrogen, and oxygen atoms and ions". 1993.

Speed correction




y Trans. energy of NO

$E_{\text{int.}}(^7\text{O})$	$v(\text{NO})$ $= \sqrt{\frac{2E_{\text{trans}}(\text{NO})}{m(\text{NO})}}$	Δy
3P_2 (0 cm ⁻¹)	1486.240384 m s ⁻¹	258 px
	1478.3905065 m s ⁻¹	258 px
	1466.8533085 m s ⁻¹	258 px
	1368.7622455 m s ⁻¹	249 px
3P_1 (158.625 cm ⁻¹)	1475.5645855 m s ⁻¹	258 px
	1467.6576085 m s ⁻¹	258 px
	1456.0353685 m s ⁻¹	258 px
	1357.162647 m s ⁻¹	249 px
3P_0 (226.977 cm ⁻¹)	1470.940464 m s ⁻¹	258 px
	1463.0084955 m s ⁻¹	258 px
	1451.3490265 m s ⁻¹	258 px
	1352.133667 m s ⁻¹	249 px

⁷Charlotte Emma Moore and Jean W. Gallagher. “Tables of spectra of hydrogen, carbon, nitrogen, and oxygen atoms and ions”. 1993.

Speed correction


y Trans. energy of NO



$$\frac{dv}{dpx} = 12.04 \text{ m s}^{-1} / \text{px} @ {}^3P_2 \quad \frac{dv}{dpx} = 12.14 \text{ m s}^{-1} / \text{px} @ {}^3P_1 \quad \frac{dv}{dpx} = 12.18 \text{ m s}^{-1} / \text{px} @ {}^3P_0$$

Speed correction

y Trans. energy of NO



$$\frac{dv}{dpx} = 12.12 \text{ m s}^{-1} / \text{px @ Average}$$

Reference

- [1] J. Danielak et al. *Journal of Molecular Spectroscopy* **181.2** (1997), pp. 394–402.
- [2] Rémy Jost et al. *The Journal of Chemical Physics* **105.3** (July 1996).
- [3] Charlotte Emma Moore and Jean W. Gallagher. “Tables of spectra of hydrogen, carbon, nitrogen, and oxygen atoms and ions”. 1993.

Open source



このスライドはソースコードがにて公開される。