練習実験報告

肖宇笑 May 18, 2024

Galvano Sepctrum

REMPI scan

Selected peaks

Radius and angular distributions

Peak assignments

Galvano Sepctrum

REMPI scan

Selected peaks

Radius and angular distributions

Peak assignments

Galvano Sepctrum




Fig. 1: Wavelen. correction

Galvano Sepctrum



Fig. 1: Wavelen. correction

Galvano Sepctrum

Correction



Fig. 2: Correction function

Galvano Sepctrum

REMPI scan

Selected peaks

Radius and angular distributions

Peak assignments

Galvano Sepctrum


REMPI scan

Selected peaks

Radius and angular distributions

Peak assignments

Selected peaks



Galvano Sepctrum

REMPI scan

Selected peaks

Radius and angular distributions

Peak assignments


Galvano Sepctrum


REMPI scan


Selected peaks


Radius and angular distributions


Peak assignments
































Galvano Sepctrum

REMPI scan

Selected peaks

Radius and angular distributions

Peak assignments

Galvano Sepctrum

REMPI scan

Selected peaks

Radius and angular distributions

Peak assignments

Peak assignments

464.484 nm ≈ 43058.49 cm ⁻¹	464.114nm ≈ 43092.81 cm ⁻¹	460.875 nm $\approx 43395.69 \text{cm}^{-1}$	456.659 nm ≈ 43796.34 cm ⁻¹
px = 253.177	px = 253.650	px = 181.319 & 256.147	px = 246.776
$rR2\ 44.5$ $qR12\ 51.5$ $qQ2\ 51.5$	$rR2\ 45.5$ $qR12\ 51.5$ $qQ2\ 51.5$	sR21~48.5	$sR21\ 58.5$ $pQ12\ 76.5$ $pP2\ 76.5$

Notice

Colored assignments are mismatched, and will not be used to calculate.

Galvano Sepctrum

REMPI scan

Selected peaks

Radius and angular distributions

Peak assignments

Galvano Sepctrum

REMPI scan

Selected peaks

Radius and angular distributions

Peak assignments

	E_{total}	$E_{bond}(\mathrm{O}\!-\!\mathrm{NO})^1$	$E_{int.}(NO)$
Peak 1 464.484nm	$43058.49\mathrm{cm}^{-1}$		E(v = 1) + E(J = 44)
Peak 2 464.114nm	43 092.81cm ⁻¹		E(v = 1) + E(J = 45)
Peak 3 460.875nm	43 395.69cm ⁻¹	25 128.57cm ⁻¹	E(v = 1) + E(J = 48)
Peak 4 456.659nm	43796.34cm ⁻¹		E(v = 1) + E(J = 58)

¹Rémy Jost et al. *The Journal of Chemical Physics* **105**.3 (July 1996).

	E_{total}	$E_{bond}(\mathrm{O}\!-\!\mathrm{NO})^2$	$E_{int.}(NO)$
Peak 1 464.484nm	$43058.49\mathrm{cm}^{-1}$		3525.0743625cm ⁻¹ + $E(J = 44)$
Peak 2 464.114nm	$43092.81\mathrm{cm}^{-1}$		$3525.0743625 \text{cm}^{-1} + E(J = 45)$
Peak 3 460.875nm	43395.69 cm $^{-1}$	25 128.57cm ⁻¹	$3525.0743625 \text{cm}^{-1} + E(J = 48)$
Peak 4 456.659nm	43796.34 cm $^{-1}$		$3525.0743625 \text{cm}^{-1} + E(J = 58)$

²Rémy Jost et al. *The Journal of Chemical Physics* **105**.3 (July 1996).

³J. Danielak et al. Journal of Molecular Spectroscopy **181**.2 (1997), pp. 394–402.

	E_{total}	$E_{bond}(\mathrm{O}\mathrm{-NO})^2$	$E_{int.}(NO)$
Peak 1 464.484nm	$43058.49\mathrm{cm}^{-1}$		3525.0743625cm ⁻¹ + $E(J = 44)$
Peak 2 464.114nm	43092.81 cm $^{-1}$		3525.0743625cm ⁻¹ + $E(J = 45)$
Peak 3 460.875nm	43 395.69cm ⁻¹	25 128.57cm ⁻¹	$3525.0743625 \text{cm}^{-1} + E(J = 48)$
Peak 4 456.659nm	43796.34 cm $^{-1}$		$3525.0743625 \text{cm}^{-1} + E(J = 58)$

Vib. energy level³

$$E(v) = \omega_e \left(v + \frac{1}{2}\right) - \omega_e x_e \left(v + \frac{1}{2}\right)^2 + \omega_e y_e \left(v + \frac{1}{2}\right)^3.$$

²Rémy Jost et al. *The Journal of Chemical Physics* **105**.3 (July 1996).

³J. Danielak et al. Journal of Molecular Spectroscopy 181.2 (1997), pp. 394–402.

	E_{total}	$E_{bond}(O\!-\!NO)^4$	$E_{int.}(NO)$
Peak 1 464.484nm	$43058.49\mathrm{cm}^{-1}$		$6848.563763 \mathrm{cm}^{-1}$
Peak 2 464.114nm	43 092.81cm ⁻¹		6999.631462cm ⁻¹
Peak 3 460.875nm	43 395.69cm ⁻¹	25 128.57cm ⁻¹	7472.976 923cm ⁻¹
Peak 4 456.659nm	43796.34 cm $^{-1}$		$9269.004023\mathrm{cm}^{-1}$

⁴Rémy Jost et al. The Journal of Chemical Physics **105**.3 (July 1996).

⁵J. Danielak et al. Journal of Molecular Spectroscopy **181**.2 (1997), pp. 394–402.

	E_{total}	$E_{bond}(\mathrm{O}\!-\!\mathrm{NO})^4$	$E_{int.}(NO)$
Peak 1 464.484nm	$43058.49\mathrm{cm}^{-1}$		$6848.563763 \mathrm{cm}^{-1}$
Peak 2 464.114nm	43092.81 cm $^{-1}$		6999.631 462cm ⁻¹
Peak 3 460.875nm	43395.69 cm $^{-1}$	25 128.57cm ⁻¹	$7472.976923\mathrm{cm}^{-1}$
Peak 4 456.659nm	43796.34 cm $^{-1}$		9269.004023 cm $^{-1}$

Rot. energy level⁵

$$E\left(J\right) = B_v \left(J^2 + J\right)$$

⁴Rémy Jost et al. *The Journal of Chemical Physics* **105**.3 (July 1996).

⁵J. Danielak et al. Journal of Molecular Spectroscopy **181**.2 (1997), pp. 394–402.

E _{int.} (O)	$\begin{split} E_{trans}(total) &\approx 2.88 E_{trans}(NO) \\ &= E_{total} - E_{bond}(O\!-\!NO) - E_{int.}(O) - E_{int.}(O) \end{split}$	$E_{trans}(NO) \\ = \frac{1}{2} m(NO) v^2(NO)$
$^{3}P_{2}$	$11081.356237 \mathrm{cm}^{-1} \\ 10964.608538 \mathrm{cm}^{-1} \\ 10794.143077 \mathrm{cm}^{-1}$	1923.84656892361cm ⁻¹ 1903.57787118055cm ⁻¹ 1873.98317309028cm ⁻¹
(0cm^{-1})	9398.765977cm ⁻¹	1631.73020434028cm ⁻¹
$^{3}P_{1}$	$10922.731237 \mathrm{cm}^{-1} \\ 10805.983538 \mathrm{cm}^{-1} \\ 10635.518077 \mathrm{cm}^{-1}$	1896.30750642361cm ⁻¹ 1876.03880868055cm ⁻¹ 1846.44411059028cm ⁻¹
(158.625cm ⁻¹)	$9240.140977 \text{cm}^{-1}$	1604.19114184028cm ⁻¹
$^{3}P_{0}$	10854.379237cm ⁻¹ 10737.631538 cm ⁻¹	1884.44083975695cm ⁻¹ 1864.17214201389cm ⁻¹
(226.977cm ⁻¹)	$10567.166077 \mathrm{cm}^{-1}$ $9171.788977 \mathrm{cm}^{-1}$	1834.57744392361cm ⁻¹ 1592.32447517361cm ⁻¹


⁶Charlotte Emma Moore and Jean W. Gallagher. "Tables of spectra of hydrogen, carbon, nitrogen, and oxygen atoms and ions". 1993.


y Trans. energy of NO


$E_{int.}(O)$	$v(NO) = \sqrt{\frac{2E_{trans}(NO)}{m(NO)}}$	Δy
$^{3}P_{2}$ $_{(0cm^{-1})}$	$\begin{array}{c c} & 1486.240384 \mathrm{m s^{-1}} \\ & 1478.3905065 \mathrm{m s^{-1}} \\ & 1466.8533085 \mathrm{m s^{-1}} \\ & 1368.7622455 \mathrm{m s^{-1}} \end{array}$	258 px 258 px 258 px 249 px
$^{3}P_{1}$ (158.625cm ⁻¹)	$ \begin{vmatrix} 1475.5645855\mathrm{ms^{-1}} \\ 1467.6576085\mathrm{ms^{-1}} \\ 1456.0353685\mathrm{ms^{-1}} \\ 1357.162647\mathrm{ms^{-1}} \end{vmatrix} $	258 px 258 px 258 px 249 px
$^{3}P_{0}$ (226.977cm ⁻¹)	$ \begin{vmatrix} 1470.940464 \mathrm{m s}^{-1} \\ 1463.0084955 \mathrm{m s}^{-1} \\ 1451.3490265 \mathrm{m s}^{-1} \\ 1352.133667 \mathrm{m s}^{-1} \end{vmatrix} $	258 px 258 px 258 px 249 px

 $^{^7}$ Charlotte Emma Moore and Jean W. Gallagher. "Tables of spectra of hydrogen, carbon, nitrogen, and oxygen atoms and ions". 1993.

y Trans. energy of NO








$$\tfrac{dv}{d\,{\rm px}} = 12.04{\rm m\,s^{-1}/px\,@}\,^3P_2 \quad \tfrac{dv}{d\,{\rm px}} = 12.14{\rm m\,s^{-1}/px\,@}\,^3P_1 \quad \tfrac{dv}{d\,{\rm px}} = 12.18{\rm m\,s^{-1}/px\,@}\,^3P_0$$

y Trans. energy of NO



$$rac{dv}{d\,\mathrm{px}} = 12.12\mathrm{m\,s^{-1}/px}$$
 @ Average

Reference

- J. Danielak et al. Journal of Molecular Spectroscopy 181.2 (1997), pp. 394–402.
- [2] Rémy Jost et al. The Journal of Chemical Physics 105.3 (July 1996).
- [3] Charlotte Emma Moore and Jean W. Gallagher. "Tables of spectra of hydrogen, carbon, nitrogen, and oxygen atoms and ions". 1993.
- [4] Colin M. Western. Journal of Quantitative Spectroscopy and Radiative Transfer 186 (2017), pp. 221–242.

Open source

