





EXPORTED PLANNED POINTINGS - not executed observations | All modes: 2516 distinct field/version keys, 168 target IDs, 37078 exposure rows.
Overlapping fields are not independent sky area; target IDs are not recovered lightcurves.




EXPORTED PLANNED POINTINGS - not executed observations | Each panel has its own coordinate limits. Target counts use field membership IDs, not inferred target positions or scientific yield.



2026-12: local RA/Dec views of exported spherical fields
Evening twilight
96 versions / 0 target IDs
Morning twilight
96 versions / 0 target IDs
Trojan
53 versions / 47 target IDs
Dec (deg)
RA (deg; increases left)
EXPORTED PLANNED POINTINGS - not executed observations | Each panel has its own coordinate limits. Target counts use field membership IDs, not inferred target positions or scientific yield.





EXPORTED PLANNED POINTINGS - not executed observations | Each panel has its own coordinate limits. Target counts use field membership IDs, not inferred target positions or scientific yield.




EXPORTED PLANNED POINTINGS - not executed observations | Each panel has its own coordinate limits. Target counts use field membership IDs, not inferred target positions or scientific yield.


2027-03: local RA/Dec views of exported spherical fields
Evening twilight
100 versions / 0 target IDs
Morning twilight
152 versions / 0 target IDs
Trojan
46 versions / 48 target IDs
Dec (deg)
RA (deg; increases left)
EXPORTED PLANNED POINTINGS - not executed observations | Each panel has its own coordinate limits. Target counts use field membership IDs, not inferred target positions or scientific yield.



2027-04: local RA/Dec views of exported spherical fields
Evening twilight
104 versions / 0 target IDs
Morning twilight
112 versions / 0 target IDs
Trojan
44 versions / 49 target IDs
Dec (deg)
RA (deg; increases left)
EXPORTED PLANNED POINTINGS - not executed observations | Each panel has its own coordinate limits. Target counts use field membership IDs, not inferred target positions or scientific yield.




EXPORTED PLANNED POINTINGS - not executed observations | Each panel has its own coordinate limits. Target counts use field membership IDs, not inferred target positions or scientific yield.




EXPORTED PLANNED POINTINGS - not executed observations | Each panel has its own coordinate limits. Target counts use field membership IDs, not inferred target positions or scientific yield.




EXPORTED PLANNED POINTINGS - not executed observations | Each panel has its own coordinate limits. Target counts use field membership IDs, not inferred target positions or scientific yield.



EXPORTED PLANNED POINTINGS - not executed observations | Each panel has its own coordinate limits. Target counts use field membership IDs, not inferred target positions or scientific yield.



EXPORTED PLANNED POINTINGS - not executed observations | Each panel has its own coordinate limits. Target counts use field membership IDs, not inferred target positions or scientific yield.



EXPORTED PLANNED POINTINGS - not executed observations | Each panel has its own coordinate limits. Target counts use field membership IDs, not inferred target positions or scientific yield.