Radial flexibility: paired recovery on every registered scenario

176 matched catalogs | 352 arms | 14 original scenarios + 8 narrow position / width designs (widths in mag)

Negative values favor the local-structure arm. Parameter and realized-count recovery are different estimands.

All eight catalogs, failures retained

Both arms numerically accepted

Selected realized counts

band offset — pass 5/8; blocks 1
binary brightening — pass 2/8; blocks 1
class distance correlated — pass 2/8; blocks 1
dust offset — pass 2/8; blocks 1
dwarf dominated — pass 6/8; blocks 1
evolved rich — pass 4/8; blocks 1
known model — pass 1/8; blocks 8
metal poor — pass 0/8; blocks 1
middle metallicity — pass 3/8; blocks 1
missing WISE — pass 0/8; blocks 1
narrow 4 kpc — pass 8/8; blocks 1
reference like — pass 2/8; blocks 1
same library — pass 3/8; blocks 1
weak WISE — pass 5/8; blocks 1
narrow 16 kpc w0.08 — pass 5/8; blocks 1
narrow 16 kpc w0.25 — pass 6/8; blocks 1
narrow 2 kpc w0.08 — pass 7/8; blocks 1
narrow 2 kpc w0.25 — pass 8/8; blocks 1
narrow 4 kpc w0.08 — pass 8/8; blocks 1
narrow 4 kpc w0.25 — pass 6/8; blocks 1
narrow 8 kpc w0.08 — pass 6/8; blocks 1
narrow 8 kpc w0.25 — pass 8/8; blocks 1

−35 −30 −25 −20 −15 −10 −5 0 5

Local minus broad L1 fraction error (percentage points)

Pre-entry population fractions

band offset — pass 5/8; blocks 1
binary brightening — pass 2/8; blocks 1
class distance correlated — pass 2/8; blocks 1
dust offset — pass 2/8; blocks 1
dwarf dominated — pass 6/8; blocks 1
evolved rich — pass 4/8; blocks 1
known model — pass 1/8; blocks 8
metal poor — pass 0/8; blocks 1
middle metallicity — pass 3/8; blocks 1
missing WISE — pass 0/8; blocks 1
narrow 4 kpc — pass 8/8; blocks 1
reference like — pass 2/8; blocks 1
same library — pass 3/8; blocks 1
weak WISE — pass 5/8; blocks 1
narrow 16 kpc w0.08 — pass 5/8; blocks 1
narrow 16 kpc w0.25 — pass 6/8; blocks 1
narrow 2 kpc w0.08 — pass 7/8; blocks 1
narrow 2 kpc w0.25 — pass 8/8; blocks 1
narrow 4 kpc w0.08 — pass 8/8; blocks 1
narrow 4 kpc w0.25 — pass 6/8; blocks 1
narrow 8 kpc w0.08 — pass 6/8; blocks 1
narrow 8 kpc w0.25 — pass 8/8; blocks 1

−120 −100 −80 −60 −40 −20 0

Local minus broad L1 fraction error (percentage points)

Intervals resample whole fields, conditional on the shared empirical library. Right labels give accepted pairs and source-or-field blocks.

One joint block has no source/context uncertainty interval. Disconnected used-template blocks do not establish independent teacher scales.

Original numerical failures and the entry-table local-dust approximation remain. This is not independent real-population calibration.