

pm_qos_flags
list
flags
consumers
suppliers
latency_tolerance
resume_latency
blocking_notifier_head
max_freq_notifiers
min_freq_notifiers
notifiers
dev_pm_qos
freq
flags_req
resume_latency_req
latency_tolerance_req
node_list
plist_head
list
pm_qos_constraints
max_freq
min_freq
freq_constraints
node
pm_qos_flags_request
flr
qos
type
prio_list
node_list
plist_node
pnode
freq_qos_request
freq
dev_pm_qos_request
qos
type
pnode
type
prev
next
list_head
enum
ecc_placement
engine_type
dev
pm_message
power_state
dev_pm_info
type
removable
probe_type
status
mutex
devres_head
dma_pools
lock
graph_get_next_endpoint
get_parent
graph_get_remote_endpoint
get_next_child_node
get_named_child_node
graph_get_port_parent
get
ops
secondary
dev
fwnode_handle
fwnode_operations
defer_sync
consumers
suppliers
kobj_ns_type_operations
dev_links_info
ns_type
device_dma_parameters
dma_parms
fwnode
power
wait_list
entry
links
mutex
owner
private_list
parent
kobject
kobj
parent
device
fwnode
mtd_partition
parts
davinci_nand_pdata
wait_lock
atomic_t
val
qspinlock
raw_lock
raw_spinlock
iommu_group
iommu_group
class
of_node
sibling
child
parent
of_node
davinci_aemif_timing
timing
bbt_md
bbt_td
device_node
deadprops
properties
nand_bbt_descr
dev_kobj
class
archdata
next
property
rlock
pm
dev_archdata
spinlock
devres_lock
dma_range_map
driver
lock
pm_subsys_data
bus_dma_region
pm_domain
bus
private_lock
attribute
attrs
type
dev_root
ops
dev_pm_ops
pm
subsys_data
i_mmap_writable
address_space
attr
dev_pm_domain
f_mapping
bin_attribute
bin_attrs
dev_groups
class_groups
device_type
attribute_group
groups
groups
pm
iommu_ops
iommu_ops
bus_type
bus
of_match_table
device_driver
pm
of_device_id
acpi_match_table
lock_key
dev_groups
drv_groups
bus_groups
lock_class_key
acpi_device_id
dev_groups
groups