

Douglas C. Schmidt

<u>d.schmidt@vanderbilt.edu</u>

www.dre.vanderbilt.edu/~schmidt

Professor of Computer Science


Institute for Software Integrated Systems

Vanderbilt University Nashville, Tennessee, USA




Learning Objectives in this Part of the Lesson

Understand the meaning of key parallelism concepts




Learning Objectives in this Part of the Lesson

- Understand the meaning of key parallelism concepts
- Recognize how these concepts are supported in Java




 Parallelism is a form of computing that performs several steps on multiple processor cores



See en.wikipedia.org/wiki/Parallel_computing


 Parallelism is a form of computing that performs several steps on multiple processor cores, i.e.

Split – partition a task into sub-tasks




 Parallelism is a form of computing that performs several steps on multiple processor cores, i.e.

- Split partition a task into sub-tasks
- Apply Run independent sub-tasks in parallel



 Parallelism is a form of computing that performs several steps on multiple processor cores, i.e.

- Split partition a task into sub-tasks
- Apply Run independent sub-tasks in parallel
- Combine Merge the subresults from sub-tasks into one final result



 A key goal of parallelism is to efficiently partition tasks into sub-tasks & combine results






- A key goal of parallelism is to efficiently partition tasks into sub-tasks & combine results
 - Parallelism thus focuses on optimizing performance
 - e.g., throughput, scalability, & latency






See www.ibm.com/developerworks/library/j-java-streams-4-brian-goetz

- A key goal of parallelism is to efficiently partition tasks into sub-tasks & combine results
 - Parallelism thus focuses on optimizing performance
 - Parallelism works best when threads share no mutable state & don't block




See henrikeichenhardt.blogspot.com/2013/06/why-shared-mutable-state-is-root-of-all.html

- A key goal of parallelism is to efficiently partition tasks into sub-tasks & combine results
 - Parallelism thus focuses on optimizing performance
 - Parallelism works best when threads share no mutable state & don't block
 - Hence Java's emphasis on "fork-join" & "work-stealing"




See en.wikipedia.org/wiki/Fork-join_model & en.wikipedia.org/wiki/Work_stealing

Java supports parallelism via three primary frameworks




See docs.oracle.com/javase/tutorial/collections/streams/parallelism.html

Java supports parallelism via three primary frameworks




See www.dre.vanderbilt.edu/~schmidt/frameworks.html

Java supports parallelism via three primary frameworks



See www.baeldung.com/java-8-streams

Java supports parallelism via three primary frameworks




This is a reactive asynchronous framework

See www.nurkiewicz.com/2013/05/java-8-definitive-guide-to.html

 Brian Goetz has an excellent talk about the evolution of Java from concurrent to parallel computing



 Brian Goetz has an excellent talk about the evolution of Java from concurrent to parallel computing



His talk emphasizes that Java 8 combines functional programming with fine-grained data parallelism to leverage many-core processors