Apple Human Interface Guidelines

Complete Reference Guide

A comprehensive resource for designers and developers creating exceptional experiences across Apple platforms

---

Table of Contents

Introduction

Apple's Human Interface Guidelines (HIG) serve as the definitive resource for creating intuitive, beautiful, and functional user experiences across all Apple platforms. These guidelines ensure consistency, usability, and adherence to Apple's design philosophy while allowing for creative expression and innovation.

What the HIG Covers

- Design principles and philosophies
- Platform-specific UI patterns
- Component specifications
- Accessibility requirements
- Visual design standards

- Interaction behaviors
- Best practices and common pitfalls

Target Audience

- UX/UI Designers
- iOS/macOS Developers
- Product Managers
- Design System Architects
- Anyone creating Apple platform experiences

Core Design Principles

Apple's design philosophy is built on three fundamental principles that guide all interface decisions:

1. Clarity

Definition: Text is legible at every size, icons are precise and lucid, adornments are subtle and appropriate, and a sharpened focus on functionality motivates the design.

Implementation:

- Use plenty of white space
- Employ clear visual hierarchy
- Choose legible typography
- Use color purposefully
- Eliminate unnecessary elements

Examples:

- Clean, uncluttered layouts
- High contrast text and backgrounds
- Meaningful icons with clear metaphors
- Consistent spacing and alignment

2. Deference

Definition: Fluid motion and a crisp, beautiful interface help people understand and interact with content without competing with it.

Implementation:

- Content takes precedence over UI
- Minimize visual noise
- Use subtle animations
- Employ translucency and depth appropriately
- Create seamless transitions

Examples:

- Borderless buttons that don't distract
- Content-focused layouts
- Gentle animations that guide attention
- Translucent overlays that maintain context

3. Depth

Definition: Distinct visual layers and realistic motion convey hierarchy, impart vitality, and facilitate understanding.

Implementation:

- Use layering to show relationships
- Employ realistic motion and physics
- Create visual hierarchy through elevation
- Use shadows and blur appropriately
- Implement smooth, natural transitions

Examples:

- Card-based layouts with shadows
- Parallax scrolling effects
- Modal presentations with backdrop blur
- Gesture-based navigation with momentum

Platform-Specific Guidelines

iOS Guidelines

Screen Sizes and Resolutions

- **iPhone**: Multiple screen sizes from 4.7" to 6.7"
- **iPad**: 10.9", 11", and 12.9" displays
- **Design for all sizes**: Use Auto Layout and size classes

Navigation Patterns

Tab Bar Navigation

- Maximum 5 tabs
- Use for top-level navigation
- Include badges for notifications
- Provide clear, recognizable icons

Navigation Bar

- Contains app or screen title
- Back button on the left
- Action buttons on the right
- Support large titles when appropriate

Page Control

- Use for linear content
- Maximum recommended: 10 pages
- Always visible and centered

iOS-Specific Components

- **Action Sheets**: Present choices related to current context
- **Alerts**: Communicate important information
- **Activity Views**: Share content with other apps
- **Collection Views**: Display data in customizable layouts
- **Table Views**: Display data in single-column lists

macOS Guidelines

Window Management

- **Standard Window Controls**: Close, minimize, zoom
- **Toolbar**: Customizable tool access
- **Sidebar**: Navigation and organization
- **Content Area**: Primary workspace

Menu System

- **Menu Bar**: Always visible system-wide access
- **Application Menu**: App-specific commands
- **Contextual Menus**: Right-click functionality
- **Dock**: App launching and switching

macOS-Specific Patterns

- **Multi-window workflows**
- **Keyboard shortcuts and accessibility**
- **Drag and drop interactions**
- **File system integration**

watchOS Guidelines

Design Considerations

- **Glanceable Information**: Quick, essential data
- **Digital Crown**: Primary navigation input
- **Force Touch**: Secondary interaction layer
- **Complications**: Watch face data display

Interaction Patterns

- **Minimal text input**
- **Voice and dictation priority**
- **Health and fitness integration**
- **Quick actions and shortcuts**

tvOS Guidelines

Design for Distance

- **Large UI elements**: Optimized for 10-foot viewing
- **Focus-driven navigation**: Clear focus indicators
- **Simple layouts**: Avoid complexity
- **Rich media**: High-quality imagery and video

Interaction Patterns

- **Siri Remote navigation**
- **Focus and selection paradigms**
- **Gesture-based controls**
- **Voice input integration**

visionOS Guidelines

Spatial Design Principles

- **Depth and Dimensionality**: 3D space utilization
- **Eye Tracking**: Gaze-based interaction
- **Hand Gestures**: Natural input methods

- **Environmental Awareness**: Context adaptation

New Interaction Paradigms

  - **Windows in 3D space**
  - **Immersive experiences**
  - **Shared spaces and collaboration**
  - **Real-world integration**

UI Components

Buttons

Primary Buttons

  - **Filled buttons**: High emphasis actions
  - **Color**: Use system blue or accent color
  - **Size**: Minimum 44pt touch target (iOS)
  - **Text**: Action-oriented, concise labels

Secondary Buttons

  - **Bordered buttons**: Medium emphasis
  - **Plain buttons**: Low emphasis, text-only
  - **Icon buttons**: When space is limited

Button States

  - **Default**: Normal appearance
  - **Highlighted**: Visual feedback on touch
  - **Disabled**: Reduced opacity, no interaction
  - **Selected**: Indicates current state

Text Fields

Standard Text Fields

  - **Single-line input**: Basic text entry
  - **Placeholder text**: Helpful hints
  - **Clear button**: Easy content removal
  - **Validation**: Real-time feedback

Secure Text Fields

- **Password entry**: Hidden characters
- **Biometric authentication**: Touch ID/Face ID
- **Auto-fill integration**: System password manager

Text Views

- **Multi-line input**: Longer content
- **Scrollable**: When content exceeds bounds
- **Rich text support**: Formatting options

Lists and Tables

List Styles

- **Plain lists**: Simple, clean appearance
- **Grouped lists**: Sectioned content
- **Inset grouped**: Modern, card-like appearance

Cell Types

- **Basic cells**: Title only
- **Subtitle cells**: Title and subtitle
- **Custom cells**: Tailored layouts
- **Accessory views**: Additional controls

Navigation Components

Tab Bars

- **Icon and text**: Clear identification
- **Badge support**: Notification indicators
- **Customization**: User-configurable
- **State management**: Selected indicators

Toolbars

- **Action grouping**: Related functions
- **Flexible space**: Dynamic layouts
- **System items**: Standard buttons
- **Custom items**: App-specific tools

Feedback Components

Progress Indicators

- **Activity indicators**: Indeterminate progress

- **Progress bars**: Determinate progress
- **Refresh controls**: Pull-to-refresh
- **Loading states**: Clear user feedback

Alerts and Notifications

- **Alerts**: Critical information
- **Action sheets**: Contextual choices
- **Banners**: Non-intrusive updates
- **Push notifications**: Remote updates

Interaction Patterns

Touch Interactions

Gestures

- **Tap**: Primary selection action
- **Double-tap**: Secondary actions (zoom, like)
- **Long press**: Contextual menus, drag initiation
- **Swipe**: Navigation, deletion, actions
- **Pinch**: Scaling content
- **Rotation**: Content manipulation

Touch Targets

- **Minimum size**: 44x44 points (iOS)
- **Adequate spacing**: Prevent accidental touches
- **Feedback**: Visual and haptic responses
- **Reachability**: Thumb-friendly placement

Voice Interactions

Siri Integration

- **Voice shortcuts**: Custom app actions
- **Intents framework**: Structured commands
- **Natural language**: Conversational interface
- **Contextual awareness**: Smart suggestions

Keyboard and Input

Keyboard Types

- **Default**: Standard QWERTY
- **Number pad**: Numeric input
- **Phone pad**: Phone numbers
- **Email**: Optimized for email addresses
- **URL**: Web address input

Input Accessories

- **Toolbar**: Additional functions
- **Auto-correction**: Intelligent text completion
- **Dictation**: Voice-to-text input
- **Shortcuts**: Custom text expansions

Accessibility

Universal Design Principles

Apple's commitment to accessibility ensures that everyone can use Apple devices effectively, regardless of their abilities.

Visual Accessibility

VoiceOver Support

- **Screen reader**: Complete interface narration
- **Accessibility labels**: Descriptive text for UI elements
- **Hints**: Additional usage guidance
- **Custom actions**: Gesture-based shortcuts

Dynamic Type

- **Scalable text**: User-controlled text size
- **Minimum sizes**: Ensure legibility
- **Layout adaptation**: Responsive to text changes
- **Testing**: Verify across all sizes

Color and Contrast

- **High contrast ratios**: WCAG AA compliance minimum
- **Color independence**: Information not conveyed by color alone
- **Reduce motion**: Respect user preferences
- **Dark mode**: System-wide appearance options

Motor Accessibility

Touch Accommodations

- **AssistiveTouch**: Alternative input methods
- **Touch sensitivity**: Adjustable response
- **Hold duration**: Customizable timing
- **Repeat rate**: Input repetition control

Switch Control

- **External switches**: Alternative input devices
- **Scanning**: Sequential element highlighting
- **Timing**: User-controlled interaction pace
- **Custom gestures**: Personalized controls

Cognitive Accessibility

Guided Access

- **Focus restriction**: Single app usage
- **Feature limitation**: Simplified interfaces
- **Time limits**: Session management
- **Touch area restriction**: Specific interaction zones

Simplified Interfaces

- **Clear navigation**: Predictable patterns
- **Consistent layouts**: Reduced cognitive load
- **Error prevention**: Input validation
- **Recovery options**: Undo functionality

Typography

San Francisco Font Family

Apple's custom typeface designed specifically for optimal legibility across all Apple platforms.

Font Weights and Styles

- **Ultralight**: Display text, large sizes
- **Thin**: Elegant headers
- **Light**: Secondary information
- **Regular**: Body text standard

- **Medium**: Emphasized content
- **Semibold**: Subheadings
- **Bold**: Headings and emphasis
- **Heavy**: Strong emphasis
- **Black**: Maximum impact

Size Guidelines

iOS Text Styles

- **Large Title**: 34pt (iOS 11+)
- **Title 1**: 28pt
- **Title 2**: 22pt
- **Title 3**: 20pt
- **Headline**: 17pt semibold
- **Body**: 17pt regular
- **Callout**: 16pt
- **Subhead**: 15pt
- **Footnote**: 13pt
- **Caption 1**: 12pt
- **Caption 2**: 11pt

macOS Text Styles

- **Large Title**: 26pt
- **Title 1**: 22pt
- **Title 2**: 17pt
- **Title 3**: 15pt
- **Headline**: 13pt semibold
- **Body**: 13pt
- **Subheadline**: 11pt
- **Footnote**: 10pt
- **Caption 1**: 10pt
- **Caption 2**: 10pt

Readability Considerations

- **Line spacing**: 1.2-1.5x font size
- **Line length**: 45-75 characters optimal
- **Paragraph spacing**: Visual separation
- **Alignment**: Left-aligned for readability

Color and Visual Design

System Colors

Apple provides semantic color tokens that automatically adapt to light and dark modes.

Primary Colors

- **System Blue**: Default accent color
- **System Red**: Destructive actions, errors
- **System Green**: Success, positive actions
- **System Orange**: Warnings, caution
- **System Yellow**: Attention, highlights
- **System Pink**: Personalization, creative
- **System Purple**: Premium, creativity
- **System Teal**: Calm, secondary actions
- **System Indigo**: Professional, trust

Neutral Colors

- **Label**: Primary text color
- **Secondary Label**: Secondary text
- **Tertiary Label**: Placeholder text
- **Quaternary Label**: Disabled text
- **System Background**: Primary background
- **Secondary System Background**: Card backgrounds
- **Tertiary System Background**: Input fields

Dark Mode Support

Design Considerations

- **Elevated surfaces**: Use darker colors for raised elements
- **Contrast**: Maintain accessibility standards
- **Color adaptation**: Test all colors in both modes
- **User preference**: Respect system settings

Implementation

- **Semantic colors**: Use system-provided colors
- **Asset catalogs**: Include dark variants
- **Testing**: Verify in both appearances
- **Dynamic colors**: Automatic adaptation

Visual Hierarchy

Depth and Layering

- **Shadows**: Subtle depth indication
- **Blur effects**: Background context
- **Elevation**: Z-axis positioning
- **Transparency**: Layer relationships

Color Psychology

- **Brand alignment**: Consistent color usage
- **Cultural considerations**: Color meanings
- **Emotional response**: Color psychology
- **Accessibility**: Inclusive color choices

Icons and Imagery

SF Symbols

Apple's comprehensive icon library with over 4,000 symbols.

Icon Categories

- **Communication**: Mail, messages, phone
- **Media**: Play, pause, volume controls
- **Weather**: Sun, rain, cloud conditions
- **Transportation**: Car, plane, transit
- **Human**: Person, group, body parts
- **Nature**: Animals, plants, landscapes
- **Objects**: Tools, furniture, devices
- **Symbols**: Math, currency, arrows

Design Principles

- **Consistent style**: Unified visual language
- **Multiple weights**: Ultra Light to Black
- **Scalable**: Vector-based for all sizes
- **Configurable**: Color and size options
- **Localizable**: Cultural adaptations

Custom Icons

Design Guidelines

- **Grid system**: Consistent proportions
- **Stroke weight**: Match SF Symbols

- **Corner radius**: Rounded, friendly appearance
- **Optical alignment**: Visual balance
- **Simplicity**: Clear, recognizable forms

Technical Specifications

- **Vector format**: PDF or SVG preferred
- **Multiple sizes**: Provide various resolutions
- **Naming convention**: Descriptive, systematic
- **Asset catalogs**: Organize efficiently

App Icons

Design Requirements

- **Rounded rectangle**: iOS standard shape
- **No transparency**: Solid backgrounds required
- **High resolution**: Support all device scales
- **Consistent branding**: Recognizable identity

Size Requirements

iOS App Icons

- **iPhone**: 60pt (180px @3x)
- **iPad**: 76pt (152px @2x)
- **App Store**: 1024pt (1024px @1x)
- **Spotlight**: 40pt (120px @3x)
- **Settings**: 29pt (87px @3x)

macOS App Icons

- **App**: 512pt (1024px @2x)
- **Dock**: 128pt (256px @2x)
- **Finder**: 32pt (64px @2x)
- **Menu bar**: 16pt (32px @2x)

Platform Integration

System Services Integration

Core Services

- **CloudKit**: Data synchronization
- **Core Data**: Local data persistence
- **Core Location**: Location services
- **HealthKit**: Health data integration
- **HomeKit**: Smart home control
- **SiriKit**: Voice assistant integration

Sharing and Communication

- **Activity View**: System sharing sheet
- **Message extensions**: iMessage apps
- **Notification extensions**: Rich notifications
- **Today extensions**: Widget functionality

Hardware Integration

Device Capabilities

- **Camera**: Photo and video capture
- **Sensors**: Accelerometer, gyroscope, magnetometer
- **Touch ID/Face ID**: Biometric authentication
- **Apple Pencil**: Precision input (iPad)
- **Force Touch**: Pressure sensitivity
- **Haptic Feedback**: Tactile responses

Performance Considerations

- **Battery efficiency**: Optimize power usage
- **Memory management**: Efficient resource use
- **Network usage**: Minimize data consumption
- **Storage**: Respect device limitations

Testing and Validation

Usability Testing

Testing Methods

- **Moderated sessions**: Direct user observation
- **Unmoderated testing**: Remote user studies
- **A/B testing**: Comparative analysis
- **Accessibility testing**: Inclusive design validation
- **Performance testing**: Speed and responsiveness

Key Metrics

- **Task completion rate**: Success measurement
- **Time on task**: Efficiency assessment
- **Error rate**: Usability problems
- **User satisfaction**: Subjective feedback
- **Accessibility compliance**: Standards adherence

Device Testing

Test Devices

- **Multiple screen sizes**: iPhone, iPad variants
- **Different orientations**: Portrait and landscape
- **Various conditions**: Lighting, motion, accessibility
- **Network conditions**: WiFi, cellular, offline
- **System versions**: iOS compatibility range

Automated Testing

- **Unit tests**: Component functionality
- **UI tests**: Interface interactions
- **Accessibility audits**: Automated scanning
- **Performance profiling**: Resource monitoring
- **Crash reporting**: Error tracking

Resources

Official Apple Resources

Documentation

- **Human Interface Guidelines**: developer.apple.com/design/human-interface-guidelines/
- **Design Resources**: developer.apple.com/design/resources/
- **SF Symbols**: developer.apple.com/sf-symbols/
- **Accessibility**: developer.apple.com/accessibility/

Tools

- **Xcode**: Apple's integrated development environment
- **Interface Builder**: Visual interface design
- **Instruments**: Performance analysis tools
- **Accessibility Inspector**: Accessibility testing

- **iOS Simulator**: Device simulation for development

WWDC Sessions

Annual Worldwide Developers Conference provides deep dives into design topics:

- **Design sessions**: Latest design trends and techniques
- **Accessibility sessions**: Inclusive design practices
- **Platform sessions**: New features and capabilities
- **Case studies**: Real-world implementation examples

Design Communities

Online Communities

- **Apple Developer Forums**: Official support community
- **Designer Hangout**: Slack community for designers
- **iOS Dev Weekly**: Newsletter with design content
- **Medium**: Apple design articles and case studies

Design Systems

- **Apple Design**: Official design resources
- **iOS Design Kit**: Sketch and Figma templates
- **SF Symbols**: Icon library and guidelines
- **Color palettes**: System color specifications

Best Practices Summary

Do's

- Follow platform conventions
- Prioritize accessibility
- Test on real devices
- Use system-provided components
- Respect user preferences
- Provide clear feedback
- Design for all screen sizes
- Consider international users

Don'ts

- Ignore accessibility guidelines
- Recreate system components poorly
- Use non-standard interaction patterns
- Overwhelm users with options

- Neglect error states
- Assume user knowledge
- Design only for latest devices
- Forget about performance

Conclusion

Apple's Human Interface Guidelines represent decades of research, user testing, and design evolution. They provide a solid foundation for creating exceptional user experiences while allowing room for innovation and creativity.

Success with Apple platforms comes from understanding not just the technical requirements, but the philosophy behind them. Users expect consistency, intuitiveness, and delight from Apple platform experiences. By following these guidelines, designers and developers can meet and exceed those expectations.

Remember that guidelines evolve with platforms, user needs, and technological capabilities. Stay current with Apple's latest updates, attend WWDC sessions, and continuously test with real users to ensure your designs remain effective and engaging.

The best Apple platform experiences seamlessly blend adherence to guidelines with thoughtful innovation, creating interfaces that feel both familiar and surprisingly delightful.