Vibe coding

Demonstration of various work-flows

23 Sep 2025 - MDD

Andrej Karpathy
@karpathy · **Follow**

The hottest new programming language is English

9:14 PM · Jan 24, 2023

48.3K Reply Copy link

Read 1.3K replies

```sql
-- SQL (1973)
SELECT *
FROM Students
WHERE EnrolledIn = "MDD";
```

```sql
-- SQL (1973)
SELECT *
FROM Students
WHERE EnrolledIn = "MDD"
AND Track = "IxD";
```

```python
# Python (1991)
Students.objects
    .filter(EnrolledIn="MDD")
    .filter(Track="IxD")
```

```
// JavaScript (1995)
query(Students, {
    where: {
        EnrolledIn: 'MDD',
        Track: 'IxD'
    }
});
```

```
// C# (2000)
Students
    .Where(s => s.EnrolledIn == "MDD")
    .Where(s => s.Track == "IxD");
```

```
// Midjourney (2022)
A cyber-punk samurai in a rain-slick alley,
neon signs reflecting on wet pavement,
photorealistic,
4K,
--ar 21:9,
--v 5,
--q 2,
--style cyberpunk
```

Andrej Karpathy
@karpathy · **Follow**

There's a new kind of coding I call "vibe coding", where you fully give in to the vibes, embrace exponentials, and forget that the code even exists. It's possible because the LLMs (e.g. Cursor Composer w Sonnet) are getting too good. Also I just talk to Composer with SuperWhisper Show more

12:17 AM · Feb 3, 2025

30.3K Reply Copy link

Read 1.3K replies

Source

Andrej Karpathy
@karpathy · **Follow**

There's a new kind of coding I call "vibe coding", where you fully give in to the vibes, embrace exponentials, and forget that the code even exists. It's possible because the LLMs (e.g. Cursor Composer w Sonnet) are getting too good. Also I just talk to Composer with SuperWhisper Show more

12:17 AM · Feb 3, 2025

30.3K Reply Copy link

Read 1.3K replies

Source

There's a new kind of coding I call "vibe coding", where you fully give in to the vibes, embrace exponentials, and forget that the code even exists.

It's possible because the LLMs (e.g. Cursor Composer w Sonnet) are getting too good. Also I just talk to Composer with SuperWhisper so I barely even touch the keyboard.

I ask for the dumbest things like *"decrease the padding on the sidebar by half"* because I'm too lazy to find it. I *"Accept All"* always, I don't read the diffs anymore.

When I get error messages I just copy paste them in with no comment, usually that fixes it.

The code grows beyond my usual comprehension, I'd have to really read through it for a while.

Sometimes the LLMs can't fix a bug so I just work around it or ask for random changes until it goes away.

It's not too bad for throwaway weekend projects, but still quite amusing. I'm building a project or webapp, but it's not really coding - I just see stuff, say stuff, run stuff, and copy paste stuff, and it mostly works.

Source 🐇 New Junior Developers Can't Actually Code AI is Creating a Generation of Illiterate Programmers

There's a new kind of coding I call "vibe coding", where you fully give in to the vibes, embrace exponentials, and forget that the code even exists.

It's possible because the LLMs (e.g. Cursor Composer w Sonnet) are getting too good. Also I just talk to Composer with SuperWhisper so I barely even touch the keyboard.

I ask for the dumbest things like *"decrease the padding on the sidebar by half"* because I'm too lazy to find it. I *"Accept All"* always, I don't read the diffs anymore.

When I get error messages I just copy paste them in with no comment, usually that fixes it.

The code grows beyond my usual comprehension, I'd have to really read through it for a while.

Sometimes the LLMs can't fix a bug so I just work around it or ask for random changes until it goes away.

It's not too bad for throwaway weekend projects, but still quite amusing. I'm building a project or webapp, but it's not really coding - I just see stuff, say stuff, run stuff, and copy paste stuff, and it mostly works.

Source 🐇 New Junior Developers Can't Actually Code AI is Creating a Generation of Illiterate Programmers

There's a new kind of coding I call "vibe coding", where you fully give in to the vibes, embrace exponentials, and forget that the code even exists.

It's possible because the LLMs (e.g. Cursor Composer w Sonnet) are getting too good. Also I just talk to Composer with SuperWhisper so I barely even touch the keyboard.

I ask for the dumbest things like *"decrease the padding on the sidebar by half"* because I'm too lazy to find it. I *"Accept All"* always, I don't read the diffs anymore.

When I get error messages I just copy paste them in with no comment, usually that fixes it.

The code grows beyond my usual comprehension, I'd have to really read through it for a while.

Sometimes the LLMs can't fix a bug so I just work around it or ask for random changes until it goes away.

It's not too bad for throwaway weekend projects, but still quite amusing. I'm building a project or webapp, but it's not really coding - I just see stuff, say stuff, run stuff, and copy paste stuff, and it mostly works.

Source 🐇 New Junior Developers Can't Actually Code AI is Creating a Generation of Illiterate Programmers

There's a new kind of coding I call "vibe coding", where you fully give in to the vibes, embrace exponentials, and forget that the code even exists.

It's possible because the LLMs (e.g. Cursor Composer w Sonnet) are getting too good. Also I just talk to Composer with SuperWhisper so I barely even touch the keyboard.

I ask for the dumbest things like *"decrease the padding on the sidebar by half"* because I'm too lazy to find it. I *"Accept All"* always, I don't read the diffs anymore.

When I get error messages I just copy paste them in with no comment, usually that fixes it.

The code grows beyond my usual comprehension, I'd have to really read through it for a while.

Sometimes the LLMs can't fix a bug so I just work around it or ask for random changes until it goes away.

It's not too bad for throwaway weekend projects, but still quite amusing. I'm building a project or webapp, but it's not really coding - I just see stuff, say stuff, run stuff, and copy paste stuff, and it mostly works.

Source 🐇 New Junior Developers Can't Actually Code AI is Creating a Generation of Illiterate Programmers

There's a new kind of coding I call "vibe coding", where you fully give in to the vibes, embrace exponentials, and forget that the code even exists.

It's possible because the LLMs (e.g. Cursor Composer w Sonnet) are getting too good. Also I just talk to Composer with SuperWhisper so I barely even touch the keyboard.

I ask for the dumbest things like *"decrease the padding on the sidebar by half"* because I'm too lazy to find it. I *"Accept All"* always, I don't read the diffs anymore.

When I get error messages I just copy paste them in with no comment, usually that fixes it.

The code grows beyond my usual comprehension, I'd have to really read through it for a while.

Sometimes the LLMs can't fix a bug so I just work around it or ask for random changes until it goes away.

It's not too bad for throwaway weekend projects, but still quite amusing. I'm building a project or webapp, but it's not really coding - I just see stuff, say stuff, run stuff, and copy paste stuff, and it mostly works.

Source 🐇 New Junior Developers Can't Actually Code AI is Creating a Generation of Illiterate Programmers

There's a new kind of coding I call "vibe coding", where you fully give in to the vibes, embrace exponentials, and forget that the code even exists.

It's possible because the LLMs (e.g. Cursor Composer w Sonnet) are getting too good. Also I just talk to Composer with SuperWhisper so I barely even touch the keyboard.

I ask for the dumbest things like *"decrease the padding on the sidebar by half"* because I'm too lazy to find it. I *"Accept All"* always, I don't read the diffs anymore.

When I get error messages I just copy paste them in with no comment, usually that fixes it.

The code grows beyond my usual comprehension, I'd have to really read through it for a while.

Sometimes the LLMs can't fix a bug so I just work around it or ask for random changes until it goes away.

It's not too bad for throwaway weekend projects, but still quite amusing. I'm building a project or webapp, but it's not really coding - I just see stuff, say stuff, run stuff, and copy paste stuff, and it mostly works.

Source 🐇 New Junior Developers Can't Actually Code AI is Creating a Generation of Illiterate Programmers

There's a new kind of coding I call "vibe coding", where you fully give in to the vibes, embrace exponentials, and forget that the code even exists.

It's possible because the LLMs (e.g. Cursor Composer w Sonnet) are getting too good. Also I just talk to Composer with SuperWhisper so I barely even touch the keyboard.

I ask for the dumbest things like *"decrease the padding on the sidebar by half"* because I'm too lazy to find it. I *"Accept All"* always, I don't read the diffs anymore.

When I get error messages I just copy paste them in with no comment, usually that fixes it.

The code grows beyond my usual comprehension, I'd have to really read through it for a while.

Sometimes the LLMs can't fix a bug so I just work around it or ask for random changes until it goes away.

It's not too bad for throwaway weekend projects, but still quite amusing. I'm building a project or webapp, but it's not really coding - I just see stuff, say stuff, run stuff, and copy paste stuff, and it mostly works.

Source 🐇 New Junior Developers Can't Actually Code AI is Creating a Generation of Illiterate Programmers

There's a new kind of coding I call "vibe coding", where you fully give in to the vibes, embrace exponentials, and forget that the code even exists.

It's possible because the LLMs (e.g. Cursor Composer w Sonnet) are getting too good. Also I just talk to Composer with SuperWhisper so I barely even touch the keyboard.

I ask for the dumbest things like *"decrease the padding on the sidebar by half"* because I'm too lazy to find it. I *"Accept All"* always, I don't read the diffs anymore.

When I get error messages I just copy paste them in with no comment, usually that fixes it.

The code grows beyond my usual comprehension, I'd have to really read through it for a while.

Sometimes the LLMs can't fix a bug so I just work around it or ask for random changes until it goes away.

It's not too bad for throwaway weekend projects, but still quite amusing. I'm building a project or webapp, but it's not really coding - I just see stuff, say stuff, run stuff, and copy paste stuff, and it mostly works.

Source 🐇 New Junior Developers Can't Actually Code AI is Creating a Generation of Illiterate Programmers

There's a new kind of coding I call "vibe coding", where you fully give in to the vibes, embrace exponentials, and forget that the code even exists.

It's possible because the LLMs (e.g. Cursor Composer w Sonnet) are getting too good. Also I just talk to Composer with SuperWhisper so I barely even touch the keyboard.

I ask for the dumbest things like *"decrease the padding on the sidebar by half"* because I'm too lazy to find it. I *"Accept All"* always, I don't read the diffs anymore.

When I get error messages I just copy paste them in with no comment, usually that fixes it.

The code grows beyond my usual comprehension, I'd have to really read through it for a while.

Sometimes the LLMs can't fix a bug so I just work around it or ask for random changes until it goes away.

It's not too bad for throwaway weekend projects, but still quite amusing. I'm building a project or webapp, but it's not really coding - I just see stuff, say stuff, run stuff, and copy paste stuff, and it mostly works.

Source 🐇 New Junior Developers Can't Actually Code AI is Creating a Generation of Illiterate Programmers

There's a new kind of coding I call "vibe coding", where you fully give in to the vibes, embrace exponentials, and forget that the code even exists.

It's possible because the LLMs (e.g. Cursor Composer w Sonnet) are getting too good. Also I just talk to Composer with SuperWhisper so I barely even touch the keyboard.

I ask for the dumbest things like *"decrease the padding on the sidebar by half"* because I'm too lazy to find it. I *"Accept All"* always, I don't read the diffs anymore.

When I get error messages I just copy paste them in with no comment, usually that fixes it.

The code grows beyond my usual comprehension, I'd have to really read through it for a while.

Sometimes the LLMs can't fix a bug so I just work around it or ask for random changes until it goes away.

It's not too bad for throwaway weekend projects, but still quite amusing. I'm building a project or webapp, but it's not really coding - I just see stuff, say stuff, run stuff, and copy paste stuff, and it mostly works.

Source 🐇 New Junior Developers Can't Actually Code AI is Creating a Generation of Illiterate Programmers

There's a new kind of coding I call "vibe coding", where you fully give in to the vibes, embrace exponentials, and forget that the code even exists.

It's possible because the LLMs (e.g. Cursor Composer w Sonnet) are getting too good. Also I just talk to Composer with SuperWhisper so I barely even touch the keyboard.

I ask for the dumbest things like *"decrease the padding on the sidebar by half"* because I'm too lazy to find it. I *"Accept All"* always, I don't read the diffs anymore.

When I get error messages I just copy paste them in with no comment, usually that fixes it.

The code grows beyond my usual comprehension, I'd have to really read through it for a while.

Sometimes the LLMs can't fix a bug so I just work around it or ask for random changes until it goes away.

It's not too bad for throwaway weekend projects, but still quite amusing. I'm building a project or webapp, but it's not really coding - I just see stuff, say stuff, run stuff, and copy paste stuff, and it mostly works.

Source 🐇 New Junior Developers Can't Actually Code AI is Creating a Generation of Illiterate Programmers

Sam Altman
@sama · **Follow**

entering the fast fashion era of SaaS very soon

9:10 PM · Aug 3, 2025

19.6K Reply Copy link

Read 1.6K replies

Source Replit Vibe Coding Tool Wipes Out Entire Company Database

Sam Altman
@sama · **Follow**

when you get access to gpt-5, try a message like "use beatbot to make a sick beat to celebrate gpt-5".

it's a nice preview of what we think this will be like as AI starts to generate its own UX and interfaces get more dynamic.

it's cool that you can interact with the Show more

The media could not be played.

Reload

Source

Before we start exploring

A few disclaimers

Developer magic

I might sometimes *vibe* with the LLMs by using some technical jargon to give very specific **context** to steer the LLM.

For example:

```
Create a basic application repository that
is to be build using the following technologies:

1. Vite (builder and bundler)
2. Nextjs (app router)
3. shadcn + takwindcss & tailwind-animate (UI)
4. usehooks-ts (common hooks -- `useLocalStorage`)


There is **no** need for a real database,
everything can be stored in local-storage.

There is **no** need for writing any sorts of
automated tests (unit, integration, e2e, etc...).
```



Source 🐇 Maximizing outputs with v0: From UI generation to code creation

Context matters

The more the *context* you provide, the better the LLMs can assist you.



Source 🐇 Attention Is All You Need

This will go fast

This is **not** a step-by-step tutorial.

Let's *vibe* together, ask questions!

Workflow	Who is in control	Who is the expert	Tools
`Prompt engineer`	Mostly you	Mostly you	https://chat.openai.com/ 💰 https://msty.app/
`AI Agents`	Collaborative	Collaborative	https://github.com/features/copilot 💰 https://www.continue.dev/
`Spec Driven`	Collaborative	Collaborative	https://kiro.dev/ 💰 https://github.com/github/spec-kit
`Agentic AI`	Mostly AI	Mostly AI	https://v0.dev/ 💰 https://code.visualstudio.com/mcp

🐇 AI Agents vs Agentic AI: What's the Difference and Why Does It Matter? Google Opal: Build, edit and share mini-AI apps using natural language

403 ERROR

The request could not be satisfied.

Request blocked. We can't connect to the server for this app or website at this time. There might be too much traffic or a configuration error. Try again later, or contact the app or website owner.
If you provide content to customers through CloudFront, you can find steps to troubleshoot and help prevent this error by reviewing the CloudFront documentation.

```
Generated by cloudfront (CloudFront)
Request ID: BhGdWWLjcPrd30y_UIFoV19KfCzCUDjnEyaNKWKCNdszjd2iyo1lIg==
```