TeamSpeak3

1.官网

TeamSpeak3

2.server v3.13.7 下载(需要梯子)

TeamSpeak3 server

server只能装在非root目录下

```
WARNING ! For security reasons we advise: DO NOT RUN THE SERVER AS ROOT
!!!!!!!!!!!!
```

3.server端口

必开：9987和30033(注意协议类型)

Service	Protocol	Local Port (Server)	Required?
Voice	UDP	9987	Yes
Filetransfer	TCP	30033	Yes
ServerQuery (raw)	TCP	10011	Optional
ServerQuery (SSH)	TCP	10022	Optional
WebQuery (http)	TCP	10080	Optional
WebQuery (https)	TCP	10443	Optional
TSDNS	TCP	41144	Optional

4.操作

- 压缩包名为teamspeak3-server_linux_amd64-3.13.7.tar.bz2

```
cd
sudo wget https://files.teamspeak-
```

```
services.com/releases/server/3.13.7/teamspeak3-server_linux_amd64-3.13.7.tar.bz2
    # 此处仅介绍wget用法
    sudo tar -jxvf teamspeak3-server_linux_amd64-3.13.7.tar.bz2
    sudo mv teamspeak3-server_linux_amd64 teamspeak3
```

- 接受协议

```
    cd teamspeak3
    pwd
    # 保证在非root,且/home/用户名/teamspeak3
    sudo touch .ts3server_license_accepted
    # 为了文件接受许可协议
    sudo ./ts3server_startscript.sh start
    # 这是启动命令
    sudo ./ts3server_startscript.sh stop
    # 这是关闭命令
    sudo ./ts3server_startscript.sh restart
    # 这是reload命令
```

- 展示图

```
Starting the TeamSpeak 3 server
TeamSpeak 3 server started, for details please view the log file
[kz@fedora teamspeak3]$
------------------------------------------------------------------
                      I M P O R T A N T
------------------------------------------------------------------
              Server Query Admin Account created
          loginname= "serveradmin", password= "a6SzV21b"
          apikey= "BAAPFZKpi8eYpSnQteXBepfGGzux9u-P2Ab2MLZ"
------------------------------------------------------------------



------------------------------------------------------------------
                      I M P O R T A N T
------------------------------------------------------------------
      ServerAdmin privilege key created, please use it to gain
      serveradmin rights for your virtualserver. please
      also check the doc/privilegekey_guide.txt for details.

       token=hHUmAOaz02Bi1zSRaGS8lJisIjIusjCuA9d7ozNA
------------------------------------------------------------------
```

- 重要参数

```
    password = "a6SzV21b"
    token = "hHUmAOaz02Bi1zSRaGS8lJisIjIusjCuA9d7ozNA"
    # token 第一次使用者为管理员哦!
```

- 忘记token

```
sudo cat /home/用户名/teamspeak3/logs/ts3server_*
```

- 废话
  界面连接中的服务器列表一定别点，又连不上所以别点，而且还占内存搜索，卡卡卡!

5.开机自启命令行设置

```
cd /usr/lib/systemd/system
sudo systemctl list-unit-files --type=service
sudo vi teamspeak3.service

# start
[Unit]
Description=teamspeak3
After=network.target

[Service]
Type=forking
User=用户名
ExecStart=/home/用户名/teamspeak3/ts3server_startscript.sh start
ExecStop=/home/用户名/teamspeak3/ts3server_startscript.sh stop
ExecReload=/home/用户名/teamspeak3/ts3server_startscript.sh restart
Restart=always
KillMode=none
RestartSec=10
PrivateTmp=true

[Install]
WantedBy=multi-user.target
# end
# 想了解.service: https://blog.csdn.net/www_dong/article/details/128026839

sudo systemctl daemon-reload
sudo systemctl list-unit-files --type=service
sudo systemctl enable teamspeak3
sudo systemctl daemon-reload
sudo systemctl start teamspeak3
reboot
sudo systemctl status teamspeak3
```

```
[kz@fedora system]$ sudo systemctl status teamspeak3.service
● teamspeak3.service - teamspeaks3
     Loaded: loaded (/usr/lib/systemd/system/teamspeak3.service; enabled; preset: disabled)
    Drop-In: /usr/lib/systemd/system/service.d
             └─10-timeout-abort.conf
     Active: activating (start) since Wed 2023-06-14 10:45:07 PDT; 3ms ago
  Cntrl PID: 5980 ((cript.sh))
      Tasks: 1 (limit: 4630)
     Memory: 256.0K
        CPU: 0
     CGroup: /system.slice/teamspeak3.service
             └─5980 "(cript.sh)"

Jun 14 10:45:07 fedora systemd[1]: Starting teamspeak3.service - teamspeaks3...
```

6.美化

仅给网站

- 图标
- 主题

7.场外帮助

here