

Alzheimer's Disease Detection from MRI Dataset using Deep Learning

Ahmed Rafi Hasan 011191131, Ahmed Shabab Noor 011193024,
Raj Shekhar Karmaker 011193149, Md. Araphat Rahman Pial 011163089

Abstract—Many recent studies have applied Deep Learning (DL) algorithms to healthcare data. Convolutional neural networks (CNN) have success in categorizing image data. The deep neural network has been used in neuroimaging datasets, and the neuroscience community is interested in solving their domain problem. In this project, we solved Alzheimer's disease (AD) detection from magnetic resonance imaging (MRI) by using the 3D Convolutional Neural Network (3D CNN). In the elderly population, AD is the most common cause of dementia. There are four different significant stages of dementia. Our proposed method solved the binary classification where the classes are Alzheimer's Disease (AD) and Cognitive Normal (CN). The 3D deep convolutional neural network was used after the preprocessing pipeline. We used 3D ResNet-18 and ResNet-50 by transfer learning. Classification results evaluated by cross-validation prove that it can successfully detect AD and CN with reasonable accuracy.

Index Terms—Alzheimer's disease, Magnetic Resonance Imaging, Deep Convolutional Neural Networks, Classification Analysis

I. INTRODUCTION

Alzheimer's disease (AD) is the most frequent cause of dementia in older people and not only among older people, but it is also a reason for dementia cases among young people. Due to the increasing complexity and stress in life, AD is a common disease worldwide. The older population in developed nations suffers from AD, which may rise drastically in the next 50 years. It occurs as a result of an abnormal protein build-up in and around brain cells. It is a gradual neuro-degenerative disease associated with the synthesis and extracellular deposition of Beta-amyloid peptide, as well as the flame-shaped neurofibrillary tangles of the microtubule-binding protein named tau. This results in the loss of nerve cells, which shows as minor memory issues that progress to severe brain impairment over the duration. Unfortunately, there is no cure for Alzheimer's disease, and currently available medications can only assist in slowing the illness's progress temporarily. As a result, early detection is the best method to ensure effective therapy.

Researchers conducted several studies to detect different stages of AD using Deep Neural Network techniques. Christian et al. [1] proposed single-subject classification model after the feature extraction and selection techniques. An automated feature extraction approach was applied by them to MRI images in order to determine the most discriminative characteristics among groups of brain. Janani et al. [2] proposed Deep learning techniques to perform multimodel

data fusion. They used stacked denoising auto-encoders and 3D convolutional neural networks (CNNs) for MRI images. Jyoti and Yanqing [3] proposed another method having faster framework for AD detection inspired by Inception-V4 network. They showed how hyper-parameters from a deep image classifier (CNNs) might improve feature learning from a small medical picture dataset.

Analyzing the studies, we found that the 3D Convolutional Neural network (CNNs) technique is recognized with several successes in recent years for brain MRI. We used 3D ConvNet and Fully Connected (FC) layers and 3D pretrained model called ResNet. We used different variations of ResNet. The spatial information was stored as we used 3D CNNs.

II. METHODS

A. Pre-processing

On the acquired images, as discussed in section III-A, we applied pre-processing techniques. First we took the raw data and co-registered them to a standard template for spatial normalization. The standard template we used was the MNI152 T1 1mm brain template. After normalization to the MNI space, we stripped the skull from the images. Preprocessing was done with the help of the FSL (FMRIB Software Library)¹ software. Figure 1 shows the original and pre-processing outcomes on the MRI scans.

B. Architecture

In this project, we used two types of architecture, namely, 3D ConvNet architecture and 3D ResNet architecture. Additionally, we experimented with three variations of the ResNet architecture, which are ResNet-18, ResNet-50, and ResNet-152.

1) *3D ConvNet*: A 3D ConvNet or 3D Convolutional Neural Network [4] is a 3D version of a regular 2D Convolutional Neural Network where the input may be an array of 2D images or a 3D volume. Ordinary Neural Networks and Convolutional Neural Networks are pretty similar. They are made up of neurons with weights and biases that can be learned. Each neuron takes some inputs, performs a dot product, and executes a non-linearity if desired. From raw picture pixels on one end to class scores on the other, the entire network reflects a single differentiable score function. On the last (fully-connected) layer, they have a loss function.

¹FSL (<https://fsl.fmrib.ox.ac.uk/fsl/fslwiki/>)




Fig. 3: Slice plot of 3D MRI sample.

when working with real problems with a large volume of data or parameters. Moreover, it is effective and takes minimal memory. It is mainly a hybrid of gradient descent with momentum and the RMSP algorithms. We used the Adam optimizer with a learning rate which has an exponential decay schedule. We started with an initial learning rate of 0.0001 and a 96% decay rate over 100000 steps.

E. Augmentation

There are a variety of preprocessing and augmentation methods available. We used simple data augmentation techniques. During training, the preprocessed MRI images were augmented by rotating at different angles. We added a dimension of size one at axis 4 to be able to execute 3D convolutions on the data because it was stored in rank-3 tensors of shape (samples, height, width, and depth). As a result, the new form was (samples, height, width, depth, 1). The training data was fed via an augmentation function randomly rotating MRI image volume at different angles. It was defined when we declared our data loader function.

III. EXPERIMENT

We have experimented with different deep learning models on an MRI dataset. We have discussed the dataset and the experimental results below.

A. Dataset

We acquired 3D MRI data from the ADNI (Alzheimer's Disease Neuroimaging Initiative) ² database. We took samples of 75 patients with Alzheimer's disease and 75 patients who were cognitively normal controls. We experimented on a total of 150 subjects.

The ADNI was established in 2003 as a \$60 million, 5-year partnership between different public and private institutions

including the National Institute on Aging (NIA), the National Institute of Biomedical Imaging and Bioengineering (NIBIB), the Food and Drug Administration (FDA), etc. The major purpose of ADNI was to see if serial MR, PET, other biological markers, and clinical and cognitive assessments could be used to track mild cognitive impairment and early Alzheimer's disease progression. According to the incorporation criteria of this initiative, all patients were between the ages of 55 and 90 and spoke either or both English and Spanish. The Mini Mental State Examination score requirement for all subjects were between 24 to 30, however the Clinical Dementia Rating (CDR) differed for the two categories. For CN subjects the CDR had to be zero and for AD subjects the CDR had to be 0.5. Figure 4 shows the MRI sample of an AD and a CN subject.

t1-weighted MRI samples were taken from the database for this project. For the sake of uniformity, we only took samples that had undergone 3D gradwarp correction and B1 non-uniformity correction. For non-uniformity intensity correction is performed by the B1 non-uniformity correction method. MRI scans were performed on the baseline and screening visits at 1.5 tesla. The acquired data was in 3D Nifti format. Figure 3 shows a sliced plotting of 3D MRI sample after it has been pre-processed.

B. Results

We achieved results on the various deep learning models that we have applied on the MRI dataset. Table ?? illustrates these results.

Model	Validation Accuracy
3D ConvNet	65.22%
3D ResNet-18	73.91%
3D ResNet-50	73.91%
3D ResNet-152	71.74%

TABLE I: Model validation accuracy

²Alzheimer's Disease Neuroimaging Initiative (<https://adni.loni.usc.edu/>)




Fig. 4: Sliced MRI scans of the brain

Figure 5 shows the model accuracy and loss curves for the different models.




Fig. 5: Model accuracy and loss curve

IV. CONCLUSION

For the early identification and treatment of Alzheimer's disease patients, an automated Alzheimer's disease detection and classification system are essential. As a result, we have presented a deep 3D CNN model for Alzheimer's disease diagnosis and classification which is automated. We have demonstrated the model's performance measurement on the ADNI dataset. We used data augmentation as we have a small dataset, but we achieved a good result. We got better accuracy in 3D ResNet compared with 3D ConvNet. The proposed method might be improved in several ways. First, we want to work with more MRI AD datasets in the future, such as OASIS, to get comparable or better results. We want to use transfer learning to see if it is more effective than our proposed method. We want to use state-of-the-art models such as ConvNeXt, DOLG to get better accuracy. We can increase accuracy using Generative Adversarial Networks (GAN) and Ensemble Learning (EL). [6]

REFERENCES

- [1] C. Salvatore, A. Cerasa, P. Battista, M. C. Gilardi, A. Quattrone, and I. Castiglioni, "Magnetic resonance imaging biomarkers for the early diagnosis of alzheimer's disease: a machine learning approach," *Frontiers in neuroscience*, vol. 9, p. 307, 2015.
- [2] J. Venugopalan, L. Tong, H. R. Hassanzadeh, and M. D. Wang, "Multimodal deep learning models for early detection of alzheimer's disease stage," *Scientific reports*, vol. 11, no. 1, pp. 1–13, 2021.
- [3] J. Islam and Y. Zhang, "A novel deep learning based multi-class classification method for alzheimer's disease detection using brain mri data," in *International conference on brain informatics*, pp. 213–222, Springer, 2017.
- [4] A. Payan and G. Montana, "Predicting alzheimer's disease: a neuroimaging study with 3d convolutional neural networks," *arXiv preprint arXiv:1502.02506*, 2015.
- [5] K. He, X. Zhang, S. Ren, and J. Sun, "Deep residual learning for image recognition," in *Proceedings of the IEEE conference on computer vision and pattern recognition*, pp. 770–778, 2016.
- [6] D. Griggs, M. Stafford-Smith, O. Gaffney, J. Rockström, M. C. Öhman, P. Shyamsundar, W. Steffen, G. Glaser, N. Kané, and I. Noble, "Sustainable development goals for people and planet," *Nature*, vol. 495, no. 7441, pp. 305–307, 2013.