	W True				W Estimated				Difference (Est – True)			0.4
-0.92	0.00	0.00	Var1	-0.55	0.16	0.03	Var1	0.37	0.16	0.03	Var1	0.4
-0.95	0.00	0.00	Var2 0.5	-0.56	0.16	0.01	Var2 0.	0.39	0.16	0.01	Var2	0.2
-0.62	0.00	0.00	Var3	-0.39	0.11	0.03	Var3	0.23	0.11	0.03	Var3	
0.96	0.00	0.00	Var4 0	0.58	-0.19	-0.03	Var4 0	-0.38	-0.19	-0.03	Var4	0
-0.78	0.00	0.00	Var5	-0.47	0.12	0.04	Var5	0.31	0.12	0.04	Var5	-0.2
0.00	0.78	0.00	Var6 -0.5	-0.14	0.46	-0.05	Var6	-0.14	-0.32	-0.05	Var6	-0.2
0.00	0.83	0.00	Var7	-0.15	0.47	-0.10	Var7	-0.15	-0.36	-0.10	Var7	-0.4
0.00	0.96	0.00	Var8	-0.15	0.56	-0.07	Var8	-0.15	-0.40	-0.07	Var8	
0.00	0.62	0.00	Var9	-0.10	0.34	-0.03	Var9	-0.10	-0.27	-0.03	Var9	
0.00	-0.98	0.00	Var10	0.17	-0.56	0.10	Var10	0.17	0.42	0.10	Var10	
0.00	0.00	-0.88	Var11	0.02	0.09	-0.72	Var11	0.02	0.09	0.16	Var11	
0.00	0.00	-1.00	Var12	0.04	0.10	-0.82	Var12	0.04	0.10	0.17	Var12	
0.00	0.00	-0.88	Var13	0.06	0.06	-0.71	Var13	0.06	0.06	0.17	Var13	
0.00	0.00		Var14	-0.04	-0.06	0.65	Var14	-0.04	-0.06	-0.19	Var14	
0.00	0.00	-0.66	Var15	0.02	0.05	-0.54	Var15	0.02	0.05	0.12	Var15	
0.00	0.00	0.00	Var16	-0.00	0.01	-0.00	Var16	-0.00	0.01	-0.00	Var16	
0.00	0.00	0.00	Var17	0.01	-0.00	0.02	Var17	0.01	-0.00	0.02	Var17	
0.00	0.00	0.00	Var18	-0.01	0.01	0.00	Var18	-0.01	0.01	0.00	Var18	
0.00	0.00	0.00	Var19	-0.00	-0.00	0.01	Var19	-0.00	-0.00	0.01	Var19	
0.00	0.00	0.00	Var20	-0.01	0.01	-0.01	Var20	-0.01	0.01	-0.01	Var20	
0.00	0.00	0.00	Var21	0.00	0.01	0.01	Var21	0.00	0.01	0.01	Var21	
0.00	0.00	0.00	Var22	0.02	-0.00	-0.01	Var22	0.02	-0.00	-0.01	Var22	
0.00	0.00	0.00	Var23	0.01	-0.00	0.00	Var23	0.01	-0.00	0.00	Var23	
0.00	0.00	0.00	Var24	0.02	-0.01	0.00	Var24	0.02	-0.01	0.00	Var24	
0.00	0.00	0.00	Var25	0.01	0.01	0.00	Var25	0.01	0.01	0.00	Var25	
0.00	0.00	0.00	Var26	-0.00	0.00	0.02	Var26	-0.00	0.00	0.02	Var26	
0.00	0.00	0.00	Var27	-0.01	0.01	0.01	Var27	-0.01	0.01	0.01	Var27	
0.00	0.00	0.00	Var28	0.02	-0.02	-0.01	Var28	0.02	-0.02	-0.01	Var28	
0.00	0.00	0.00	Var29	0.01	0.00	-0.01	Var29	0.01	0.00	-0.01	Var29	
0.00	0.00	0.00	Var30	0.01	-0.01	0.01	Var30	0.01	-0.01	0.01	Var30	
Factor1	Factor2	Factor3		Factor1	Factor2	Factor3		Factor1	Factor2	Factor3		