

Lead webhook spec for the Mommy Makeover landing page

Landing page: <https://promo.xiluetaestheticsurgery.com> (English) · <https://promo.xiluetaestheticsurgery.com/es/> (Spanish)

What we need from you

1. An **HTTPS endpoint** on the CRM that accepts a `POST` with a JSON body (one request per lead) and answers with any `2xx` status.
2. Optionally, the same or a second endpoint that accepts a `multipart/form-data` `POST` with up to 4 photos (see "Photo upload").
3. The **authentication** you want us to send: either a shared secret header or a bearer token. Tell us the header name and value.

When it's ready, send us back three things: the endpoint URL, the photo endpoint URL if different, and the auth header (name and value). We put them in Cloudflare and leads start flowing the same day. Nothing on the landing page changes.

How the request reaches you

The visitor answers an 8-step quiz. On submit, the page posts to our Cloudflare function, which forwards **one JSON POST** to your endpoint from Cloudflare's network (the browser never calls your URL directly).

```
POST <your endpoint>
Content-Type: application/json
X-Webhook-Secret: <shared secret, if you choose that>      (or)
Authorization: Bearer <token>                               (any single header you specify)
```

Timeout: our side waits up to 8 seconds for your response. Please respond quickly (queue any slow processing).

JSON payload

Every request has exactly these keys. Empty strings mean "not answered / not applicable". Values are stable English keys on both the English and Spanish page, so you never receive translated text.

```
{
  "first_name": "Ana Test",
  "phone": "(305) 555-0100",
  "email": "ana@example.com",
  "whatsapp_ok": true,
  "language": "en",
  "procedures": ["tummy_tuck", "breast_lift"],
  "timing": "1_3_months",
  "travel": "other_state",
  "age_18_plus": "yes",
  "postpartum_status": "yes",
  "smoker": "no",
  "payment_method": "financing",
  "credit_range": "720_plus",
  "state": "Georgia",
  "city": "Atlanta",
  "qualification": "qualified",
  "source": "google_lp_mommy_makeover",
  "campaign_name": "mm-en",
  "utm_source": "google",
  "utm_medium": "cpc",
  "utm_campaign": "mm-en",
  "utm_content": "",
  "utm_term": "",
  "matchtype": "",
  "gclid": "Cj0KCQjw...",
  "gbraid": "",
  "wbraid": "",
  "fbclid": "",
  "fbp": "",
  "fbc": "",
  "landing_url": "https://promo.xiluetaestheticsurgery.com/?utm_source=google&utm_campaign=mm-en&gclid=Cj0KCQjw...",
  "event_source_url": "https://promo.xiluetaestheticsurgery.com/",
  "submitted_at": "2026-09-01T23:27:47.220Z"
}
```

Field reference

Field	Type	Values / notes
<code>first_name</code>	string	Full name as typed by the visitor (label on the form is "Full name").
<code>phone</code>	string	As typed; not normalized.
<code>email</code>	string	As typed, trimmed.
<code>whatsapp_ok</code>	boolean	Always <code>true</code> (consent line on the form covers phone, SMS, WhatsApp).
<code>language</code>	string	<code>en</code> or <code>es</code> . Use it to route to English- or Spanish-speaking coordinators.

Field	Type	Values / notes
procedures	array of strings	Any of <code>tummy_tuck</code> , <code>breast_lift</code> , <code>breast_augmentation</code> , <code>liposuction</code> , <code>not_sure</code> . May be empty.
timing	string	<code>asap</code> , <code>1_3_months</code> , <code>3_6_months</code> , <code>researching</code> .
travel	string	<code>miami_south_fl</code> , <code>florida</code> , <code>other_state</code> , <code>no</code> .
age_18_plus	string	<code>yes</code> , <code>no</code> .
postpartum_status	string	<code>yes</code> (done having children, 6+ months postpartum, not breastfeeding), <code>not_yet</code> , <code>not_sure</code> .
smoker	string	<code>no</code> , <code>yes</code> , <code>yes_would_stop</code> .
payment_method	string	<code>cash</code> , <code>financing</code> , <code>mix</code> , <code>not_sure</code> .
credit_range	string	<code>720_plus</code> , <code>680_719</code> , <code>620_679</code> , <code>below_620</code> , <code>unknown</code> , or empty when payment is <code>cash</code> .
state	string	US state name, <code>Puerto Rico</code> , or <code>Outside the US / Fuera de EE. UU.</code> . Default <code>Florida</code> .
city	string	Optional free text.
qualification	string	<code>qualified</code> , <code>nurture</code> , <code>not_fit</code> . See rules below.
source	string	Always <code>google_lp_mommy_makeover</code> .
campaign_name	string	Equals <code>utm_campaign</code> , or <code>google-lp-mm</code> when the visitor arrived without UTMs.
utm_source, utm_medium, utm_campaign, utm_content, utm_term	string	Captured from the landing URL, persisted through the quiz. Empty if absent.
matchtype	string	Google Ads keyword match type from the URL (<code>e</code> , <code>p</code> , <code>b</code>), if the campaign passes it. Empty otherwise.
gclid	string	Google Ads click ID. Store it: it enables offline conversion uploads later.
gbraid, wbraid	string	Google Ads click IDs used on iOS instead of <code>gclid</code> . Store them the same way.
fbclid, fbp, fbc	string	Meta click ID and pixel cookies, for Conversions API. Empty if absent.
landing_url	string	First URL of the session, including UTMs.
event_source_url	string	URL of the page where the form was submitted.
submitted_at	string	ISO 8601 UTC timestamp.

Qualification rules (computed by the page, never shown to the visitor)

- `not_fit: age_18_plus = no or travel = no`. These visitors exit early and **are not submitted**; you will normally not receive them.
- `nurture: timing = researching or credit_range = below_620 or postpartum_status = not_yet`.
- `qualified: everything else`.

Suggested handling: `qualified` → sales pipeline, immediate follow-up (the visitor is asked to send 4 photos on WhatsApp right after submitting). `nurture` → coordinator follow-up sequence.

Photo upload (optional endpoint)

Qualified visitors can upload photos on the thank-you page instead of using WhatsApp. If you support it, we send:

```
POST <photo endpoint>           (defaults to the lead endpoint if you don't give us a second
one)
Content-Type: multipart/form-data
<same auth header as above>

photo_front  file (image/*, ≤ 12 MB)  -- any subset of the four may be present
photo_left   file
photo_right  file
photo_back   file
first_name   text
phone        text
email        text
language     text    en | es
type         text    "photos"
source       text    "google_lp_mommy_makeover"
submitted_at text    ISO 8601
```

Match the photos to the lead by `email` and/or `phone`. Answer `2xx` on success. If you don't want to receive files, tell us and we'll keep the uploader on WhatsApp only.

Reliability notes

- Deduplicate on `email` + `phone` + `submitted_at` if you see retries.
- We do not retry on failure at the moment; a non-2xx response is logged on our side. If you want retries, tell us and we'll add them.
- All requests originate from Cloudflare's network, so IP allowlisting is not practical. Use the auth header instead.

How to test your endpoint before we connect it

Run this against your endpoint (replace the URL and header). You should see the lead appear in the CRM.

```
curl -X POST "https://YOUR-CRM/endpoint" \  
  -H "Content-Type: application/json" \  
  -H "X-Webhook-Secret: YOUR-SECRET" \  
  -d '{"first_name":"Test Lead","phone":"(305) 555-0100","email":"test@example.com","whatsapp_\  
ok":true,"language":"en","procedures":["tummy_tuck"],"timing":"asap","travel":"miami_south_f\  
l","age_18_plus":"yes","postpartum_status":"yes","smoker":"no","payment_method":"cash","credit\  
_range":"","state":"Florida","city":"Miami","qualification":"qualified","source":"google_lp_mo\  
mmy_makeover","campaign_name":"google-lp-mm","utm_source":"","utm_medium":"","utm_campaig\  
n":"","utm_content":"","utm_term":"","matchtype":"","gclid":"","gbraid":"","wbraid":"","fbcli\  
d":"","fbp":"","fbc":"","landing_url":"https://promo.xiluetaestheticsurgery.com/","event_sourc\  
e_url":"https://promo.xiluetaestheticsurgery.com/","submitted_at":"2026-09-01T00:00:00.000Z"}'
```

Once you send us the URL and header, we'll submit a live test lead through the real quiz and confirm it arrives.