| | Receptors | | | | | | | | Metaprograms | | | | | | | | | | |
|---------|-----------|-----------------|----------|-----|----|---------------|------------------|-----|--------------|---------|-----|-----|--------|-----|-------|--------------|--------------|------|---------------------------------|
| | | | | MAG | AC | Chromatin.Reg | Inflammatory.Mac | MES | MES.Ast | MES.Hyp | Мас | NPC | Neuron | OPC | Oligo | Prolif.Metab | Reactive.Ast | Vasc | |
| | | ſ | UKF304 | | | | | | | | | | | | | | | | |
| Samples | | | MGH258 | | | | | | | | | | | | | | | | |
| | |] | UKF269 | | | | | | | | | | | | | | | | |
| | | Γ | UKF266 | | | | | | | | | | | | | | | | RNASE1-Receptor Spearman Rho |
| | | Γ | UKF296 | | | | | | | | | | | | | | | | |
| | | [| UKF334 | | | | | | | | | | | | | | | | |
| | | Zŀ | H1007inf | | | | | | | | | | | | | | | | 0 |
| | | [| UKF275 | | | | | | | | | | | | | | | | −1 |
| | | L | UKF251 | | | | | | | | | | | | | | | | Proportion 0.3 |
| | | [| UKF259 | | | | | | | | | | | | | | | | 0.2 |
| | | ľ | UKF313 | | | | | | | | | | | | | | | | 0.1 |
| | | | UKF243 | | | | | | | | | | | | | | | | 0 |
| | | [| UKF248 | | | | | | | | | | | | | | | | |
| | | 7 | UKF260 | | | | | | | | | | | | | | | | |
| | L | - | UKF255 | | | | | | | | | | | | | | | | |