JD Edwards EnterpriseOne Applications General Accounting Implementation Guide

B Mapping Fields for Journal Entry Batch Processing

This appendix contains the following topics:

- Section B.1, "Mapping Fields in the F0911Z1 Table" (#g037ee99c9453fb39_ef90c_10a77f2c279__36e7)
- Section B.2, "Mapping Fields in the F0911Z1 Table for Burdening" (#g2cf64575324da1bb_10cb03_11bb536092c__79ec)
- Section B.3, "Mapping Fields in the F0911Z1 Table for Advanced Cost Accounting" (#g037ee99c9453fb39_ef90c_10a77f2c279__36e5)
- Section B.4, "Mapping Fields in the F0911Z1 Table for Externally Reconciled Transactions" (#g037ee99c9453fb39_ef90c_10a77f2c279__36e1)

B.1 Mapping Fields in the F0911Z1 Table

This section contains a list of the fields in the Journal Entry Transactions - Batch File (F0911Z1). These fields are required to run the Journal Entries Batch Processor program (R09110Z). Zero or blank is a value for some fields; however, null is not a valid value. Not all fields are displayed on General Accounting forms or used by the JD Edwards EnterpriseOne General Accounting system.

B.1.1 Required Fields

This table lists the required fields in the F0911Z1 table:

Field Name	Alias	Type	Length	Definition
EDI - User ID	VNEDUS	Alpha	10	Enter the user ID of the person who is running the process or the person who is to receive messages in the Employee Queue Manager program (P012501). This field, with VNEDTN, VNEDBT, and VNEDLN, uniquely identifies a specific journal entry.
EDI - Transaction Number	VNEDTN	Alpha	22	Enter a value that, with VNEDLN, identifies each transaction. Each new transaction number indicates a new journal entry. You can have only one transaction with the same number in a batch unless VNEDLN is different. This field normally contains the document number of the source system so that the transaction can be readily identified.
EDI - Line Number	VNEDLN	Number	7	Enter a value that, with VNEDTN, identifies each line of the journal entry.

Field Name	Alias	Type	Length	Definition
EDI - Successfully Processed	VNEDSP	Alpha	1	Enter a value that indicates whether a record has been processed successfully. Update this field with a value of **0**. If the record is processed successfully, the system updates this field to a value of **1**. If an error occurs, the system leaves **0** in the field. Do not leave this field blank.
EDI - Transaction Action	VNEDTC	Alpha	1	Enter **A** for transactions to be processed. No other values are valid.
EDI - Transaction Type	VNEDTR	Alpha	1	Enter **J** for journal entries. You cannot leave this field blank.
EDI - Batch Number	VNEDBT	Alpha	15	Enter a value that, with VNEDTN, VNEDUS, and VNEDLN, uniquely identifies a transaction within a specific batch. This field also acts as a level break and causes the assignment of a new batch number each time that the value changes. You can greatly increase performance by assigning one batch number for each group of transactions that is being processed at one time.

Field Name	Alias	Type	Length	Definition
G/L Date	VNDGJ	Date	6	Enter a value that indicates the date of the transaction. This field is part of the header section of the journal entry; therefore, you can enter only one value for each document. Enter the general ledger date in the format that your database accepts. Some databases allow you to enter the date in a Gregorian date format (mmddyy), while others might require a Julian date format (cyyddd, where c= century). Enter **0** for transactions in the 20th century and enter **1** for transactions in the 21st century. For example, the date June 1, 2007 corresponds to the Julian date 107152 and the date June 1, 2008 corresponds to the Julian date 108153 (because the year 2008 has a leap day, February 29). Alternatively, you can leave this field blank and complete VNDGM (mm), VNDGD (dd), VNDGY (yy), and VNDG# in the month/day/year/century

Field Name	Alias	Type	Length	Definition
				format. Enter the prefix of the year in VNDG#. For example, enter 20 for 2007.

Field Name	Alias	Type	Length	Definition
Account Number	VNANI	Alpha	29	A value that represents the account number that you want to update when you process the transaction. Complete either VNANI or VNAID, or VNMCU, VNOBJ, and VNSUB to designate the account number. The first character in the VNANI field must correspond to the Symbol to Identify the Account Number in the F0009 table. For example, if the Symbol to Identify the Short Number is * and you want to enter the Short Number in VNANI, you must precede it with *. Otherwise, leave VNANI blank and enter the Short Number in VNAID. The system populates the fields that you leave blank, based on the account information that you enter. For example, if you complete the Business Unit, Object, and Subsidiary fields, the system updates the Account ID and Account Number fields when the transaction is processed. If you complete the Account Number field, the system updates the Business Unit, Object,

Field Name	Alias	Type	Length	Definition
				Subsidiary, and Account ID fields when the transaction is processed.
Account ID	VNAID	Alpha	8	Enter a value that represents the identifier of the account that you want to update when you process the transaction. Complete either VNANI or VNAID, or VNMCU, VNOBJ, and VNSUB to designate the account number.
Business Unit	VNMCU	Alpha	12	Enter a value that helps identify the account number that you want to update when you process the transaction. Complete either VNANI or VNAID, or VNMCU, VNOBJ, and VNSUB to designate the account number.
Object Account	VNOBJ	Alpha	6	Enter a value that helps identify the account number that you want to update when you process the transaction. Complete either VNANI or VNAID, or VNMCU, VNOBJ, and VNSUB to designate the account number.

Field Name	Alias	Type	Length	Definition
Amount - Tax	VNSTAM	Number	15	Enter the tax amount for journal entries with VAT. This amount is passed to the tax calculator for validation and calculation. If the Rate/Rate Area and Tax Explanation Code fields are not passed, this field is ignored.
Amount - Gross	VNAG	Number	15	Enter the gross amount for journal entries with VAT. This amount is passed to the tax calculator for validation and calculation. If the Rate/Rate Area and Tax Explanation Code fields are not passed, this field is ignored.
Track Taxes Flag	VNTKTX	Character	1	Specify whether to update tax information for the account taxed in the F0911. The value **1** updates tax explanation code, tax rate/area and tax item.
Distribution Line Number	VNDLNID	Number	6	Enter a value for the GLDLNID field in the F0911 table. The system does not perform any validation or formatting on the value in this field.
Check/Receipt Number	VNCKNU	String	25	Enter a value for the GLCKNU field in the F0911 table. The system does not perform any validation or formatting on the value in this field.

Field Name	Alias	Type	Length	Definition
Subsidiary	VNSUB	Alpha	8	A value that helps identify the account number that you want to update when you process the transaction. Complete either VNANI or VNAID, or VNMCU, VNOBJ, and VNSUB to designate the account number.

Field Name	Alias	Type	Length	Definition
Account Mode	VNAM	Alpha	1	Enter a value that directs the system to read a specific field to locate the account number. Values are: **1**: Use the value in the VNAID field. **2**: Use the value in the VNANI field. **3**: Use the value in the VNANI field, but this value must be the third account number, as defined in the general accounting constants. **4**: Use the values assigned in VNMCU, VNOBJ, and VNSUB. **7**: Use the value in VNANI, but use the character in the first position of the VNANI field to identify the format in which the account number was entered, as defined in the general accounting constants. For example, if the value in VNANI is #123, the system uses the account number format that is represented by # in the general accounting constants.

Field Name	Alias	Type	Length	Definition
Amount	VNAA	Number	15	Enter a value that represents the amount of the transaction. Enter the amount in the format that your database accepts. Some databases accept a decimal identifier, while others do not. If you are entering a foreign currency amount, leave this field blank and enter an amount in VNACR.
Explanation	VNEXA	Alpha	30	Enter a description of the transaction. This field is part of the header section of the journal entry. Therefore, you can enter only one value for each document.
Company	VNCO	Alpha	5	Enter the number of the company for which you are processing the transaction. This is required for multicurrency processing.

See Also

- "Multicurrency Fields Required in the F0911Z1 Table" in the *JD Edwards EnterpriseOne Applications Multicurrency Processing Implementation Guide.*

B.2 Mapping Fields in the F0911Z1 Table for Burdening

This section lists the fields in the Journal Entry Transactions - Batch File (F0911Z1) that are used for burdening.

B.2.1 Fields for Burdening

This table lists the fields in the F0911Z1 table that are used by burdening:

Field Name	Alias	Type	Length	Definition
Alternate Home Business Unit	AHBU	Number	12	Enter the number of the business unit in which the employees generally work.
Job Type	JBCD	String	6	Enter a code from UDC table 06/G that identifies a job within your organization. The job type must be valid for the contract assigned to the job master.
Job Step	JBST	String	4	Enter a code from UDC table 06/GS that identifies a specific level within a job type.
Employee Pool Grouping Code	EPGC	String	3	Enter a code from UDC table 00/12 that identifies the pool grouping.
Job Pool Grouping Code	JPGC	String	3	Enter a code from UDC table 00/12 that identifies the pool grouping.

Field Name	Alias	Type	Length	Definition
Burdening Posted Code	BUPC	Character	1	Values are: blank or **0:** Unposted **1:** Posted

See Also

- Setting Up Burdening (setupburdening.htm#g48649644b5d986cb_ef90c_1182e90dec7__7fe5) .
- Processing Burdening (processburdening.htm#ge527cbef2748e750_ef90c_112c54920c3__7fd7) .

B.3 Mapping Fields in the F0911Z1 Table for Advanced Cost Accounting

This section discusses how to map fields in the F0911Z1 table for the Advanced Cost Accounting system.

B.3.1 Required Fields for the Advanced Cost Accounting System

If you use the Advanced Cost Accounting system, this table lists the fields in the F0911Z1 table that are required:

Field Name	Alias	Type	Length	Information
Cost Object Type 1– 4	VNABT1 VNABT2 VNABT3 VNABT4	Alpha	1	Enter up to four cost object types. The system uses these fields to edit the values entered in the corresponding VNABR1 - VNABR4. If you enter a value in one of the Cost Object Type fields, you must enter a value in the corresponding Cost Object field. The values in the Cost Object Type fields must exist in the F1620 table.
Cost Object 1–4	VNABR1 VNABR2 VNABR3 VNABR4	Alpha	12	Enter up to four cost objects. The value in each Cost Object field must follow the edit rules for the corresponding VNABT1 - VNABT4.
Posting Code 1–10	VNPM01– VNPM10	Alpha	1	Leave these fields blank.
Item Number	VNITM	Number	8	If you enter a value in this field, the system verifies that the item exists in the F4101 table.

B.3.2 Optional Fields

You can use optional fields to provide additional information about the journal entries. This table lists the fields in the F0911Z1 table are optional:

Field Name	Alias	Type	Length	Definition
EDI - Detail Lines Processed	VNEDDL	Number	5	Enter the number of detail lines that are included in a specific transaction. For user verification only.
EDI - Transaction Type	VNEDTR	Alpha	1	Enter **J** for journal entry transactions or leave this field blank.
Document Company	VNKCO	Alpha	5	Enter a number that identifies the company of the transaction. This field is used only to differentiate transaction numbers by company. If you leave this field blank, the value is determined by the company that is associated with the business unit of the first journal entry line. If you enter a value in this field, the value must exist in the F0010 table. This field is part of the header section of the journal entry. Therefore, you can enter only one value for each document.

Field Name	Alias	Type	Length	Definition
Document Type	VNDCT	Alpha	2	Enter a code that identifies the type of transaction. If you leave this field blank, the system uses **JE**. If you enter a value in this field, the value must exist in user-defined code (UDC) table 00/DT. This field is part of the header section of the journal entry. Therefore, you can enter only one value for each document.

Field Name	Alias	Type	Length	Definition
Document Number	VNDOC	Number	8	Enter a number that identifies the transaction in the F0911 table. If you leave this field blank, the system uses next numbers for System 09 to generate a document number. If you enter a value in this field, the value cannot exist in the F0911 table with the same general ledger and document type, or the transaction is considered a duplicate and is not processed. This field is part of the header section of the journal entry. Therefore, you can enter only one value for each document.
Journal Entry Line Number	VNJELN	Number	7	Enter a value that you use to track the number of lines in a journal entry. If you leave this field blank, the system updates it when it processes the transactions. The maximum number of journal entry lines in a transaction is 9999.

Field Name	Alias	Type	Length	Definition
Line Extension Code	VNEXTL	Alpha	2	Enter a code that indicates the line extension. If you leave this field blank, the General Ledger Post program (R09801) updates it if multicurrency intercompany settlements exist.
G/L Posted Code	VNPOST	Alpha	1	Enter a value that indicates whether the transaction has been posted. If you leave this field blank, the General Ledger Post program updates it. If the transaction represents a model journal entry, enter **M**.
Batch Number	VNICU	Number	8	Enter a number used to group journal entries that are processed simultaneously. If you leave this field blank, the system uses next numbers for System 00 to generate a batch number. This field is part of the header section of the journal entry. Therefore, you can enter only one value for each document.

Field Name	Alias	Type	Length	Definition
Batch Type	VNICUT	Alpha	2	Enter a code that designates the type of transaction being processed (invoice, voucher, and so on). If you enter a value in this field, the value must exist in UDC table 98/IT. If you leave this field blank, the system populates the field with **G** when it processes the journal entries. This field is part of the header section of the journal entry. Therefore, you can enter only one value for each document.
Batch Date	VNDICJ	Date	6	Enter the date of the batch. If you leave this field blank, the system uses the date on which the batch program is executed. If you complete this field, enter the date in a format that your database accepts. Review the field definition for VNDGJ for more information. This field is part of the header section of the journal entry. Therefore, you can enter only one value for each document.

Field Name	Alias	Type	Length	Definition
Batch System Date	VNDSYJ	Date	6	Enter the date on which the batch was entered into the system. If you leave this field blank, the system uses the date on which the batch program is processed. If you complete this field, enter the date in a format that your database accepts. Review the field definition for VNDGJ for more information. This field is part of the header section of the journal entry. Therefore, you can enter only one value for each document.
Batch Time	VNTICU	Number	6	Enter the time when the batch was entered into the system. If you leave this field blank, the system uses the time that the batch program is processed. This field is part of the header section of the journal entry. Therefore, you can enter only one value for each document.
Subledger	VNSBL	Alpha	8	Enter a code that identifies an auxiliary account for the transaction. If you complete this field, you must also enter a value in VNSBLT.

Field Name	Alias	Type	Length	Definition
Subledger Type	VNSBLT	Alpha	1	Enter a code that identifies a category within a subledger. If you complete this field, the value must exist in UDC table 00/ST.
Ledger Type	VNLT	Alpha	2	Enter a code that identifies the type of ledger. You can leave this field blank, or enter **AA** or any other valid ledger type in UDC table 09/LT except CA. Never enter CA in this field. This field is part of the header section of the journal entry. Therefore, you can enter only one value for each document.
Period Number	VNPN	Number	2	A code that indicates the accounting period. We recommend that you leave these fields blank. The system populates them, based on the general ledger date and company.
Century	VNCTRY	Number	2	The century in which the transaction takes place. if you leave this field blank, the system populates it based on the general ledger date and company.

Field Name	Alias	Type	Length	Definition
Fiscal Year	VNFY	Number	2	The year in which the transaction takes place. If you leave this field blank, the system populates it based on the general ledger date and company.
Historical Exchange Rate	VNHCRR	Number	15	A previous exchange rate. Any value that you enter in this field is passed. The system does not validate it. This field is part of the header section of the journal entry. Therefore, you can enter only one value for each document.
Historical Date	VNHDGJ	Date	6	Any value that you enter in this field is passed. The system does not validate it. If you complete this field, enter the date in a format that your database accepts. Review the field definition for VNDGJ for more information. This field is part of the header section of the journal entry. Therefore, you can enter only one value for each document.

Field Name	Alias	Type	Length	Definition
Units	VNU	Number	15	Enter the number of units in the transaction. If you complete this field, the system updates the Amount field with the value in the AU ledger when you run the Post General Ledger program (R09801).
Unit of Measure	VNUM	Alpha	2	Enter a value that describes the type of units entered. If you enter a value in this field, the value must exist in UDC table 00/UM. If you leave this field blank and a unit of measure is assigned to the account in the F0901 table, the system updates this field with that unit of measure.
G/L Offset	VNGLC	Alpha	4	Any value that you enter in this field is passed. The system does not validate it.

Field Name	Alias	Type	Length	Definition
Reverse or Void (R/V)	VNRE	Alpha	1	Enter a value that indicates whether you want to reverse accrual entries. If you enter **R** (reverse) in this field, when the entry is posted, the system generates another journal entry with a general ledger date that is the first day of the next period. The transaction amount is reversed from the original entry. Voided transactions are not eligible for this process. You must use the Journal Entry program (P0911) to void journal entries. This field is part of the header section of the journal entry. Therefore, you can enter only one value for each document.
Remark/ Explanation	VNEXR	Alpha	30	Enter a description for a specific journal entry line.
Reference 1	VNR1	Alpha	8	Any value that you enter in this field is passed. The system does not validate it. This field is part of the header section of the journal entry. Therefore, you can enter only one value for each document.

Field Name	Alias	Type	Length	Definition
Reference 2	VNR2	Alpha	8	Any value that you enter in this field is passed. The system does not validate it.
Document Pay Item	VNSFX	Alpha	3	Any value that you enter in this field is passed. The system does not validate it.
Document - Original	VNODOC	Number	8	Any value that you enter in this field is passed. The system does not validate it.
Document Company (Purchase Order)	VNPKCO	Alpha	5	Any value that you enter in this field is passed. The system does not validate it.
Document Company (Original Order)	VNOKCO	Alpha	5	Any value that you enter in this field is passed. The system does not validate it.
Document Type - Purchase Order	VNPDCT	Alpha	2	Any value that you enter in this field is passed. The system does not validate it.
Address Number	VNAN8	Number	8	Enter the address book number of the customer or supplier who is associated with a voucher or invoice transaction. If you enter a value in this field, it must exist in the F0101 table.
Payment Number	VNCN	Alpha	8	Enter the payment number for the transaction.

Field Name	Alias	Type	Length	Definition
Check Date	VNDKJ	Date	6	Enter the payment date that is associated with the payment number. Use a format that your database accepts. Review the field definition for VNDGJ for more information.
Check Cleared Date	VNDKC	Date	6	Enter the date on which the payment cleared the bank. Use a format that your database accepts. Review the field definition for VNDGJ for more information.
Serial Number	VNASID	Alpha	25	The asset ID that is associated with a fixed asset. The system verifies that this field exists in the F1201 table.
Batch Rear End Posted Code	VNBRE	Alpha	1	Any value that you enter in this field is passed. The system does not validate it.
Reconciled Code	VNRCND	Alpha	1	Enter a value that indicates whether the record is reconciled. You can enter **R** in this field to indicate that the record is reconciled. Any value that you enter in this field is passed. The system does not validate it.
Summarized Code	VNSUMM	Alpha	1	Any value that you enter in this field is passed. The system does not validate it.

Field Name	Alias	Type	Length	Definition
Purge Code	VNPRGE	Alpha	1	Any value that you enter in this field is passed. The system does not validate it.
Flag for 1099	VNTNN	Alpha	1	Any value that you enter in this field is passed. The system does not validate it.
G/L Posting Code - Alternate 1	VNALT1	Alpha	1	Any value that you enter in this field is passed. The system does not validate it.
G/L Posting Code - Alternate 2	VNALT2	Alpha	1	Any value that you enter in this field is passed. The system does not validate it.
G/L Posting Code - Alternate 3	VNALT3	Alpha	1	Any value that you enter in this field is passed. The system does not validate it.
G/L Posting Code - Alternate 4	VNALT4	Alpha	1	Any value that you enter in this field is passed. The system does not validate it.
G/L Posting Code - Alternate 5	VNALT5	Alpha	1	Any value that you enter in this field is passed. The system does not validate it.
G/L Posting Code - Cash Basis Account	VNALT6	Alpha	1	Any value that you enter in this field is passed. The system does not validate it.
Commitment Relief Flag	VNALT7	Alpha	1	Any value that you enter in this field is passed. The system does not validate it.

Field Name	Alias	Type	Length	Definition
Billing Control	VNALT8	Alpha	1	Any value that you enter in this field is passed. The system does not validate it.
Currency Update	VNALT9	Alpha	1	Any value that you enter in this field is passed. The system does not validate it.
G/L Posting Code - Alternate 0	VNALT0	Alpha	1	Any value that you enter in this field is passed. The system does not validate it. We recommend that you leave this field blank.
Consumption Tax Cross Reference	VNALTX	Alpha	1	Any value that you enter in this field is passed. The system does not validate it.
Delete Not Allowed	VNDLNA	Alpha	1	Any value that you enter in this field is passed. The system does not validate it.
Client Free Form - Alternate 1	VNCFF1	Alpha	1	Any value that you enter in this field is passed. The system does not validate it.
Client Free Form - Alternate 2	VNCFF2	Alpha	1	Any value that you enter in this field is passed. The system does not validate it.
Lease Cost Ledger Posted Code	VNASM	Alpha	1	Any value that you enter in this field is passed. The system does not validate it.
Bill Code	VNBC	Alpha	1	If you enter a value in this field, the value must exist in UDC table 98/BC.

Field Name	Alias	Type	Length	Definition
Supplier Invoice Number	VNVINV	Alpha	25	An invoice number for the transaction. Any value that you enter in this field is passed. The system does not validate it. This field is part of the header section of the journal entry. Therefore, you can enter only one value for each document.
Invoice Date	VNIVD	Date	6	The invoice date for the transaction. Use a format that your database accepts. Review the field definition for VNDGJ for more information. This field is part of the header section of the journal entry. Therefore, you can enter only one value for each document.
Categories - Work Order 01	VNWR01	Alpha	4	Any value that you enter in this field is passed. The system does not validate it.
Purchase Order	VNPO	Alpha	8	Any value that you enter in this field is passed. The system does not validate it.
Purchase Order Suffix	VNPSFX	Alpha	3	Any value that you enter in this field is passed. The system does not validate it.

Field Name	Alias	Type	Length	Definition
Order Type	VNDCTO	Alpha	2	If you enter a value in this field, the value must exist in UDC table 00/DT.
Line Number	VNLNID	Number	6	Any value that you enter in this field is passed. The system does not validate it.
Fiscal Year - Weekly	VNWY	Number	2	Any value that you enter in this field is passed. The system does not validate it.
Fiscal Period - Weekly	VNWN	Number	2	Any value that you enter in this field is passed. The system does not validate it.
Closed Item - As Of Processing	VNFNLP	Alpha	1	Any value that you enter in this field is passed. The system does not validate it.
Sequence Number - Operations	VNOPSQ	Number	5	Any value that you enter in this field is passed. The system does not validate it.
Job Type (Craft) Code	VNJBCD	Alpha	6	Any value that you enter in this field is passed. The system does not validate it.
Job Step	VNJBST	Alpha	4	Any value that you enter in this field is passed. The system does not validate it.

Field Name	Alias	Type	Length	Definition
Business Unit - Home	VNHMCU	Alpha	12	A value that indicates the business unit for the transaction. If you enter a value in this field, the system verifies that it exists in the F0006 table. This field is part of the header section of the journal entry. Therefore, you can enter only one value for each document.
DOI Stub	VNDOI	Number	2	Any value that you enter in this field is passed. The system does not validate it.
Outsider Lease or Well ID	VNALID	Alpha	25	Any value that you enter in this field is passed. The system does not validate it.
ID Type	VNALTY	Alpha	2	Any value that you enter in this field is passed. The system does not validate it.
Service/Tax Date	VNDSVJ	Date	6	The service or tax date of the transaction. Use a format that your database accepts. If you leave this field blank, the system uses the value from VNDGJ. Review the field definition for VNDGJ for more information.

B.3.3 Ignored Fields

The system does not use values in ignored fields. This table lists the fields that the system ignores:

Field Name	Alias	Type	Length
Type Record	VNEDTY	Alpha	1
Record Sequence	VNEDSQ	Number	2
EDI - Document Type	VNEDCT	Alpha	2
EDI - Transaction Set Number	VNEDTS	Alpha	6
EDI - Translation Format	VNEDFT	Alpha	10
EDI - Transmission Date	VNEDDT	Date	6
EDI - Send/Receive Indicator	VNEDER	Alpha	1
Batch File Create G/L Record	VNEDGL	Alpha	1
User Address Number	VNEDAN	Number	8
Fiscal Quarter (Obsolete)	VNFQ	Number	2
Reference 3 - Account Reconciliation	VNR3	Alpha	8
Document Type - Original	VNODCT	Alpha	2
Document Pay Item - Original	VNOSFX	Alpha	3
G/L Posting Code - Alternate T	VNALTT	Alpha	1
G/L Posting Code - Alternate U	VNALTU	Alpha	1
Stock Inventory Commitment	VNALTV	Alpha	1
G/L Posting Code - Alternate W	VNALTW	Alpha	1

Field Name	Alias	Type	Length
G/L Posting Code - Alternate Z	VNALTZ	Alpha	1
Registration Number	VNREG#	Number	8
Payment ID	VNPYID	Number	15
Transaction Originator	VNTORG	Alpha	10
User ID	VNUSER	Alpha	10
Program ID	VNPID	Alpha	10
Work Station ID	VNJOBN	Alpha	10
Date Updated	VNUPMJ	Date	6
Time Last Updated	VNUPMT	Number	6

B.4 Mapping Fields in the F0911Z1 Table for Externally Reconciled Transactions

If you use outbound interoperability to send bank account information to a third-party software package for bank statement reconciliation, you can import the reconciliation information back into the JD Edwards EnterpriseOne General Accounting system to complete the reconciliation process.

B.4.1 Required Fields

You must populate these fields in the F0911Z1 table for each transaction that you want to update in the JD Edwards EnterpriseOne General Accounting system:

- VNEDUS (EDI - User ID).
- VNEDBT (EDI - Batch Number).

- VNEDTN (EDI - Transaction Number).
- VNEDLN (EDI - Line Number).
- VNEDSP (EDI - Processed Flag) - The value in this field must be **2**.
- VNDOC (Document Number).

The values in these fields must match the records that you want to update in the F0911 table:

- VNDCT (Document Type)
- VNKCO (Document Company)
- VNDGJ (G/L Date)
- VNJELN (Journal Entry Line Number)
- VNEXTL (Line Extension Code)
- VNRCND (Reconciled Code)
- VNDKC (Check Cleared Date)

After you populate the F0911Z1 table, you run the Update Externally Reconciled Transaction program to update the transactions from the F0911Z1 table to the JD Edwards EnterpriseOne General Accounting system.

B.4.2 Updating Reconciled Transactions in EnterpriseOne

Select Batch Journal Entry Processing (G09311), Update Externally Reconciled Transaction.

You run the Update Externally Reconciled Transaction program to update the reconciliation information from the F0911Z1 table to the JD Edwards EnterpriseOne General Accounting system. The program also updates the Processed Flag field (VNEDSP) to **1** (successfully processed) in the F0911Z1 table for each transaction to prevent the transaction from being processed again by the Update Externally Reconciled Transaction program or by the Journal Entry Batch Processor program (R09110Z).

(https://docs.oracle.com/cd/E15582_01/doc.91/e15112/mapfieldsautobankstate.htm) (https://docs.oracle.com/cd/E15582_01/doc.91/e15112/mapfieldsautobankstate.htm)

(#)

About Oracle (http://www.oracle.com/corporate/index.html) | Contact Us (http://www.oracle.com/us/corporate/contact/index.html) | Legal Notices (http://www.oracle.com/us/legal/index.html) | Terms of Use (http://www.oracle.com/us/legal/terms/index.html) | Your Privacy Rights (http://www.oracle.com/us/legal/privacy/index.html) | Preferencias sobre cookies (#) | Ad Choices (https://www.oracle.com/legal/privacy/marketing-cloud-data-cloud-privacy-policy.html#12) |

Copyright © 2016, Oracle and/or its affiliates. (http://www.oracle.com/pls/topic/lookup?ctx=cpyr&id=en)