Appendix C Test Inventory and Acceptance Evidence

Mingjie Yang 50106061. Existing source: sync/cycle3-final ae7ab47.

C1 Inventory and actual local execution

The attached CSV contains all 183 collected cases, with names, outcomes and timings. Original test hashes and JUnit XML are supplied electronically; this page summarises the inventory.

Table 6.1 Existing test inventory

Module stem	Funcs	Cases	Coverage target
adversarial_backend	25	38	R02 R03; NFR-R2
auth	10	10	R06
cors	4	19	Interface integration
diagnose	8	10	R02 R03
e2e_frontend	6	6	R09 static resources
empirical_stress	7	12	R01 R02 R03
health	5	8	R09 health probe
llm_health	19	36	Optional LLM probe
quiz	6	21	R01
reports	9	23	R04 R05

Source: audit and JUnit; stems omit test_ and .py.

Primary run: 183 passed, 17 warnings in 1.83s. Separate live verification: 183 passed, 17 warnings in 4.04s. These are two runs of the same existing suite; they are not added together.



Figure C.1 Actual local subprocess in a browser console. Run ID, raw output and JUnit are attached as verification_* files. This is not an OS terminal.

C2 Requirement-by-requirement quality evaluation

Table C.1 Assigned non-functional requirements

ID	Assigned target	Result and evidence
NFR-U1	Unaided answer; <=3 clicks	Partial; tester only
NFR-U2	zh/en; themes; AA >=4.5:1	Partial; contrast unverified
NFR-P1	Local API P95 <100 ms	Met; every route <1.5 ms
NFR-P2	Local offline FCP <100 ms	Unmet; fixture FCP 392 ms
NFR-R1	No database, model or cloud	Unmet; external ECharts
NFR-R2	Classified errors; no 500	Partial; 200 fallbacks
NFR-S1	Pydantic; no SQL/command joins	Partial; typed checks only
NFR-S2	No plain credentials in repo/ZIP	Unmet in original source
NFR-M1	Layered; HTTP-free service tests	Partial; structure inspected
NFR-M2	>=140 cases; all pass; <10 s	Met; 183 passed / 1.83 s

Source: task pack 02, Table 2.3; recorded evidence, not invented acceptance.

Table C.2 Later Chapter 2 quality baseline (separate)

ID	Later quality requirement	Result / Ref
NFR-01	Diagnostic API Response Latency	Partial / N01
NFR-02	Application Cold-Start Time	Unverified / N02
NFR-03	Zero-Network Offline Determinism	Unmet / N03
NFR-04	Graceful Input Validation & Fault Isolation	Partial / N04
NFR-05	Diagnostic Interaction Efficiency (3-Click Rule)	Partial / N05
NFR-06	Visual Contrast & Dual-Theme Readability	Unverified / N06
NFR-07	Cross-Language Naming Contract (CamelModel)	Partial / N07
NFR-08	Zero-Build Frontend & Data-Code Separation	Partial / N08
NFR-09	Credential Hygiene & Zero-Secret Repository	Unmet / N09
NFR-10	Anti-Hallucination & Provenance Transparency	Unmet / N10

Source: later Ch2 Table 2.2; N keys resolve to the evidence ledger.

Reproduction and integrity

Use the recorded dependencies and original revision. Run python -m pytest tests/ -q. Add -p network_guard with the helper on PYTHONPATH to block external sockets. Original application and test hashes are unchanged. The complete case CSV and exact-wording crosswalk are embedded PDF attachments and supplied externally for viewers without attachment support.