01 ORTHOPEDIC SIGNAL 75

BCR monitoring helps identify patients at high risk for voiding dysfunction.

Why this matters: This systematic review assessed intraoperative bulbocavernosus reflex monitoring for predicting postoperative voiding dysfunction after lumbosacral spine surgery.

European Spine Journal

ALSO TODAY

03 SPORTS Sports Medicine

08 PRACTICE Archives of PM&R

01 ORTHO BMC Musculoskeletal Disorders

02 NEURO J NeuroEng Rehabil

Return to competition after ACLR is not the only measure of player success.

Why this matters: This cohort study examined return to competition and career sustainability in football players after primary ACL reconstruction.

Transparent team communication is crucial for using patient-centered outcomes data.

Why this matters: This commentary discussed the challenges of systematically using patient-centered outcomes data to improve rehabilitation care.

SIGNAL 75
Archives of PM&R

Consider adding VR to TKA rehab for better pain, function, and balance.

Why this matters: This randomized controlled trial investigated the effect of adding virtual reality-based therapy to conventional physiotherapy after total knee arthroplasty.

SIGNAL 70

BMC Musculoskeletal Disorders

A novel armrest can boost unsupervised upper extremity movement practice early post-stroke.

Why this matters: This randomized controlled trial explored a new wheelchair armrest device to promote arm movement in stroke inpatients.

SIGNAL 70
J NeuroEng Rehabil

Five papers a day, read so you don't have to.

Cadence Evidence incadencept.com