02 NEUROLOGICAL

SIGNAL 85

Digital monitoring with feedback boosts walking and balance after stroke at home.

Why this matters: This RCT examined if a mobile-based monitoring system with clinician feedback improved outcomes for stroke survivors in home rehabilitation.

J NeuroEng Rehabil

ALSO TODAY

01 ORTHO — Int Urogynecol J

02 NEURO — Journal of Rehabilitation Medicine

01 ORTHO — Int Urogynecol J

02 NEURO — J NeuroEng Rehabil

Consider pelvic floor yoga for women with overactive bladder and leakage.

Why this matters: This subgroup analysis of an RCT investigated pelvic floor yoga compared to general physical conditioning for women with overactive bladder-wet.

SIGNAL 75

Int Urogynecol J

Multimodal stroke interventions may be less effective for patients aged 80 and older.

Why this matters: This RCT assessed the impact of age and frailty on a multimodal long-term intervention for stroke survivors.

SIGNAL 75

Journal of Rehabilitation Medicine

The pudendal nerve commonly presents as a single trunk but has anatomical variability.

Why this matters: This systematic review and meta-analysis described the anatomical variations and measurements of the pudendal nerve.

SIGNAL 70

Int Urogynecol J

01

A new control strategy makes FES cycling safer and more reproducible for SCI patients.

Why this matters: This study developed and validated a simulation-derived, synergy-based control strategy for functional electrical stimulation cycling in a person with spinal cord injury.

SIGNAL 70
J NeuroEng Rehabil

Five papers a day, read so you don't have to.

Cadence Evidence incadencept.com