01 ORTHOPEDIC SIGNAL 85

For knee OA pain, function, and QoL, prioritize short-term combined exercise.

A systematic review with network meta-analysis investigated which exercise types and durations were most effective for knee osteoarthritis.

JOSPT

ALSO TODAY

01 ORTHO JOSPT

01 ORTHO Physiotherapy

02 NEURO Physiotherapy theory and practice

02 NEURO Physiotherapy

Do patients with first-hand telerehabilitation experience value it more?

In a study of Australian adults with chronic knee pain, researchers explored the value of telerehabilitation based on prior experience.

SIGNAL 75

JOSPT

The GLA:D® program for hip OA may also reduce low back pain.

This longitudinal cohort study examined the effect of a supervised education and exercise program on low back pain in patients with hip osteoarthritis.

SIGNAL 75

Physiotherapy

01

The Balance Intensity Tool offers a reliable way to assess balance intensity.

This study compared the inter-rater agreement and reliability of a tool versus clinical judgment for assessing balance intensity in people with multiple sclerosis.

SIGNAL 75
Physiotherapy theory and practice

Physiotherapists are cautiously optimistic about robot-assisted gait training.

A qualitative study explored physiotherapists' perceptions of robot-assisted gait training in acute neurological rehabilitation before its implementation.